

## PAN PORTAL : PAN CARD API DOCUMENTATION

**WE ALSO PROVIDE READY TO WORK PAN CARD PORTAL  
WHERE YOU CAN CREATE UNLIMITED MD/AD AND  
PSAs. (With API Already integrated)**

<b>REQUEST TYPE</b>	<b>NEW VLE ADD</b>
<b>URL</b>	<a href="http://mysaralseva.com/apihome/c/api_addpsa.php?enckey=API KEY&amp;vleid=VLE ID&amp;vlename=VLE NAME&amp;vlelocation=VLE DISTRICT&amp;vlemob=VLE MOB&amp;vleemail=VLE EMAIL&amp;vlepan=VLE PAN&amp;vlestate=VLE STATE CODE&amp;vlepincode=VLE PIN CODE">http://mysaralseva.com/apihome/c/api_addpsa.php?enckey=API KEY&amp;vleid=VLE ID&amp;vlename=VLE NAME&amp;vlelocation=VLE DISTRICT&amp;vlemob=VLE MOB&amp;vleemail=VLE EMAIL&amp;vlepan=VLE PAN&amp;vlestate=VLE STATE CODE&amp;vlepincode=VLE PIN CODE</a>
<b>METHOD</b>	GET
<b>RESPONSE FORMAT</b>	JSON
<b>RESPONSE EXAMPLE</b>	[{"Txntype": "AgentEnroll", "Psaid": "VLE ID AS ENTERED BY YOU", "Name": "VLE NAME AS ENTERED", "Txnstatus": "Failed/Success", "Msg": "Txn Message/Comment"}]

**TXNSTATUS: SUCCESS/FAILED**

**# HERE YOU CAN CODE AROUND VLE ID**

<b>REQUEST TYPE</b>	<b>VLE STATUS CHECK</b>
<b>URL</b>	<a href="http://mysaralseva.com/apihome/c/api_getbal_psa.php?vleid=PSA ID&amp;apikey= API KEY">http://mysaralseva.com/apihome/c/api_getbal_psa.php?vleid=PSA ID&amp;apikey= API KEY</a>
<b>METHOD</b>	GET
<b>RESPONSE FORMAT</b>	JSON
<b>RESPONSE EXAMPLE</b>	[{"Psaid": "VLE NAME", "Name": "VLE NAME", "Status": "VLE STATUS"}]

**VLE STATUS: PENDING/APPROVED/BLOCKED/REJECTED**

**# HERE YOU CAN CODE AROUND VLE ID**

<b>REQUEST TYPE</b>	<b>API USER BALANCE AND STATUS CHECK</b>
<b>URL</b>	<a href="http://mysaralseva.com/apihome/c/api_getbal.php?vleid=API USER NAME&amp;apikey= API KEY">http://mysaralseva.com/apihome/c/api_getbal.php?vleid=API USER NAME&amp;apikey= API KEY</a>
<b>METHOD</b>	<b>GET</b>
<b>RESPONSE FORMAT</b>	<b>JSON</b>
<b>RESPONSE EXAMPLE</b>	[{"Psaid": "VLE NAME", "Name": "VLE NAME", "Status": "VLE STATUS"}]

<b>REQUEST TYPE</b>	<b>E-COUPON REQUEST STATUS</b>
<b>URL</b>	<a href="http://mysaralseva.com/apihome/c/api_checkecoupon.php?enckey=API KEY&amp;vleid=VLE ID&amp;orderid=ORDER ID">http://mysaralseva.com/apihome/c/api_checkecoupon.php?enckey=API KEY&amp;vleid=VLE ID&amp;orderid=ORDER ID</a>
<b>METHOD</b>	<b>GET</b>
<b>RESPONSE FORMAT</b>	<b>JSON</b>
<b>RESPONSE EXAMPLE</b>	[{"Txntype": " <b>CouponCheck</b> ", "Psaid": " <b>VLE ID</b> ", "Name": " <b>VLE NAME</b> " Orderid": " <b>ORDER ID</b> ", "Txnstatus": " <b>Success/Failed</b> ", "Msg": " <b>Txn Message/Comment</b> "}]

# HERE YOU CAN CODE AROUND ORDER ID

<b>REQUEST TYPE</b>	<b>E-COUPON REQUEST</b>
<b>URL</b>	<a href="http://mysaralseva.com/apihome/c/api_buyecoupon.php?enckey=API KEY&amp;vleid=VLE ID&amp;qty=REQUIRED QUANTITY&amp;orderid=ORDER ID DEFINED BY YOU">http://mysaralseva.com/apihome/c/api_buyecoupon.php?enckey=API KEY&amp;vleid=VLE ID&amp;qty=REQUIRED QUANTITY&amp;orderid=ORDER ID DEFINED BY YOU</a>
<b>METHOD</b>	<b>GET</b>
<b>RESPONSE FORMAT</b>	<b>JSON</b>
<b>RESPONSE EXAMPLE</b>	[{"Txntype": " <b>Coupon</b> ", "Psaid": " <b>VLE ID</b> ", "Name": "VLE NAME", "Txnstatus": " <b>Success/Failed</b> ", "Msg": " <b>TXN COMMENT/MSG</b> "}]

# HERE YOU CAN CODE AROUND ORDER ID

REQUEST TYPE	PHYSICAL COUPON REQUEST STATUS
URL	<a href="http://mysaralseva.com/apihome/c/api_checkcoupon.php?enckey=API KEY&amp;vleid=VLE ID&amp;orderid=ORDER ID">http://mysaralseva.com/apihome/c/api_checkcoupon.php?enckey=API KEY&amp;vleid=VLE ID&amp;orderid=ORDER ID</a>
METHOD	GET
RESPONSE FORMAT	JSON
RESPONSE EXAMPLE	[{"Txntype": "CouponCheck", "Psaid": "VLE ID", "Name": "VLE NAME", "Orderid": "ORDER ID", "Txnstatus": "Success/Failed", "Msg": "Txn Message/Comment"}]

# HERE YOU CAN CODE AROUND ORDER ID

REQUEST TYPE	PHYSICAL COUPON REQUEST
URL	<a href="http://mysaralseva.com/apihome/c/api_buycoupon.php?enckey=API KEY&amp;vleid=VLE ID&amp;qty=REQUIRED QUANTITY&amp;orderid=ORDER ID DEFINED BY YOU">http://mysaralseva.com/apihome/c/api_buycoupon.php?enckey=API KEY&amp;vleid=VLE ID&amp;qty=REQUIRED QUANTITY&amp;orderid=ORDER ID DEFINED BY YOU</a>
METHOD	GET
RESPONSE FORMAT	JSON
RESPONSE EXAMPLE	[{"Txntype": "Coupon", "Psaid": "VLE ID", "Name": "VLE NAME", "Txnstatus": "Success/Failed", "Msg": "TXN COMMENT/MSG"}]

# HERE YOU CAN CODE AROUND ORDER ID