

565 lines (458 loc) · 20.6 KB

Argus - An AI-powered system that extracts events, reminders, and scheduling information from WhatsApp messages.

Named after Argus Panoptes, the all-seeing giant of Greek mythology who never slept, always watching and remembering.

Current Version: v0.5.0 (Auto-Learning System)

Key Features

- Multi-language support (English, Hindi, Tamil, Telugu, Marathi, Bengali, Gujarati)
- Rule Engine with 70+ static patterns
- Auto-Learning System that improves over time
- Real-time metrics and monitoring
- Push notifications for reminders
- Docker-based deployment with health checks

Tech Stack

Core Application (Argus Service)

Component	Technology	Version	Purpose
Runtime	Node.js	22.x	JavaScript runtime
Language	TypeScript	5.8.x	Type-safe JavaScript
Web Framework	Express.js	5.x	HTTP server & routing
Database	SQLite	better-sqlite3 12.x	Event & message storage
Vector Store	FAISS-like	Custom	Semantic similarity search
Schema Validation	Zod	3.24.x	Runtime type validation
Logging	Winston	3.x	Structured logging

Component	Technology	Version	Purpose
WebSocket	ws	8.x	Real-time communication

AI & Machine Learning

Component	Technology	Version	Purpose
LLM Provider	OpenAI API	SDK 4.96.x	GPT models for extraction
Classifier Model	GPT-4o-mini	Latest	Fast event classification
Extractor Model	GPT-4o	Latest	Detailed data extraction
Embedding Model	text-embedding-3-small	Latest	Vector embeddings
Token Counting	tiktoken	1.x	Accurate token estimation
Token Compression	quicksave	-	Context compression

WhatsApp Integration (Evolution API)

Component	Technology	Version	Purpose
WhatsApp API	Evolution API	v2.1.1	WhatsApp Web bridge
Protocol Library	Baileys	Built-in	WhatsApp Web protocol
Database	PostgreSQL	16-alpine	Evolution API storage

Caching & Message Broker

Component	Technology	Version	Purpose
Cache	Redis	7-alpine	Rate limiting & caching
Pub/Sub	Redis	7-alpine	Inter-service messaging

Push Notifications (Webapp)

Component	Technology	Version	Purpose
Push Protocol	Web Push	3.6.x	VAPID-based notifications
Service Worker	Browser API	-	Background notifications
PWA	Manifest	-	Installable web app

Monitoring Stack

Component	Technology	Version	Purpose
Visualization	Grafana	11.0.0	Dashboards & alerts
Log Aggregation	Loki	3.0.0	Centralized logs
Log Collector	Promtail	3.0.0	Log shipping

DevOps & Infrastructure

Service	Image	Port	Profile	Purpose
webapp	Custom (Node.js)	3002	default	Push notification webapp
redis	redis:7-alpine	6379	default	Caching & rate limiting
loki	grafana/loki:3.0.0	3100	monitoring	Log aggregation
promtail	grafana/promtail:3.0.0	-	monitoring	Log collection
grafana	grafana/grafana:11.0.0	3001	monitoring	Dashboards
evolution-api	atendai/evolution-api:v2.1.1	8080	full	WhatsApp bridge
postgres	postgres:16-alpine	5432	full	Evolution API database

Docker Profiles

Core services only (Argus + Webapp + Redis)
docker compose up -d

With monitoring (+ Grafana, Loki, Promtail)
docker compose --profile monitoring up -d

With WhatsApp integration (+ Evolution API, PostgreSQL)
docker compose --profile full up -d

Everything
docker compose --profile all up -d

Project Structure

WHATSAPP-CHAT-RMD/
├─ aidata/
│ └─ prompt.md # AI pipeline specification
├─ src/
│ ├─ index.ts # Main entry point
│ ├─ server.ts # Express server (v0.5.0)
│ └─ shared/
│ ├─ types.ts # Zod schemas & shared types
│ └─ utils.ts # Shared utilities
│ └─ config/
│ └─ index.ts # Configuration management
│ └─ orchestrator/
│ ├─ index.ts # Orchestrator main
│ ├─ containerManager.ts # Docker container management
│ ├─ notificationService.ts # Web Push notifications
│ └─ dashboardRouter.ts # Dashboard API
│ └─ pipeline/
│ ├─ index.ts # Pipeline orchestration
│ ├─ heuristicGate.ts # Signal detection (regional languages)
│ ├─ classifier.ts # Small LLM classifier
│ ├─ contextBuilder.ts # Context aggregation
│ ├─ tokenCompressor.ts # Token compression
│ ├─ ruleEngine.ts # Rule-based extraction + dynamic patterns
│ ├─ extractor.ts # Big LLM extraction + logging
│ ├─ patternLearner.ts # Auto-learning service (v0.5.0)
│ ├─ intentDetector.ts # Intent detection
│ └─ eventRouter.ts # Event routing logic
└─ database/

- └─ sqlite.ts # SQLite operations + learning tables
- └─ vector/
 - └─ faiss.ts # Vector store
- └─ scheduler/
 - └─ index.ts # Scheduling service
- └─ notifications/
 - └─ index.ts # Notification service
- └─ webhook/
 - └─ evolution.ts # Evolution API webhook
- └─ utils/
 - └─ logger.ts # Winston logger
 - └─ metrics.ts # Pipeline metrics
 - └─ pipelineLogger.ts # Pipeline stage logging
- └─ tests/
 - └─ setup.ts # Test setup
 - └─ unit/
 - └─ heuristicGate.test.ts # 27 tests
 - └─ classifier.test.ts # Tests
 - └─ tokenCompressor.test.ts # 11 tests
 - └─ extractor.test.ts # 10 tests
 - └─ ruleEngine.test.ts # 77 tests
 - └─ metrics.test.ts # 51 tests
 - └─ patternLearner.test.ts # 12 tests (v0.5.0)
 - └─ types.test.ts # 13 tests
 - └─ integration/
 - └─ pipeline.test.ts # 8 tests
 - └─ api.test.ts # 17 tests
 - └─ database.test.ts # 6 tests
- └─ webapp/
 - └─ server.ts # Push notification server
 - └─ public/
 - └─ index.html # Web UI
 - └─ sw.js # Service worker
 - └─ manifest.json # PWA manifest
- └─ docker/
 - └─ Dockerfile # Main service container
 - └─ Dockerfile.orchestrator # Orchestrator container
 - └─ Dockerfile.webapp # Webapp container
 - └─ docker-compose.yml # Production stack
 - └─ docker-compose.dev.yml # Development stack
 - └─ grafana/ # Grafana provisioning
- └─ scripts/
 - └─ start.sh # Start all services
 - └─ stop.sh # Stop all services
 - └─ whatsapp-login.sh # WhatsApp QR login
 - └─ test-message.sh # Send test message
- └─ docs/
 - └─ ARCHITECTURE.md # Architecture diagrams (Mermaid)
 - └─ diagrams/
 - └─ architecture.mmd # Complete architecture
 - └─ argus-architecture.pdf # PDF export
 - └─ argus-architecture.svg # SVG export
 - └─ argus-architecture.png # PNG export
- └─ data/
 - └─ db/
 - └─ vectors/ # Vector index files
- └─ INFO.md # This file - Project index
- └─ RULES.md # Project rules and guidelines
- └─ CHANGELOG.md # Version changelog
- └─ README.md # Quick start guide
- └─ package.json
- └─ tsconfig.json
- └─ vitest.config.ts
- └─ .env.example

Database Schema

Core Tables

Table	Purpose	Key Columns
messages	All received messages	id, chat_id, content, processed, heuristic_passed
events	Extracted events/reminders	id, title, start_time, status, confidence
subscriptions	Push notification endpoints	id, endpoint, p256dh_key, auth_key
pipeline_logs	Pipeline execution logs	id, message_id, stage, duration_ms

Auto-Learning Tables (v0.5.0)

Table	Purpose	Key Columns
llm_extraction_logs	LLM extraction history	id, raw_message, extracted_title, confidence
learned_patterns	Auto-generated patterns	id, regex_pattern, hit_count, accuracy
pattern_learning_runs	Learning job history	id, patterns_added, status

Event Types

Type	Description	Example
new_event	New calendar event	"Meeting tomorrow at 3pm"
reminder	Simple reminder	"Remind me to call John"
update_event	Modify existing event	"Change meeting to 4pm"
cancel_event	Cancel an event	"Cancel tomorrow's meeting"
signal_event	Conditional trigger	"When it rains, remind me..."
irrelevant	Not event-related	"How are you?"

Environment Variables

Required

Variable	Description
OPENAI_API_KEY	OpenAI API key for LLM access

Optional - Application

Variable	Default	Description
PORT	3000	Argus service port
NODE_ENV	development	Environment mode

Variable	Default	Description
DATABASE_PATH	./data/db/events.db	SQLite file path
LOG_LEVEL	debug	Logging verbosity
TIMEZONE	Asia/Kolkata	Default timezone

Optional - AI Models

Variable	Default	Description
OPENAI_MODEL_SMALL	gpt-4o-mini	Fast classifier model
OPENAI_MODEL_BIG	gpt-4o	Detailed extractor model
TOKEN_THRESHOLD	2000	Compression trigger threshold

Optional - Auto-Learning

Variable	Default	Description
PATTERN_LEARNING_INTERVAL	3600000	Learning job interval (1 hour)
METRICS_LOG_INTERVAL	300000	Metrics logging interval (5 min)

Optional - Push Notifications

Variable	Default	Description
VAPID_PUBLIC_KEY	(generated)	Web Push public key
VAPID_PRIVATE_KEY	(generated)	Web Push private key
VAPID_EMAIL	mailto:admin@example.com	Contact email

Optional - Evolution API

Variable	Default	Description
EVOLUTION_API_URL	http://localhost:8080	Evolution API URL
EVOLUTION_API_KEY	-	Evolution API authentication

Optional - Docker

Variable	Default	Description
RMD_PORT	3000	Host port for Argus service
WEBAPP_PORT	3002	Host port for webapp
REDIS_PORT	6379	Host port for Redis
GRAFANA_PORT	3001	Host port for Grafana
EVOLUTION_PORT	8080	Host port for Evolution API

API Endpoints

Core Endpoints

Method	Path	Description
GET	/	Service info & version
GET	/health	Health check
POST	/webhook/evolution	Evolution API webhook
POST	/webhook/test	Test message endpoint
GET	/webhook/health	Webhook health check
GET	/api/events	List extracted events
GET	/api/notifications	Notification history

Metrics Endpoints

Method	Path	Description
GET	/api/metrics	Full metrics JSON
GET	/api/metrics/summary	Human-readable summary
POST	/api/metrics/reset	Reset all metrics

Learning Endpoints (v0.5.0)

Method	Path	Description
GET	/api/learning/stats	Pattern learning statistics
GET	/api/learning/patterns	List learned patterns
GET	/api/learning/logs	LLM extraction logs
POST	/api/learning/run	Trigger manual learning run
DELETE	/api/learning/patterns/:id	Deactivate a pattern

Dashboard Endpoints

Method	Path	Description
GET	/api/dashboard/stats	Dashboard statistics
GET	/api/data/stats	Data collection stats

Quick Start

Development

Install dependencies

npm install

Copy and configure environment

cp .env.example .env

Edit .env with your OpenAI API key

Start all services

./scripts/start.sh

Or manually:

npm run dev

npm run webapp

Run tests

npm test -- --run

Argus service (port 3000)

Push webapp (port 3002)

Docker (Production)

Build and start core services

docker compose -f docker/docker-compose.yml up -d

With WhatsApp integration (full stack)

docker compose -f docker/docker-compose.yml --profile full up -d

With monitoring

docker compose -f docker/docker-compose.yml --profile monitoring up -d

Everything

docker compose -f docker/docker-compose.yml --profile all up -d

View logs

docker compose -f docker/docker-compose.yml logs -f

Testing

Run all tests (237 tests)

npm test -- --run

Run with coverage

npm run test:coverage

Run specific test file

npm test -- --run tests/unit/ruleEngine.test.ts

Watch mode

npm test -- --watch

Test Coverage

Module	Tests	Description
Rule Engine	77	Pattern matching, multi-language
Metrics	51	Counter, timing, rates
Heuristic Gate	27	Signal detection

Module	Tests	Description
API Integration	17	HTTP endpoints
Types	13	Schema validation
Pattern Learner	12	Auto-learning system
Token Compressor	11	Compression logic
Extractor	10	LLM extraction
Pipeline Integration	8	End-to-end flow
Database Integration	6	SQLite operations
Total	237	All passing

Version History

Version	Date	Highlights
v0.5.0	Current	Auto-Learning System, 237 tests
v0.4.1	-	Metrics system (51 tests)
v0.4.0	-	Rule engine, Regional languages (77 tests)
v0.3.0	-	Startup scripts, Push webapp
v0.2.0	-	Multi-container, Redis, WebSocket
v0.1.0	-	Initial pipeline, SQLite, FAISS

Related Documentation

Document	Description
<code>docs/ARCHITECTURE.md</code>	Detailed Mermaid diagrams
<code>docs/diagrams/argus-architecture.pdf</code>	Printable architecture diagram
<code>RULES.md</code>	Development guidelines & constraints
<code>CHANGELOG.md</code>	Detailed version history
<code>aidata/prompt.md</code>	AI pipeline specification
<code>README.md</code>	Quick start guide