Season Intelligence QC Automation POC

Connectivity needed and the suggested review UI

Nitzan Weisman · QC Agronomy · October 2026

Fixing a flagged recommendation takes three manual steps today

1

Judge flags a result

An automated judge marks season recommendations that fail a check.

2

Analyst verifies in GCS

I open the input data in GCS buckets to check whether the judge found a real error.

3


Copy-paste into Argo

I paste the corrected text into the Argo web UI by hand to submit the fix.

The POC removes this step

Step 2 stays a human judgment; the tool puts the judge call and the input data on one screen. Step 3 becomes one reviewed submit.

The POC links judge results, GCS and Argo through one review tool



Nothing reaches Argo without a reviewer approving **a before/after check.**

Five connections, each needing access the tool does not have yet

Connection	Used for	Access needed (owner)
Judge results BigQuery BI_POSTGRES.mavrx_ag_assistant_results	Build the work queue from failed checks	BigQuery read on the dataset (Raz/Avi)
Live text Postgres ag_assistant_results	Re-read the latest text just before submit, if BigQuery lags	Read-only database connection (Raz/Avi)
Input data GCS input buckets	Show the inputs the judge checked	Object viewer on the buckets (Raz/Avi)
Argo override workflow production template	Submit the fix and read its status	API token or SSO, plus submit permission on the template (Dafna/AJ)
Status store new small BigQuery table	Track reviewed cases, log every submit	Write access to one table (Raz/Avi)

Multipool users need one shared, approved way into the tool

Per-user access

Add each reviewer to the groups for BigQuery, GCS and Argo.

+ Quick for two or three people
– Every new reviewer needs data and Argo rights

Shared app


SUGGESTED

Host the tool behind company SSO (e.g. Cloud Run). One service account holds the data and Argo access.

+ Reviewers only need to log in
– One-time setup and approval

For Raz/Avi: which option fits our policy, who approves it, and how long approval takes.

Suggested UI: work queue on the left, review and correction on the right



Every fix gets a before/after check, with dry run on by default

Season Intelligence QC — Prototype · nothing is sent

Confirm the fix before it goes to Argo

BEFORE

…with unresolved Japanese activity at the final assessment.

AFTER

…with unresolved Japanese beetle activity at the final assessment.

WHAT WILL BE SENT

Workflow template	`production / ag-assistant-season-reco-override-by-agronomist`
Target	`Field 1312696 · Summary`
Parameters	[parameter names: confirm with AJ]

← Back to edit

☑ Dry run (don't submit)

Run dry run

Four answers from AJ decide where the tool reads the latest text

1. Does the override workflow update the row in ag_assistant_results, or add a new row and hide the old one?

2. Do edits made in the webapp write to the same table, or somewhere else?

3. Does anything else change the text after the judge runs, such as retries or the "advisor reviewed" status?

4. What are the template's parameters, and is there a staging version to test against first?

UI sign-off by Oct 22 keeps the working tool on track for Nov 30



This week: send the access request to Raz/Avi and the questions to AJ, and export 5–10 judge-flagged cases for the prototype.