AWS S3 Event-Driven Automation Using AWS Lambda


NAME : CHALAMSETTY NIVAS KRISHNA
BRANCH : CSE-AIML
USN : 23BTRCL173

HCLID : HCLTFP2262742

AWS S3 Event-Driven Automation Using AWS Lambda

Event-driven automation

Event-driven automation means that when an event happens, AWS automatically triggers an action without you manually starting it.
For example, when someone uploads a file to an S3 bucket, AWS Lambda can automatically run code to process that file.





AWS service

Amazon S3: Stores files such as CSVs, images, and documents.
S3 Event Notification: Announces that an event, such as an object upload, occurred.
AWS Lambda: Runs your code in response to the event.
IAM role: Gives Lambda the permissions it needs, such as reading a file from S3.
CloudWatch Logs: Helps you inspect Lambda execution logs and troubleshoot errors.


AWS documents this pattern as S3 invoking Lambda when an object is created; the function can then write details to CloudWatch Logs.


Create bucket.






Create Event Function







Add the Python code




Click Deploy.




Connect S3 to Lambda






Upload a test file


Open S3 → your practice bucket.
Click Upload → Add files.
Upload a file named BMW`.csv`.



Lambda → s3-upload-automation.
Select the Monitor tab.



View CloudWatch logs.



FINAL OUTPUT

