

<u>CSS</u>

Links and Lists

# **Agenda**



### **Links and Lists**



# **Objectives**

In this module, you will

- Learn how to style a link
- Set List Item markers

## **CSS Links**

- You can use CSS styles to style any link.
- Links can be styled in different ways by using any CSS property like color, font-family etc.
- Links can be in one of the following states :
  - > a: link Unvisited link
  - **a:** visited A link that the user has visited
  - ➤ a: hover A link over which the mouse pointer is moving
  - ➤ a: active A link, which has been just clicked
- Links can be styled according to their states.

### Demo 1: CSS Links

```
<html>
<head>
<style>
a:link {color:yellow;}
a:visited {color:blue;}
a:hover {color:red;}
a:active {color:green;}
</style>
</head>
<body>
>
<a href="css16.html">Click here to open the html document css16</a>
</body>
</html>
```

### Demo 2: CSS Links

You can use text-decoration property for links.

```
<html><head>
<style>
a:link {text-decoration:none;}
a:visited {text-decoration:none;}
a:hover {text-decoration:underline;color:blue;}
a:active {color:red}
</style>
</head>
<body>
>
<a href="css16.html">Click here to open the html document css16</a>
</body></html>
```

### Demo 3: CSS Links

You can also use background-color property for links.

```
<html><head>
<style>
a:link {background-color:blue;}
a:visited {background-color:yellow;}
a:hover {background-color:cyan;}
a:active {background-color:red;}
</style>
</head>
<body>
<a href="css16.html">Click here to open the html document css16</a>
 </body></html>
```

## Quiz

- 1. To remove underline from a hyperlink, you will have to use the following css syntax:
  - a) a:link{text-decoration:no-underline;}
  - b) a:link{text-underline:none;}
  - c) a:link{text-decoration:none;}
  - d) a:hyperlink(text:no-underline;}
- 2. To set the color of the text for a hyperlink, when the mouse pointer moves over it, we have to use :
  - a) a:hover {background-color:cyan;}
  - b) a:mouseover {background-color:cyan;}
  - c) a:mousehover {background-color:cyan;}
  - d) a:hover {color-cyan;}

### **Demo: Different List Item markers for Unordered Lists**

```
<html><head><style>
ul.a {list-style-type:circle;}
ul.b {list-style-type:square;}
p{text-decoration:underline;}
</style></head><body>
<h1>Courses offered :</h1>
 Category A 
Java
 C++
 SOL 
 Category B 
Struts
 Hibernate
 Spring
</body></html>
```

### Output:

### Courses offered:

#### Category A

- o Java
- o C++
- o SQL

#### Category B

- Struts
- Hibemate
- Spring

### **Demo: Different List Item markers for Ordered Lists**

```
<html><head><style>
ol.a {list-style-type:upper-roman;}
ol.b {list-style-type:lower-alpha;}
p{text-decoration:underline;}
</style></head><body>
<h1>Courses Offered :</h1>
Category A
Java
 C++
 SOL
Category B
Struts
 Hibernate
 Spring
</body></html>
```

### **Output:**

### Courses Offered:

#### Category A

- I. Java
- II C++
- III. SQL


#### Category B

- a. Struts
- b. Hibernate
- c. Spring

## **Demo: Image as list Item Marker**

You can also specify an image as the list item marker.

```
<html><head><style>
ul {list-style-image:url('animal1.bmp');}
p {text-decoration:underline;}
</style></head><body>
<h1>Animals :</h1>
 Domestic 
<l
 Doq
 Cat
 Cow
 Wild 
<l
 Tiger
 Lion
 Leopard
</body></html>
```



## Quiz

- 1. State whether the following statement is TRUE or FALSE Using CSS, you can set an image as a list item marker
- 2. To set an ordered list with the type of list item marker as Upper Case Roman Letter, we have to define the style as follows:
  - a) ol.a {list-type:upper-roman;}
  - b) ol.a{list-type:UPPER\_ROMAN;}
  - c) ol.a{list-style-type:roman\_upper;}
  - d) ol.a {list-style-type:upper-roman;}

# **Summary**

In this module, you were able to:

- Learn how to style a link
- Set List Item markers

© 2017 Wipro wipro.com confidenti



# **Thank You**