

School of Computer Science and Engineering

Course Code: B24EJ0602	Big Data Analytics Lab Project Report	Academic Year: 2025-26
		Semester & Branch with Section: CSIT 'B'
Project Details:		
Project Title:	Air Quality Prediction	
Place of Project:	REVA UNIVERSITY, BENGALURU	
Student Details:		
1) Name:	Lavanya R	Sign:
2) Name:	Nivedha S	Sign:
Mobile No:	8088573286, 7358969697	
Email-ID:	lavanyaramesh4771@gmail.com , nivedhasathish707@gmail.com	
SRN:	R23ET034, R23EJ089	
Guide and Lab Faculty Members Details		
Guide Name: (The Faculty Member Assigned)	Prof Aravind	Sign: Date:
Grade by Guide:		
Name of Lab Co-Faculty 1		Sign: Date:
Name of Lab Co-Faculty 2		Sign: Date:
Grade by Lab Faculty Members (combined)		

SEE Examiners

Name of Examiner 1:		Sign: Date:
Name of Examiner 2:		Sign: Date:

Contents

1. Title Page	Pg no 1
2. Abstract	Pg no 3
3. Introduction	Pg no 3
4. Literature Review	Pg no 4
5. Methodology	Pg no 4
6. Results and Discussion	Pg no 6
7. Conclusions	Pg no 10
8. References	Pg no 10
9. Appendices	Pg no 11

2. Abstract

Air pollution is a critical environmental issue affecting human health and climate globally. With the rapid increase in urbanization and industrial activities, monitoring and predicting air quality has become essential. This project focuses on analyzing large-scale air quality datasets using Big Data Analytics (BDA) techniques to predict air pollution levels. The main objective of this project is to analyze historical air quality data, identify patterns and trends, and predict future Air Quality Index (AQI) levels. The system leverages big data tools such as Apache Spark and PySpark to efficiently process large datasets. Various parameters such as PM2.5, PM10, CO, NO2, SO2, and O3 are analyzed to understand pollution behavior.

The methodology includes data collection from open datasets, preprocessing (handling missing values, normalization), and applying machine learning algorithms such as Linear Regression and Decision Trees for prediction. PySpark is used to perform distributed data processing and model training. The results demonstrate that big data techniques significantly improve the efficiency and scalability of air quality prediction models. The project helps in providing early warnings and supports decision-making for environmental monitoring and public health safety.

3. Introduction

Air pollution has become one of the most serious environmental challenges worldwide. Poor air quality leads to severe health issues such as respiratory diseases, heart problems, and reduced life expectancy. Monitoring air pollution manually is not sufficient due to the massive volume of data generated from sensors and monitoring stations.

Big Data Analytics (BDA) plays a crucial role in handling large datasets and extracting meaningful insights. By using distributed computing frameworks like Apache Spark, it is possible to process and analyze air quality data efficiently.

This project aims to develop a predictive model for air quality using big data techniques. By analyzing historical data, the system can forecast pollution levels and help authorities take preventive measures.

3.2 Objectives of the Project

1. To collect and analyze historical air quality data from reliable sources.
2. To preprocess and clean large datasets using Big Data tools like PySpark.
3. To identify key pollutants affecting the Air Quality Index (AQI).
4. To build a predictive model for forecasting air quality levels.
5. To evaluate the model's accuracy and support better environmental decision-making.

3.3 Overview of the Report Structure

This report is organized into multiple sections to present a clear understanding of air quality prediction using Big Data Analytics. It begins with the title page and abstract, followed by an introduction explaining the importance of air quality monitoring. A literature review discusses existing research and techniques, and the methodology section describes data collection, preprocessing, and the use of tools like PySpark and machine learning models. The results and discussion section presents the findings and analysis, followed by conclusions highlighting key outcomes.

4. Literature Review

Air quality prediction has gained significant attention due to rising pollution levels in urban areas. Early studies primarily relied on statistical methods to analyze pollutant concentrations. These traditional approaches were simple but lacked accuracy when handling complex and large datasets. As a result, there was a need for more advanced techniques.

With the growth of data, Big Data Analytics (BDA) has emerged as an effective solution for environmental monitoring. Technologies like Apache Spark and Hadoop enable processing of large-scale air quality datasets efficiently. These tools support distributed computing, which improves speed and scalability. Researchers have increasingly adopted these frameworks for pollution analysis.

Machine learning techniques have been widely used for air quality prediction. Algorithms such as Linear Regression, Decision Trees, and Random Forest have shown promising results. These models can identify patterns and relationships between pollutants and environmental factors. Compared to traditional methods, they provide better prediction accuracy.

Recent studies have also explored deep learning models like Artificial Neural Networks (ANN) and Long Short-Term Memory (LSTM). These models are particularly useful for time-series forecasting of air quality data. They can capture temporal dependencies and complex patterns in pollution trends. However, they require large datasets and higher computational resources.

Data preprocessing plays a crucial role in improving prediction performance. Handling missing values, normalization, and feature selection are essential steps. Many researchers emphasize the importance of selecting key pollutants such as PM_{2.5} and PM₁₀. Proper preprocessing ensures better model training and reliable results.

5.Methodology

The methodology of this project focuses on applying Big Data Analytics techniques to predict air quality effectively. Initially, air quality data is collected from reliable sources such as government pollution monitoring stations and open datasets. This data includes key parameters like PM2.5, PM10, CO, NO2, SO2, and O3, along with date and location information.

The collected data is then preprocessed to ensure quality and consistency. This step involves handling missing values, removing duplicates, and normalizing the dataset. Data cleaning is essential to accuracy of the prediction model. After preprocessing, relevant features are selected based on their impact on the Air Quality Index (AQI).

Next, Big Data tools such as PySpark are used to process large volumes of data efficiently. The dataset is transformed and analyzed using distributed computing techniques. Machine learning models such as Linear Regression and Decision Trees are then applied to build the prediction system.

4.1 Data Preprocessing

Before performing analysis, the air quality dataset was preprocessed to ensure data consistency and proper analysis. The preprocessing steps included:

- Loading the dataset from CSV format using PySpark
- Automatically inferring the schema of the dataset
- Checking dataset structure and handling missing values
- Extracting date and time features for trend analysis
- Selecting relevant attributes such as PM2.5, PM10, CO, NO2, SO2, and O3

The preprocessing step helped in organizing the data for efficient analysis using PySpark DataFrames.

4.2 PySpark Implementation

The project was implemented using Apache Spark with PySpark DataFrame operations and SQL-based analytical functions.

Step 1: Creating Spark Session

A Spark session was initialized to start the PySpark environment.

```
from pyspark.sql import SparkSession
spark = SparkSession.builder.appName("AirQualityAnalysis").getOrCreate()
```

Step 2: Loading the Dataset

The air quality dataset was loaded from the CSV file into a PySpark DataFrame.

```
df = spark.read.csv("air_quality_data.csv", header=True, inferSchema=True)
```

Step 3: AQI / Pollutant Analysis

Pollutant levels were analyzed using aggregate functions

```
df.groupBy("City").avg("PM2.5", "PM10").show()
```

Step 4: Region-wise Air Quality Analysis

Region-wise analysis was performed to identify pollution distribution.

```
df.groupBy("City").count().show()
```

Step 5: Monthly Trend Analysis

Monthly trends were analyzed by extracting month from date column.

```
from pyspark.sql.functions import month
```

```
df = df.withColumn("Month", month("Date"))
```

```
df.groupBy("Month").avg("PM2.5").show()
```

Step 6: Data Visualization

The analyzed PySpark DataFrame was converted into Pandas DataFrame for visualization.

```
pdf = df.toPandas()
```

5.3 Data Processing and Analysis

The project used PySpark DataFrame operations for efficient data processing and analysis of air quality datasets. Aggregation operations such as grouping and averaging were performed to identify pollution trends and city-wise variations. The analysis focused on understanding pollutant behavior across time and location.

The following analyses were performed:

- Pollutant concentration analysis (PM2.5, PM10, etc.)
- City-wise air quality distribution analysis
- Monthly air quality trend analysis
- Seasonal pollution pattern identificatio

The analytical results were represented visually using graphs and charts for better understanding.

5.4 Machine Learning Algorithms Applied

This project focuses on data analytics and trend analysis using PySpark. Basic machine learning algorithms such as Linear Regression were applied to predict Air Quality Index (AQI) based on pollutant levels. The model helps in identifying relationships between different pollutants and overall air quality

5.5 Design and Development of Analytics Dashboard

The project includes visual representations of analyzed air quality data using charts and graphs generated through Python visualization libraries. The dashboard components include:

- Bar chart representing pollutant concentration across cities
- Line graph showing monthly AQI trends
- Pie chart representing contribution of different pollutant

These visualizations help in understanding pollution patterns effectively and support decision-making for environmental management.

6. Results and Discussion

The results obtained from the analysis show that Big Data Analytics techniques can efficiently process large air quality datasets and generate meaningful insights. The PySpark-based implementation improved processing speed and scalability compared to traditional methods.

The analysis revealed that pollutants such as PM2.5 and PM10 have a significant impact on AQI levels. Seasonal variations were also observed, with higher pollution levels during certain months. The model predictions were reasonably accurate and useful for identifying future trends.

6.1 Presentation of Key Findings from Data Analysis

The air quality dataset was analyzed using PySpark DataFrame operations to identify pollution patterns, city-wise distribution, and monthly trends. The analysis was performed using grouping and aggregation functions available in Apache Spark.

Pollutant Analysis


Pollutant concentration analysis was performed using `groupBy()` and `avg()` functions in PySpark. The results showed higher levels of pollutants such as PM2.5 and PM10 in urban areas compared to other regions.

City-wise Air Quality Analysis

City-wise analysis identified regions with higher pollution levels. This helped in understanding geographical variations in air quality and identifying high-risk zones.


Monthly Trend Analysis Monthly analysis showed seasonal variations in air quality. Certain months recorded higher AQI values, indicating increased pollution levels due to environmental and human activities.

Actual vs predicted AQ



Configuring PySpark and Java environment settings initially caused difficulties during setup.

Solution: The issue was resolved by properly installing Java, configuring environment variables, and installing required Python libraries.



7.Challenges Faced and Solutions

Challenge 1: Handling Large and Incomplete Data

Air quality data collected from sensors and monitoring stations often contains missing and inconsistent values.

Cleaning and organizing such data is essential before analysis.

Poor data quality can affect prediction accuracy.

Solution:

Missing values were handled using data cleaning techniques and filtering methods.

PySpark was used to efficiently process large datasets.

Proper preprocessing ensured reliable and accurate analysis.

Challenge 2: Complexity in Air Quality Prediction

Air quality depends on multiple dynamic factors like weather, traffic, and industrial emissions.

These factors change frequently and have complex relationships.

It is difficult to model all these variations accurately.

This affects the performance of prediction models.

Solution:

Relevant features such as PM2.5, PM10, and gases were carefully selected.

Simple machine learning models like Linear Regression were applied.

Data was analyzed for patterns before building the model.

This helped in improving prediction accuracy and reliability.

This project successfully implemented a healthcare data analytics system for analyzing disease trends using Apache Spark with PySpark. The project focused on analyzing healthcare datasets to identify disease occurrence frequency, region-wise disease distribution, and monthly or seasonal disease trends.

PySpark DataFrame operations and SQL-based analytical functions were used to process and analyze the healthcare dataset efficiently. The analysis helped identify commonly occurring diseases, regions with higher disease cases, and variations in disease occurrences across different months. Data visualizations such as bar graphs, line charts, and pie charts were generated to represent the analytical results clearly.

A web-based analytics dashboard was also developed using Streamlit to display healthcare analytics results in an interactive and user-friendly manner. The dashboard improved the visualization and interpretation of disease trends and healthcare insights.

Reflections on the Learning Experience

Through this project, valuable knowledge and practical experience were gained in the areas of big data analytics, PySpark implementation, healthcare data processing, and data visualization. The project helped in understanding how PySpark can efficiently process and analyze large datasets using distributed computing techniques.

The implementation also provided hands-on experience in using PySpark DataFrames, performing aggregation operations, generating visualizations, and developing a simple analytics dashboard. Additionally, the project improved problem-solving skills related to data preprocessing, environment setup, and integration of analytical results with visualization tools.

Suggestions for Future Work or Improvements

The following improvements can be implemented in future versions of the project:

- Integration of real-time healthcare datasets for live disease monitoring.
- Implementation of machine learning algorithms for disease prediction and outbreak forecasting.
- Development of advanced interactive dashboards with filtering and search options.
- Analysis of larger healthcare datasets from multiple hospitals and healthcare organizations.
- Integration of cloud-based big data platforms for large-scale healthcare analytics.
- Addition of patient demographic analysis such as age-group and gender-based disease trends.

These improvements can further enhance the efficiency and usefulness of the healthcare analytics system for real-world healthcare applications.

8. References

1. Apache Spark Documentation. *Apache Spark Official Documentation*. Available at: <https://spark.apache.org/docs/latest/>
2. PySpark Documentation. *PySpark API Documentation*. Available at: <https://spark.apache.org/docs/latest/api/python/>
3. Python Software Foundation. *Python Documentation*. Available at: <https://docs.python.org/3/>
4. McKinney, W. *Python for Data Analysis*. O'Reilly Media, 2017.
5. Han, J., Kamber, M., & Pei, J. *Data Mining: Concepts and Techniques*. Morgan Kaufmann Publishers, 2011.
6. Healthcare Data Analytics: Applications and Challenges in Big Data Systems. *International Journal of Data Science and Analytics*.
7. Streamlit Documentation. *Streamlit Official Documentation*. Available at: <https://docs.streamlit.io/>

9. Appendices

Appendix A: Dataset Sample

PM2.5	PM10	NO2	Temperature	Humidity	
0	35	50	20	30	60
1	80	100	40	32	65
2	120	180	60	35	70
3	60	90	30	31	62
4	200	250	80	36	75

```
from pyspark.sql.functions import month
import matplotlib.pyplot as plt

# Start Spark Session
spark = SparkSession.builder.appName("AirQualityAnalysis").getOrCreate()

# Load Dataset
df = spark.read.csv("air_quality_data.csv", header=True, inferSchema=True)

# Pollutant Analysis
df.groupBy("City").avg("PM2.5", "PM10").show()

# City-wise Analysis
df.groupBy("City").count().show()

# Monthly Trend Analysis
df = df.withColumn("Month", month("Date"))
df.groupBy("Month").avg("PM2.5").show()

# Convert to Pandas
pdf = df.toPandas()

# Plot Graph
pdf.groupby("Month")["PM2.5"].mean().plot(kind="line")
plt.title("Monthly PM2.5 Trend")
plt.show()
df = spark.read.csv("health_data.csv", header=True, inferSchema=True)

st.write(df.toPandas())
```

Appendix D: Supplementary Graphs and Charts

Include the following screenshots in this section:

Conclusion


This project demonstrates the effective use of Big Data Analytics for air quality prediction using PySpark. Large-scale air quality datasets were successfully processed, cleaned, and analyzed to identify pollution patterns and trends. The use of distributed computing enabled faster data processing compared to traditional methods.

The analysis highlighted that pollutants such as PM2.5 and PM10 have a significant impact on the Air Quality Index (AQI), and noticeable seasonal variations were observed. Basic machine learning

techniques were applied to predict air quality levels with reasonable accuracy. The visualizations further helped in understanding pollution distribution across different regions and time periods.

Overall, the project shows that Big Data tools combined with analytical techniques can provide valuable insights for environmental monitoring and decision-making. The developed system can support early prediction of air pollution levels and contribute to better public health and environmental management.

- Region-wise Distribution Pie Chart



-
-

Appendix E: Output Screenshots

- PySpark code execution

```

***
+-----+-----+-----+-----+-----+
|PM2.5|PM10|NO2|Temperature|Humidity|
+-----+-----+-----+-----+-----+
| 35| 50| 20| 30| 60|
| 80| 100| 40| 32| 65|
| 120| 180| 60| 35| 70|
| 60| 90| 30| 31| 62|
| 200| 250| 80| 36| 75|
| 45| 60| 25| 29| 58|
| 90| 120| 50| 33| 68|
| 150| 200| 70| 34| 72|
| 70| 100| 35| 30| 64|
| 110| 160| 55| 35| 69|
+-----+-----+-----+-----+-----+

root
|-- PM2.5: long (nullable = true)
|-- PM10: long (nullable = true)
|-- NO2: long (nullable = true)
|-- Temperature: long (nullable = true)
|-- Humidity: long (nullable = true)


```

- Output of air quality

```

***  +---+---+---+---+---+---+---+
      |PM25|PM10|NO2|Temperature|Humidity|  AQI|
      +---+---+---+---+---+---+---+
      | 35| 50| 20|          30|    60| 36.5|
      | 80| 100| 40|          32|    65| 78.0|
      | 120| 180| 60|          35|    70|126.0|
      | 60| 90| 30|           31|    62| 63.0|
      | 200| 250| 80|          36|    75|191.0|
      | 45| 60| 25|           29|    58| 45.5|
      | 90| 120| 50|          33|    68| 91.0|
      | 150| 200| 70|          34|    72|149.0|
      | 70| 100| 35|          30|    64| 72.0|
      | 110| 160| 55|          35|    69|114.0|
      +---+---+---+---+---+---+

```



```
pdf.head()
```

	PM2.5	PM10	NO2	Temperature	Humidity
0	35	50	20	30	60
1	80	100	40	32	65
2	120	180	60	35	70
3	60	90	30	31	62
4	200	250	80	36	75

Comprehensive Patient Health Data Report - Q1 2023				
	Patient_ID	Disease	Region	Date
26		27 Diabetes	Chennai	2023-02-08
27		28 Covid-19	Bangalore	2023-03-14
28		29 Flu	Delhi	2023-01-19
29		30 Asthma	Mumbai	2023-04-20
30		31 Diabetes	Hyderabad	2023-02-22
31		32 Covid-19	Chennai	2023-03-07
32		33 Flu	Mumbai	2023-01-11
33		34 Asthma	Bangalore	2023-04-02
34		35 Diabetes	Delhi	2023-02-17
35		36 Covid-19	Hyderabad	2023-03-23
36		37 Flu	Chennai	2023-01-29
37		38 Asthma	Delhi	2023-04-06
38		39 Diabetes	Mumbai	2023-02-19
39		40 Covid-19	Bangalore	2023-03-30

