

ID	NAME	MARKS	AGE
1	niveditha	90	19
2	Navya	85	19
3	Neha	70	20
4	Spoorthi	65	21
5	Varshitha	95	20
6	Tanisha	85	20

NAME	MARKS	ADDITION
niveditha	90	
Navya	85	
Neha	70	
Spoorthi	65	
Varshitha	95	
Tanisha	85	

DROP TABLE IF EXISTS STUDENT;

CREATE TABLE STUDENT

(

 ID INT,

 NAME VARCHAR(50),

 MARKS INT,

 AGE INT

);

INSERT INTO STUDENT

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT  
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT * FROM STUDENT;
```

```
SELECT NAME, MARKS, MARKS + 5 AS ADDITION  
FROM STUDENT;
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT
```

```
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES
```

```
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT NAME, MARKS, MARKS - 5 AS SUBTRACTION  
FROM STUDENT;
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT
```

```
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES
```

```
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT NAME, MARKS, MARKS * 2 AS MULTIPLICATION  
FROM STUDENT;
```

NAME	MARKS	SUBTRACTION
niveditha	90	85
Navya	85	80
Neha	70	65
Spoorthi	65	60
Varshitha	95	90
Tanisha	85	80

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT
```

```
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES
```

```
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT NAME, MARKS, MARKS / 2 AS DIVISION  
FROM STUDENT;
```

NAME	MARKS	MULTIPLICATION
niveditha	90	180
Navya	85	170
Neha	70	140
Spoorthi	65	130
Varshitha	95	190
Tanisha	85	170

NAME	MARKS	DIVISION
niveditha	90	45.0000
Navya	85	42.5000
Neha	70	35.0000
Spoorthi	65	32.5000
Varshitha	95	47.5000
Tanisha	85	42.5000

NAME	MARKS	REMAINDER
niveditha	90	0
Navya	85	5
Neha	70	0
Spoorthi	65	5
Varshitha	95	5
Tanisha	85	5

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT  
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT NAME, MARKS, MARKS % 10 AS REMAINDER  
FROM STUDENT;
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT  
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT * FROM STUDENT  
WHERE MARKS = 90;
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT  
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT * FROM STUDENT  
WHERE MARKS <> 90;
```

ID	NAME	MARKS	AGE
1	niveditha	90	19

ID	NAME	MARKS	AGE	
2	Navya	85	19	
3	Neha	70	20	
4	Spoorthi	65	21	
5	Varshitha	95	20	
6	Tanisha	85	20	

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT
```

```
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES
```

```
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT * FROM STUDENT
```

```
WHERE MARKS > 80;
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT  
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT * FROM STUDENT  
WHERE MARKS < 80;
```

ID	NAME	MARKS	AGE
1	niveditha	90	19
2	Navya	85	19
5	Varshitha	95	20
6	Tanisha	85	20

ID		NAME		MARKS	AGE
3		Neha		70	20
4		Spoorthi		65	21

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT  
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT * FROM STUDENT  
WHERE MARKS >= 85;
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT
```

```
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES
```

```
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT * FROM STUDENT  
WHERE MARKS <= 78;
```

ID	NAME	MARKS	AGE
1	niveditha	90	19
2	Navya	85	19
5	Varshitha	95	20
6	Tanisha	85	20

Student Data				
ID	NAME	MARKS	AGE	
3	Neha	70	20	
4	Spoorthi	65	21	

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT
```

```
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES
```

```
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT * FROM STUDENT
```

```
WHERE MARKS > 80 AND AGE = 19;
```

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT
```

```
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES
```

```
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT * FROM STUDENT
```

```
WHERE MARKS > 90 OR AGE = 19;
```

Student Data			
ID	NAME	MARKS	AGE
1	niveditha	90	19
2	Navya	85	19

ID	NAME	MARKS	AGE
1	niveditha	90	19
2	Navya	85	19
5	Varshitha	95	20

```
DROP TABLE IF EXISTS STUDENT;
```

```
CREATE TABLE STUDENT  
(  
    ID INT,  
    NAME VARCHAR(30),  
    MARKS INT,  
    AGE INT  
);
```

```
INSERT INTO STUDENT VALUES  
(1, 'niveditha', 90, 19),  
(2, 'Navya', 85, 19),  
(3, 'Neha', 70, 20),  
(4, 'Spoorthi', 65, 21),  
(5, 'Varshitha', 95, 20),  
(6, 'Tanisha', 85, 20);
```

```
SELECT * FROM STUDENT  
WHERE NOT MARKS = 90;
```

+-----+		+-----+		+-----+		+-----+	
ID		NAME		MARKS		AGE	
+-----+		+-----+		+-----+		+-----+	
2		Navya		85		19	
3		Neha		70		20	
4		Spoorthi		65		21	
5		Varshitha		95		20	
6		Tanisha		85		20	
+-----+		+-----+		+-----+		+-----+	