ASSIGNMENT 1_2

1)

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn# cd assgn1
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# ls
dest  f1.txt  f2.txt  f3.txt  src
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# ls src
f1  f2  f3
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# cp ./src/. ./dest
cp: -r not specified; omitting directory './src/.'
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# cp -r ./src/. ./dest
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# ls dest
f1  f2  f3
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1#
```

2) **ftp**

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1#   cd
/home/demo1
root@EURLTP-489:/home/demo1# ls
file1.txt  ftp_upload
root@EURLTP-489:/home/demo1# ls -l
total 8
-rw-r--r-- 1 root root    6 Mar 19 10:23 file1.txt
drwxrwxrwx 2 root root 4096 Mar 19 10:23 ftp_upload
root@EURLTP-489:/home/demo1# cat file1.txt
hello
root@EURLTP-489:/home/demo1# ftp localhost
Connected to localhost.
220 (vsFTPd 3.0.5)
Name (localhost:root): demo1
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> cd ftp_upload
t file1.txt
ls
get file1.txt
bye250 Directory successfully changed.
ftp> lcd /home/demo1
Local directory now: /home/demo1
ftp> put file1.txt
local: file1.txt remote: file1.txt
229 Entering Extended Passive Mode (|||62273|)
150 Ok to send data.
100%
|***********************************************************************
**************|     6      40.97 KiB/s    00:00 ETA
226 Transfer complete.
6 bytes sent in 00:00 (8.12 KiB/s)
ftp> ls
```

229 Entering Extended Passive Mode (|||46120|)
150 Here comes the directory listing.
-rw------- 1 1003 1003 6 Mar 19 10:36 file1.txt
226 Directory send OK.
ftp> get file1.txt
local: file1.txt remote: file1.txt
229 Entering Extended Passive Mode (|||45992|)
150 Opening BINARY mode data connection for file1.txt (6 bytes).
100%
|**********| 6 110.55 KiB/s 00:00 ETA
226 Transfer complete.
6 bytes received in 00:00 (20.34 KiB/s)
ftp> bye
221 Goodbye.
root@EURLTP-489:/home/demo1#



Sftp

root@EURLTP-489:/home/demo1# sudo service ssh start
root@EURLTP-489:/home/demo1# sftp demo1@localhost
The authenticity of host 'localhost (127.0.0.1)' can't be established.
ED25519 key fingerprint is SHA256:eJE7VDFT6qvs0ij7BGd3iCwRtUOOd+ikl3T8S+otzPk.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'localhost' (ED25519) to the list of known hosts.
demo1@localhost's password:
Connected to localhost.
sftp> cd ftp_upload
sftp> ls

file1.txt
sftp> lcd /home/demo1
sftp> put file1.txt
Uploading file1.txt to /home/demo1/ftp_upload/file1.txt
file1.txt 100% 6 1.4KB/s 00:00
sftp> get file1.txt
Fetching /home/demo1/ftp_upload/file1.txt to file1.txt
file1.txt 100% 6 2.5KB/s 00:00
sftp> exit
root@EURLTP-489:/home/demo1#

```
root@EURLTP-489:/home/demo1# sudo service ssh start
root@EURLTP-489:/home/demo1# sftp demo1@localhost
The authenticity of host 'localhost (127.0.0.1)' can't be established.
ED25519 key fingerprint is SHA256:eJE7VDFT6qvs0ij7BGd3iCwRtUOOd+ikl3T8S+otzPk.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'localhost' (ED25519) to the list of known hosts.
demo1@localhost's password:
Connected to localhost.
sftp> cd ftp_upload
sftp> ls
file1.txt
sftp> lcd /home/demo1
sftp> put file1.txt
Uploading file1.txt to /home/demo1/ftp_upload/file1.txt
file1.txt                                                     100%    6     1.4KB/s   00:00
sftp> get file1.txt
Fetching /home/demo1/ftp_upload/file1.txt to file1.txt
file1.txt                                                     100%    6     2.5KB/s   00:00
sftp> exit
root@EURLTP-489:/home/demo1#
```

3)

Ping google.com

root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# ping google.com
PING google.com (142.251.223.238) 56(84) bytes of data.
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=1 ttl=116 time=40.4 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=2 ttl=116 time=27.5 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=3 ttl=116 time=20.2 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=4 ttl=116 time=33.2 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=5 ttl=116 time=38.8 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=6 ttl=116 time=26.6 ms

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# ping google.com
PING google.com (142.251.223.238) 56(84) bytes of data.
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=1 ttl=116 time=40.4 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=2 ttl=116 time=27.5 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=3 ttl=116 time=20.2 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=4 ttl=116 time=33.2 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=5 ttl=116 time=38.8 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=6 ttl=116 time=26.6 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=7 ttl=116 time=41.4 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=8 ttl=116 time=44.7 ms
64 bytes from lcmaaa-al-in-f14.1e100.net (142.251.223.238): icmp_seq=9 ttl=116 time=31.7 ms
```

arp -a

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# arp -a
EURLTP-489.mshome.net (172.17.80.1) at 00:15:5d:05:67:2d [ether] on eth0
```

ifconfig

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1492
        inet 172.17.83.38  netmask 255.255.240.0  broadcast 172.17.95.255
        inet6 fe80::215:5dff:feb6:15d7  prefixlen 64  scopeid 0x20<link>
        ether 00:15:5d:b6:15:d7  txqueuelen 1000  (Ethernet)
        RX packets 7752  bytes 8328782 (8.3 MB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 3921  bytes 291989 (291.9 KB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
        inet 127.0.0.1  netmask 255.0.0.0
        inet6 ::1  prefixlen 128  scopeid 0x10<host>
        loop  txqueuelen 1000  (Local Loopback)
        RX packets 295  bytes 35579 (35.5 KB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 295  bytes 35579 (35.5 KB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

ip addr

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default
qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet 10.255.255.254/32 brd 10.255.255.254 scope global lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1492 qdisc mq state UP group default
qlen 1000
    link/ether 00:15:5d:b6:15:d7 brd ff:ff:ff:ff:ff:ff
    inet 172.17.83.38/20 brd 172.17.95.255 scope global eth0
       valid_lft forever preferred_lft forever
    inet6 fe80::215:5dff:feb6:15d7/64 scope link
       valid_lft forever preferred_lft forever
```

ip route

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# ip route
default via 172.17.80.1 dev eth0 proto kernel
172.17.80.0/20 dev eth0 proto kernel scope link src 172.17.83.38
```

netstat -tuln

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# netstat -tuln
Active Internet connections (only servers)
Proto Recv-Q Send-Q Local Address          Foreign Address        State
tcp        0      0 127.0.0.54:53          0.0.0.0:*              LISTEN
tcp        0      0 127.0.0.53:53          0.0.0.0:*              LISTEN
tcp        0      0 0.0.0.0:22             0.0.0.0:*              LISTEN
tcp        0      0 10.255.255.254:53      0.0.0.0:*              LISTEN
tcp6       0      0 :::22                  :::*                   LISTEN
tcp6       0      0 :::21                  :::*                   LISTEN
udp        0      0 127.0.0.54:53          0.0.0.0:*
udp        0      0 127.0.0.53:53          0.0.0.0:*
udp        0      0 10.255.255.254:53      0.0.0.0:*
udp        0      0 127.0.0.1:323          0.0.0.0:*
udp6       0      0 ::1:323                :::*
```

5)

- IP address conflict
- ARP confusion
- ARP table instability
- Intermittent connectivity
- Packet loss / wrong packet delivery
- Services randomly failing
- System warnings (duplicate IP detected)
- Unreliable network communication

8)**ifconfig**

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1492
        inet 172.17.83.38  netmask 255.255.240.0  broadcast 172.17.95.255
        inet6 fe80::215:5dff:feb6:15d7  prefixlen 64  scopeid 0x20<link>
        ether 00:15:5d:b6:15:d7  txqueuelen 1000  (Ethernet)
        RX packets 8933  bytes 8422302 (8.4 MB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 5460  bytes 411481 (411.4 KB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
        inet 127.0.0.1  netmask 255.0.0.0
        inet6 ::1  prefixlen 128  scopeid 0x10<host>
        loop  txqueuelen 1000  (Local Loopback)
        RX packets 323  bytes 38465 (38.4 KB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 323  bytes 38465 (38.4 KB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1492
        inet 172.17.83.38  netmask 255.255.240.0  broadcast 172.17.95.255
        inet6 fe80::215:5dff:feb6:15d7  prefixlen 64  scopeid 0x20<link>
        ether 00:15:5d:b6:15:d7  txqueuelen 1000  (Ethernet)
        RX packets 8933  bytes 8422302 (8.4 MB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 5460  bytes 411481 (411.4 KB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
        inet 127.0.0.1  netmask 255.0.0.0
        inet6 ::1  prefixlen 128  scopeid 0x10<host>
        loop  txqueuelen 1000  (Local Loopback)
        RX packets 323  bytes 38465 (38.4 KB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 323  bytes 38465 (38.4 KB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

Iwconfig

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# iwconfig
lo        no wireless extensions.

eth0      no wireless extensions.
```

```
root@EURLTP-489:/mnt/c/Users/varssh/Documents/linux_assgn/assgn1# iwconfig
lo        no wireless extensions.

eth0      no wireless extensions.
```

10)
Client sends DHCP Discover
Server sends DHCP Offer
Client sends DHCP Request
Server sends DHCP ACK
A DHCP server automatically assigns network configuration to devices when they join a network it is done by DORA process.