✅ 1. WHAT REMAINS SAME (NO CHANGE)

These files are **almost same for any project**:

🔹 Dockerfile ✅ (same)

```
FROM eclipse-temurin:17-jdk-alpine
WORKDIR /app
COPY target/*.jar app.jar
ENTRYPOINT ["java", "-jar", "app.jar"]
```

✓ No change needed

🔹 Jenkinsfile ✅ (mostly same)

Only change:

```
git 'YOUR_NEW_GITHUB_LINK'
```

Everything else stays same ✓

🔹 Kubernetes Deployment ✅ (small change only)

Same structure, only change:

```
name: new-app-name
image: yourdockerhub/new-app-name
```

🔹 Kubernetes Service ✅ (same)

Only change:

```
name: new-service-name
selector:
  app: new-app-label
```

🔴 2. WHAT YOU MUST CHANGE

🔹 (1) Java Code 🔥 (IMPORTANT)

👉 This is the **MAIN change**

Example:

OLD (Prescription)

validatePrescription("Paracetamol", 500);

NEW (Example: Student Grade System)

calculateGrade(85);

👉 You completely change:

- Logic
- Methods
- Function names

🔹 **(2) JUnit Test** 🔥

👉 Must match your new logic

Example:

OLD

assertTrue(validatePrescription(...));

NEW

assertEquals("A", calculateGrade(90));

🔹 **(3) pom.xml (small change)**

Change:

<artifactId>new-project-name</artifactId>

👉 Everything else SAME

🔹 **(4) Docker Image Name**

docker build -t yourname/new-app-name .
docker push yourname/new-app-name

🔹 **(5) Deployment.yaml image**

image: yourname/new-app-name

🧠 **SIMPLE MEMORY TRICK**

Only 3 things change:
1. Java logic

2. Test cases
3. Names (project/image)

📊 **QUICK TABLE**

File	Change Needed
Java file	✅ YES (full change)
Test file	✅ YES
pom.xml	🔸 name only
Dockerfile	❌ NO
Jenkinsfile	🔸 repo link
deployment.yaml	🔸 name + image
service.yaml	🔸 name