| | |
|---|---|
| **Status** | Finished |
| **Started** | Friday, 16 October 2026, 10:59 AM |
| **Completed** | Friday, 16 October 2026, 11:03 AM |
| **Duration** | 3 mins 27 secs |
| **Grade** | **14.00** out of 15.00 (**93.33**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl.sort()

b. tupl1=tupl+tupl ✓

c. tupl[1]=2

d. tupl.append(2)

Question **2**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only strings as its elements.

b. In Python, a tuple can contain either string or integer but not both at a time.

c. In Python, a tuple can contain only integers as its elements.

d. In Python, a tuple can contain both integers and strings as its elements. ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

```
t = (15,83,83,52,60,45,52,85,100)
print(min(t)+max(t)+t.count(52))
```

a. Error

b. 100

c. 2

d. 117 ✓

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. SynatxError: Different types cannot be used with sets

b. {40, '10', 50, 20, 60, 30}

c. {40, 10, '10', 50, 20, 60, 30} ✓

d. {40, 10, 50, 20, 60, 30}

Question **5**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. None of these

b. A tuple maintains the order of items ✓

c. We can change the tuple once created

d. A tuple is unordered

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii

b. All of the above

c. i,ii ✓

d. iii

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

- a. {0,9} ✓
- b. {9}
- c. {0,0,9}
- d. It will throw an error as there are two 0 while creating the set.

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

- a. {1,3,2}
- b. {2}
- c. {1,3,4}
- d. {4} ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. Yes, Yes

b. Yes, No ✓

c. "==" is not supported for set in Python

d. No, No

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

```
t1=(55,12,78,64,25)
t1.pop(12)
print(tuple1)
```

a. (55,78,64,25)

b. 12

c. (12)

d. Error ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append( (5, 6, 7) )

print(len(my_t1))

a. 5

b. Error ✓

c. 2

d. 1

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. False
True

c. True ✓
True

d. True
False

Question **13**

Incorrect

Mark 0.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. (Computer)

b. ()

c. Computer ✗

d. Error

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. i,ii

b. i,iii ✓

c. ii,iv

d. iii,iv

Question **15**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. Error

b. (16,17,18,19) ✓

c. (16,17,18)

d. (25,19,18,17)