

Execution Environment

Host name	HP - 20.23.0.63
Local OS	Windows 11 64bit
Katalon version	9.5.0.217
Browser	Chrome 125.0.0.0
Device name	

Summary

ID	Test Suites/Bikaneer university/university		
Description			
Total	5		
Passed	0	Failed	5
Error	0	Incomplete	0
Skipped	0		
Start	13-06-2024 14:27:33	End	13-06-2024 14:36:39
Elapsed	9m - 5.527s		

#	ID	Description	Status
1	Test Cases/Bharath/academic		FAILED
2	Test Cases/Bharath/Admission		FAILED
3	Test Cases/Bharath/Examination		FAILED
4	Test Cases/Bharath/home		FAILED
5	Test Cases/Bharath/Research		FAILED

academic

Information

ID	Test Cases/Bharath/academic		
Description			
Tag			
Start	13-06-2024 14:28:08	End	13-06-2024 14:28:17
Elapsed	8.319s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.353s	PASSED
2	navigateToUrl("https://btu.ac.in/home/") Navigate to 'https://btu.ac.in/home/' successfully	5.316s	PASSED

academic

#	Description	Elapsed	Status
3	<p>click(findTestObject("Object Repository/Page_Bikaner Technical University/a_Admissions"))</p> <p>Unable to click on object 'Object Repository/Page_Bikaner Technical University/a_Admissions' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Bikaner Technical University/a_Admissions'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)</p> <p>at academic.run(academic:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1718269048239.run(TempTestSuite1718269048239.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable</p> <p>(Session info: chrome=125.0.6422.142)</p> <p>Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p> <p>System info: host: 'RUSALABI2', ip: '20.23.0.63', os.name: 'Windows 11', os.arch: 'amd64',</p>	0.627s	FAILED

academic

#	Description	Elapsed	Status
	<pre>os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: af59bba5bff9b9b8ec155fe65668491 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) atjdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke</pre>		

academic

#	Description	Elapsed	Status
	<pre>(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718268040724.run(Script1718268040724.groovy:24) ... 18 more)</pre>		
			
			
	<p>I welcome you on behalf of the Bikaner Technical University and thank you for showing your interest in us. Our mission is to provide industry-oriented graduate education that produces graduates who are business-minded, possess the needed technical skills and are well versed in the latest technology trends. We offer a wide range of interesting and relevant technical courses. Our thought-provoking business and entrepreneurship courses expose our students to economics, finance, marketing, and management.</p> <p>— Prof. Ajay Kumar Sharma HON'BLE VICE CHANCELLOR</p>		

Admission

Information

ID	Test Cases/Bharath/Admission		
Description			
Tag			
Start	13-06-2024 14:31:02	End	13-06-2024 14:31:52
Elapsed	50.482s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	5.254s	PASSED
2	navigateToUrl("https://btu.ac.in/home/") Navigate to 'https://btu.ac.in/home/' successfully	6.596s	PASSED
3	click(findTestObject("Object Repository/Page_Bikaner Technical University/a_Administration")) Object: 'Object Repository/Page_Bikaner Technical University/a_Administration' is clicked on	3.152s	PASSED
4	click(findTestObject("Object Repository/Page_Bikaner Technical University/a_Deans Faculty of Management")) Object: 'Object Repository/Page_Bikaner Technical University/a_Deans Faculty of Management' is clicked on	2.580s	PASSED

Admission


#	Description	Elapsed	Status
5	<p>click(findTestObject("Object Repository/Page_Bikaner Technical University/a_Dean Research"))</p> <p>Unable to click on object 'Object Repository/Page_Bikaner Technical University/a_Dean Research' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Bikaner Technical University/a_Dean Research' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Admission.run (Admission:28) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1718269048239.run (TempTestSuite1718269048239.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (221, 751). Other element would receive the click: ... (Session info: chrome=125.0.6422.142) Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p>	32.875s	FAILED

Admission

#	Description	Elapsed	Status
	System info: host: 'RUSALABI2', ip: '20.23.0.63', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53560}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4a45eadf679b03fbd9426c250721f959 atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) atorg.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) atorg.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) atorg.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) atcom.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) atorg.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) atorg.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) atjdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) atorg.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) atjdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) atorg.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) atorg.openqa.selenium.WebElement\$click.call(Unknown Source) atcom.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) atcom.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy) atjava.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) atjava.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) atjava.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) atcom.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67) atcom.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		

Admission

#	Description	Elapsed	Status
	(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718268336574.run(Script1718268336574.groovy:28) ... 18 more)		



Examination

Information

ID	Test Cases/Bharath/Examination		
Description			
Tag			
Start	13-06-2024 14:32:26	End	13-06-2024 14:32:34
Elapsed	8.190s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.313s	PASSED
2	navigateToUrl("https://btu.ac.in/home/") Navigate to 'https://btu.ac.in/home/' successfully	5.070s	PASSED


Examination

#	Description	Elapsed	Status
3	<p>click(findTestObject("Object Repository/Page_Bikaner Technical University/a_Time Table"))</p> <p>Unable to click on object 'Object Repository/Page_Bikaner Technical University/a_Time Table' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Bikaner Technical University/a_Time Table' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Examination.run (Examination:24) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1718269048239.run (TempTestSuite1718269048239.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=125.0.6422.142) Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'RUSALABI2', ip: '20.23.0.63', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p>	0.784s	FAILED

Examination

#	Description	Elapsed	Status
	<p>Driver info: com.kms.katalon.selenium.driver.CCChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53658}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: 52af81a287fba388da68eaa81df8c641</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CCChromeDriver.execute(CCChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)</p> <p>atjdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)</p> <p>at org.openqa.selenium.WebElement\$click.call(Unknown Source)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy)</p> <p>atjdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:67)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)</p>		

Examination

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659) at Script1718268564442.run(Script1718268564442.groovy:24) ... 18 more)</pre>		
	 <p>The screenshot displays the Bikaner Technical University website. At the top, there's a header with the university's name in Hindi and English, and a navigation menu including BTU Home, Administration, Academics, Examinations, Courses, VC's Profile, and More. Below the header, there are two main promotional banners. The left banner is for TCS Careers, titled 'Where will their ambition take them?' and 'TCS Off Campus MBA Hiring', featuring a woman in a white shirt and black pants. The right banner is for TCS NQT 2024, titled 'The clock's ticking but we're hitting snooze', featuring a woman in a blue shirt and jeans. Both banners include registration details and eligibility criteria. At the bottom of the website, there is a 'NOTICE INVITING' section.</p>		
	 <p>A circular portrait of Prof. Ajay Kumar Sharma, a man with glasses and a dark shirt, identified as the Hon'ble Vice Chancellor.</p>		
	<p>I welcome you on behalf of the Bikaner Technical University and thank you for showing your interest in us. Our mission is to provide industry-oriented graduate education that produces graduates who are business-minded, possess the needed technical skills and are well versed in the latest technology trends. We offer a wide range of interesting and relevant technical courses. Our thought-provoking business and entrepreneurship courses expose our students to economics, finance, marketing, and management.</p> <p>— Prof. Ajay Kumar Sharma HON'BLE VICE CHANCELLOR</p>		

home

Information

ID	Test Cases/Bharath/home		
Description			
Tag			
Start	13-06-2024 14:35:01	End	13-06-2024 14:35:48
Elapsed	47.241s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3.474s	PASSED
2	navigateToUrl("https://btu.ac.in/home/") Navigate to 'https://btu.ac.in/home/' successfully	5.879s	PASSED
3	click(findTestObject("Object Repository/Page_Bikaner Technical University/a_Administration")) Object: 'Object Repository/Page_Bikaner Technical University/a_Administration' is clicked on	4.443s	PASSED
4	click(findTestObject("Object Repository/Page_Bikaner Technical University/img_concat(Hon, , ble Governor, CHANCELLOR)_61fa78")) Object: 'Object Repository/Page_Bikaner Technical University/img_concat(Hon, , ble Governor, CHANCELLOR)_61fa78' is clicked on	0.644s	PASSED

home

#	Description	Elapsed	Status
5	click(findTestObject("Object Repository/Page_Bikaner Technical University/img_Administrative Staff of BTU_img-polaroid")) Unable to click on object 'Object Repository/Page_Bikaner Technical University/img_Administrative Staff of BTU_img-polaroid' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Bikaner Technical University/img_Administrative Staff of BTU_img-polaroid' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at home.run(home:28) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1718269048239.run (TempTestSuite1718269048239.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <p>(Session info: chrome=125.0.6422.142)</p> <p>Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p> <p>System info: host: 'RUSALABI2', ip: '20.23.0.63', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53774}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: e900137c2a0ce4d84fe9e61759923f80</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)</p> <p>atjdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)</p> <p>at org.openqa.selenium.WebElement\$click.call(Unknown Source)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.clickUntilSuccessWithTimeout(ClickKeyword.groovy)</p> <p>atjdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.</p>		

home

#	Description	Elapsed	Status
1	<pre>doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1718267459792.run(Script1718267459792.groovy:28) ... 18 more)</pre>	00:00:00.000	Success

The screenshot displays a web application interface. At the top, there is a list of administrative staff members, each with a small square icon and a text label. The labels are: Dean Faculty Affairs, Dean Academic, Controller of Examination, Dean Research, Dean Faculty of Applied Science, Dean of Students Welfare, Dean Faculty of Engineering and Architecture, Dean Faculty of Management, Dean Industry Institute Relation, Dean Faculty of Human Value Education, Web Administrator, and Public Relation Officer (PRO). Below this list is a banner with the text 'ADMINISTRATIVE STAFF OF BTU:' and a portrait of a man. A cookie consent pop-up is visible in the bottom left corner, asking to 'Accept Cookies & Privacy Policy?' and providing options to 'Accept Cookies' or 'Customise Cookies'.

Research

Information

ID	Test Cases/Bharath/Research		
Description			
Tag			
Start	13-06-2024 14:36:22	End	13-06-2024 14:36:36
Elapsed	14.358s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.848s	PASSED
2	navigateToUrl("https://btu.ac.in/home/") Navigate to 'https://btu.ac.in/home/' successfully	10.994s	PASSED



Research

#	Description	Elapsed	Status
3	<p>click(findTestObject("Object Repository/Page_Bikaner Technical University/a_Research"))</p> <p>Unable to click on object 'Object Repository/Page_Bikaner Technical University/a_Research' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Bikaner Technical University/a_Research'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)</p> <p>at Research.run(Research:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1718269048239.run(TempTestSuite1718269048239.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable</p> <p>(Session info: chrome=125.0.6422.142)</p> <p>Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'</p> <p>System info: host: 'RUSALABI2', ip: '20.23.0.63', os.name: 'Windows 11', os.arch: 'amd64',</p>	0.496s	FAILED

Research

#	Description	Elapsed	Status
	<pre>os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53872}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1d3359f5df1541993ee7e5c8e03d35db at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at jdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>		

Research

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659) at Script1718268362241.run(Script1718268362241.groovy:24) ... 18 more)</pre>		
	 <p>The screenshot displays the Bikaner Technical University website. At the top, there's a header with the university's name in Hindi and English, and a navigation menu including BTU Home, Administration, Academics, Examinations, Courses, VC's Profile, and More. Below the header, there are two main promotional banners. The left banner is for TCS Careers, titled 'Where will their ambition take them?' and 'TCS Off Campus MBA Hiring', featuring a woman in a white shirt and black pants. The right banner is for TCS NQT 2024, titled 'The clock's ticking but we're hitting snooze', featuring a woman in a blue shirt and jeans. Both banners include eligibility criteria and registration details. At the bottom of the website, there's a dark blue banner with the text 'NOTICE INVITING APPLICATIONS FOR APPO'.</p>		
			
	<p>I welcome you on behalf of the Bikaner Technical University and thank you for showing your interest in us. Our mission is to provide industry-oriented graduate education that produces graduates who are business-minded, possess the needed technical skills and are well versed in the latest technology trends. We offer a wide range of interesting and relevant technical courses. Our thought-provoking business and entrepreneurship courses expose our students to economics, finance, marketing, and management.</p> <p>— Prof. Ajay Kumar Sharma HON'BLE VICE CHANCELLOR</p>		