Build Plan: Student/Builder Community

Eniversal's PRD set against 309 triaged repo slots from your list, with a recommended stack, component-by-component sources, licence traps, gaps and a phased path to the 100/100/100 launch.

On this page

Totals
Recommended stack
PRD component to source repo
Key picks
Ranking formulas
Licence traps
Build-from-scratch gaps
Phased roadmap
Risks
Next actions
Unverified items

Totals

309
Repo slots triaged
308 unique rows, see unverified items

80
Cloned and skimmed
shallow clones in /workspace/repos2

19
Adopt or adapt
2 adopt, 17 adapt


42
Reference only
248 skipped


Takeaway

No repo covers more than one or two PRD modules. The stack is assembled from shreddit (groups, posts), frontpage (ranking, moderation), devhunt (projects), IntelliCircle (chat, waitlist, hardening), vsinder (match model), openluma (events) and Better Auth. Student verification, tagged cards, match consent, daily triangulation and project features are built.

Part	CSV lines	Rows	Cloned	Adopt	Adapt	Reference	Skip

Part 1	2 to 63	62	13	1	5	10	46
Part 2	65 to 126	62	14	0	5	7	50
Part 3	126 to 188	63	20	0	1	10	52
Part 4	188 to 250	63	15	0	4	6	53
Part 5	251 to 309	59	18	1	2	9	47
Total		309	80	2	17	42	248






The licence mix above is the CSV's SPDX field across all 308 data rows.


Recommended stack

Layer	Choice	Why and source	Status
Language and app	TypeScript, Next.js App Router, Tailwind	Inferred, the PRD names no stack. shreddit runs Next 16.4.3 and Drizzle 0.45.4, so the base	Confirm

		0.45.4, so the base matches	
Database	Postgres with Drizzle ORM	shreddit, frontpage and IntelliCircle all use Drizzle, so schemas can be merged without an ORM change	Adapt
Postgres host and Realtime	Supabase as hosted Postgres, Realtime and Storage	Carried from the earlier study. Authorization stays in the app because auth is Better Auth, not Supabase Auth (see risks)	Decision
Auth	Better Auth with email-otp, magic-link, generic-oauth, username	Carried from the earlier study (MIT). Replaces shreddit's GitHub-only NextAuth and frontpage's atproto login	Adopt
Direct messages	Supabase Realtime. Fallback: IntelliCircle WebSocket handler	IntelliCircle `wsHandler.ts` has JWT auth, 5 msgs/sec limit and DOMPurify, but needs Redis	Adapt
Daily triangulation job	Vercel cron route calling a Postgres scoring job	frontpage `app/api/cron/rank-posts/route.ts` has a timing-safe `CRON_SECRET` guard. BullMQ (IntelliCircle) only if Redis is added	Adapt
Matching, cold start	SQL scorer over tags, shared groups and past matches	vsinder's feed query is the practical template. Collaborative filtering has no data for the first 100 users, per the PRD	Build
Matching, later	Gorse as a separate service (Apache-2.0)	Carried from the earlier study. Feed it likes, replies, joins and messages from day one, switch on once there is data	v2

Events	Fork of openluma events module, plus Hi.Events waitlist states as a spec	openluma is from the earlier study (MIT) and needs a security audit first	Adapt
Search	Postgres full-text and pg_trgm	shreddit `api/search/route.ts` as the starting handler. Meilisearch only if this is outgrown	Adapt
Email	Resend, Novu later for digests	devhunt has Resend routes and React Email templates	Adapt
Launch dashboard	Self-hosted umami for traffic and funnels, plus SQL counters for 100/100/100	umami v3.4.1, MIT, Next 16.4 and Prisma 7 on Postgres. Run it as its own service, do not fork it	Adopt
Swipe cards UI	react-tinder-card	MIT, 652 lines. Peer range stops at React 18, so React 19 is unverified	Adopt
Admin back office	None for MVP. Payload optional later	Payload is MIT but at 4.0.0-beta.6 and would own the schema	Later





PRD component to source repo

All Adopt Adapt Reference Build

PRD component	Verdict	Source repo and paths	Licence
Sign-up, third-party auth	Adopt	better-auth plugins `email-otp`, `magic-link`, `generic-oauth`, `username`. Flow reference: hibiscus `apps/sso/pages/{signup,login,reset,verify,reset-verify}`	MIT
Waitlist and landing page	Adapt	IntelliCircle `packages/server/src/routes/waitlist.ts`, `waitlist` table in `packages/shared/src/schema.ts`, `client/src/app/(marketing)/waitlist/page.tsx`	MIT
Posts as tagged cards	Adapt + Build	shreddit `src/server/db/schema.ts` (Post, Comment, Vote, CommentVote) and `src/components/post/*`. Reference memos `memo` table with tags in JSONB `payload` and `MemoView`. Add `tags[]`, `projectId`, card fields	MIT

Profile made of a person's cards	Build	devhunt `profiles` table (headline max 64, about max 500) as the base. The cards-to-profile view is new	MIT
Topic groups	Adapt	shreddit `Subreddit` and `Subscription` plus `src/app/api/subreddit/*`. Reference memos `space` and `space_member` (status INVITED or ACTIVE, role, last-admin guard) in `store/migration/postgres/LATEST.sql`	MIT
Deep threads and comments	Adapt	frontpage `lib/data/db/comment.ts` (nested ordering), shreddit `replyToId`, devhunt `comment` and `toggleCommentVote`. Comment order by Wilson bound from lobsters `comment.rb`	MIT, BSD-3
Feed ranking, ideas and recommended	Adapt	frontpage `lib/data/db/triggers.ts` rank SQL, drum, lobsters. See the formulas section	MIT, BSD-2, BSD-3
Search	Adapt	shreddit `src/app/api/search/route.ts`. Filter design reference: memos `filter/` (CEL to SQL)	MIT
Matching, cold start	Build	vsinder `packages/api/src/index.ts` lines about 480 to 520: raw SQL feed excluding viewed users, +0.2 boost if they liked you, penalty from `numSwipesToday` capped at 20, shadow-banned users filtered out. Swap dating filters for tags, groups, projects. lobsters `tag.rb` for tag weights	Apache-2.0, BSD-3
Daily	Build	frontpage cron route and	MIT, Apache

Daily triangulation job	Build	frontpage cron route and `vercel.json` wiring. Alternative: IntelliCircle `packages/server/src/jobs/*`, `worker.ts`. vsinder `resetNumSwipesDaily.ts` is a daily-job precedent	MIT, Apache-2.0
Collaborative filtering	Reference	duolicious `backend/kvmatching/` two-sided behaviour model (read only). Use gorse as a service in v2	AGPL-3.0
Swipe UI for recommended people	Adopt	react-tinder-card (npm). Mobile alternative: pegava `src/views/Swipe/components/SwipeHandler`	MIT, CC0
DMs after a match	Adapt + Build	vsinder `entities/{Match,View,Message,Report}.ts` (unique pair, read1 and read2, unmatched). Transport: IntelliCircle `websocket/wsHandler.ts`, `pubsub.ts`. UX checklist: glitch `postdirectchat.ts`. Consent step and block are new	Apache-2.0, MIT
Projects as first-class objects	Adapt + Build	devhunt `supabase/dump.sql`: `products`, `product_categories`, `product_votes`, `get_similar_products`, launch-window functions. Rename product to project. Features, funding, challenges columns are new. Reference rankeer Event to Project to Evaluation	MIT, Apache-2.0
Launch page UI	Adapt	Itslucassantos product-hunt-clone-front-end `src/components/features/{ProductCard,ProductView,VoteButton}.tsx`. Layout: nextjs-directory-site-starter	MIT
Events: host,	Adapt	openluma events module from	MIT

page, RSVP		the earlier study. Reference EventSapiens `src/lib/event-utils.ts` (`getRegistrationStatus`, `generateGoogleCalendarUrl`), tessera `SeatReservation.expiresAt`	
Waitlist logic	Reference	Hi.Events `WaitlistEntryStatus`: WAITING, OFFERED, PURCHASED, CANCELLED, OFFER_EXPIRED. Copy the state machine as a spec into our own tables, no code	AGPL-3.0 + attribution
QR check-in and roles	Adapt	hackportal `pages/api/{scan,scantypes,registrations}`, `components/dashboardComponents/QRCode*.tsx`, `lib/authorization/check-authorization.ts`. Firebase must be replaced	MIT
Student verification	Build	weareonhire `src/lib/recommendation.remote.ts`, `migrations/0003_community.ts`, `0007_recommendation_index.ts` for the vouch model. lobsters `invitation.rb` for an invite tree. better-auth `email-otp` for code checks	MIT, BSD-3
Moderation and reports	Adapt	frontpage `lib/schema.ts` Report, ModerationEvent, Notification, AdminUser and `lib/data/db/{report,moderation}.ts`. vsinder Report and shadow-ban. Checklist: throat and Postmill models	MIT, Apache-2.0
Notifications and email	Adapt	devhunt `app/api/*/route.ts` with Resend and `utils/email-templates/`. frontpage	MIT

		`notification.ts`	
Launch dashboard 100/100/100	Adopt + Build	umami `Team`, `Share`, funnels in `src/queries/sql/funnels`. The three counts come from our own SQL, not umami	MIT
Security hardening	Adapt	IntelliCircle `app.ts` (helmet, rate limit, CSRF, pino) and `docs/production-checklist.md`. InternHack-community `server/src/middleware/*`. shreddit `AUDIT.md` fix list	MIT

Key picks

Repo	Part	Licence	Stack	Code l
IntelliCircle	1	MIT	Fastify, Next 14, Drizzle, Redis	6,165
shreddit	4	MIT	Next 16.4, React 19, Drizzle, Postgres	4,883
devhunt	3	MIT	Next 13.5, Supabase	15,993
frontpage	2	MIT	Next, Drizzle on libSQL, atproto	13,788
hibiscus	2	MIT	Nx, Next Pages Router, Supabase	35,53
memos	5	MIT	Go, React 19, Vite, Postgres driver	125,73
umami	5	MIT	Next 16.4, Prisma 7, Postgres	138,31
weareonhire	5	MIT	SvelteKit 2, Kysely, atproto	5,617
vsinder	1	Apache-2.0	Express, TypeORM 0.2, Expo	8,961
hackportal	1	MIT	Next 14 Pages, Firebase	11,451
react-tinder-card	1	MIT	React and React Native	652

Also in the plan from the earlier study: Better Auth, openluma events, gorse and Supabase.

Ranking formulas

Source	Formula	Where	Licenc
frontpage	rank = (votes + 1) / (age_hours + 2)^1.8	`apps/frontpage/lib/data/db/triggers.ts`, `calculateRankSql`	MI
drum	score = sum of ratings / age_seconds^scale, scale default 2	`drum/links/utils.py`, `order_by_score`	BSD-
lobsters	hotness = -(sign x log10(max(abs(score + 1) + cpoints, 1)) + sum of tag hotness_mod + 0.25 author bump + created_at / 79,200). cpoints = min(score, 0.5 x sum of comment score + 1 by others)	`app/models/story.rb`, `calculated_hotness`. `HOTNESS_WINDOW` = 60 x 60 x 22 seconds	BSD-
lobsters	Wilson lower bound, 80% confidence (z = 1.281551565545), ups = score + flags, downs = flags	`app/models/comment.rb`, `calculated_confidence`	BSD-
brutalinks	Wilson, Hacker (votes / (age + 2h)^1.5) and Reddit (log10 of abs score minus age / 45000)	`hotscore.go`	MI

Proposed starting rank for cards, adapted from frontpage with a tag bonus to be tuned (my proposal, not tested):

$$\text{rank} = \frac{\text{votes} + 1 + \text{tag_bonus}}{(\text{age_hours} + 2)^{1.8}}$$

Licence traps

Item	Licence	Trap	Action
pretix, pretalx	AGPL-3.0 plus section 7 terms	Terms bar using it to organise or promote third-party events or to offer it as SaaS. Eniversal hosts member events	Do not build on either
Hi.Events	AGPL-3.0, Powered by attribution, separate ee/ licence	Copying code binds the whole service and forces a footer credit	Waitlist states as a spec only
lemmy, misskey, nodyx, forem, duolicious, Alovoa, ApplicantAtlas, openquok, plausible	AGPL-3.0	Copied code makes the whole network service AGPL	Read for design only
discourse, NodeBB, typesense, DOMjudge, cuhacking	GPL-2.0 or GPL-3.0	Copyleft and mostly the wrong stack	Read for design only
alovoa-expo	MPL-2.0	File-level copyleft	Reference only
directus, strapi, cult-directory-template, Attendize	Custom or source-available terms	Non-standard licence, EULA or attribution rules	Skip
breadit, MarcinMiler/tinder-clone, Jon-Peppinck/linkedin-clone, yousoumar/linkedin and about 80 more	Not detected	No licence means no right to copy. Tinder clone also has a pair race bug and deletes like rows	Patterns only, rewrite from scratch
18 NOASSERTION rows	Unclear	No usable licence in the API	Treat as unlicensed until

			read
vsinder	Apache-2.0	Needs notice and change statements when copied	Port the schema, keep the notice
lobsters, drum	BSD-3, BSD-2	Keep notices if code is copied. Formulas are being re-implemented, not copied	Re-implement in TypeScript and SQL
devhunt, hibiscus	MIT	Brand, sponsor and HackSC design pieces ride along	Strip branding and ad code

Build-from-scratch gaps

Gap	What exists and what is missing
Student and AI/cyber verification	No repo handles it. The attendee export showed 98% Gmail, so .edu fails. Use host-issued codes, vouches (weareonhire idea) and an invite tree (lobsters idea)
Card model with tags that forms a profile	shreddit posts are rich text, frontpage posts are links, memos are private-first notes. None has tagged cards feeding a profile
Match consent, then DM	vsinder and MarcinMiler show mutual like to message. We still need a consent step, block, report and a unique-pair constraint
Daily triangulation scoring	No repo combines posts, groups and past matches. Only the scheduler wiring exists
Projects with features, funding, challenges	devhunt has launch pages and votes only. rankeer is the only project to evaluation model and is dead since 2021
Public event page with waitlist offers and expiry	Hi.Events is the spec, but AGPL. The offer and expiry logic is ours to write
Feedback event pipeline	Views, replies, joins and messages need

Feedback event pipeline	Views, replies, joins and messages need logging from day one so gorse has data later
Tag taxonomy for AI and cyber	Seed list and moderation of tags is product work, not in any repo
Seeding tools for the first 100 posts	Bulk import, drafts and attribution rules for seeded content
Moderation policy and tooling for DMs	Report tables exist (frontpage, vsinder). DM-level review and age policy do not
100/100/100 dashboard counters	umami gives traffic. The counts of posts, people and event attendees are our SQL