# **Ansible Task-4**

### Create a playbook called webdev.yml in home/sandy/ansible.

cd /home/sandy/ansible

touch webdev.yml

```
[root@localhost ansible]# ls -l webdev.yml
-rw-r--r--. 1 root root 0 Jun 15 13:01 webdev.yml
```

### <mark>make group</mark>

```
- name: make group
ansible.builtin.group:
name: webdev
state: present
```

make directory /webdev, give basic and special permission, change owner of directory

```
- name: make directory /webdev, give basic and special permission, change owner of directory
ansula hultin.file:
path: /webdev
state: directory
group: webdev
mode: '2755'
```

write text "Development" to /webdev/index.html

```
- name: write text "Development" to /webdev/index.html
ansible.builtin.copy:
dest: /webdev/indeg.html
content: 'Development'
```

## install httpd

```
- name: install httpd
ansible.builtin.yum:
name: httpd
state: latest
```

# make sure firewall was installed

```
- name: make sure firewall was installed
ansible.builtin.service:
name: firewalld
state: started
enabled: yes
```

## start and enable httpd

```
- name: start and enable httpd
ansible.builtin.service:
name: httpd
state: started
enabled: yes
```

## add http to firewall service

```
- name: add http to firewall service
ansible.pss.v.firewalld:
service: http
permanent: true
state: enabled
immediate: true
```

#### link symbolic

```
- name: link symbolic from /webdev /var/www/html/webdev
ansible.builtin.file:
src: /webdev
dest: /var/www/html/webdev
state: link
```

#### edit context

```
- name: edit context /var/www/html/webdev
community.general.sefcontext:
target: 'webdev('.*)?'
setype: httpd:sys_rv_content_t
state: present
```

#### selinux restorecon

```
- name: selinux restorecon
ansible.builtin.command: restorecon -irv /srv/git_repos
```

```
[rost@localhost ansible]# ansible-playbook webdev.yml

PLAY [webdev task]

TASK [Gathering Facts]

ok: [192.168.1.112]

TASK [make group]

TASK [make group]

ok: [192.168.1.112]

TASK [make group]

TASK [make
```