

Notes on Formal Argumentation Theory

XIN CHEN (chenxin_hello@outlook.com)

Latest edit: 2024/12/13

This note gives a concise introduction to Dung’s abstract argumentation theory [10] and some extensions (probabilistic extension, in particular). We mainly investigate Dung’s original notions of complete, grounded, preferred, and stable semantics. However, for other semantics which are available in the literature since Ding’s seminal work [10], for instance, semi-stable, ideal, eager, stage, CF2 and stage2 semantics [2, 5], will be considered in the next version of this note.

Contents

1	Abstract Argumentation	2
1.1	Abstract Argumentation frameworks	2
1.2	An overview of (extension-based) argumentation semantics	5
1.2.1	Naïve Semantics	5
1.2.2	Complete Semantics	6
1.2.3	Grounded Semantics	7
1.2.4	Preferred Semantics	8
1.2.5	Stable Semantics	9
1.2.6	Semi-Stable Semantics (coming in soon)	10
1.2.7	Ideal and Eager Semantics (coming in soon)	10
1.2.8	Stage Semantics (coming in soon)	10
1.2.9	CF2 and stage2 Semantics (coming in soon)	10
1.3	Computational problems and Complexity	10
1.4	A summary	12
2	Some extensions	14
2.1	Preference-based AF	14
2.2	Value-based AF	14
2.3	Probabilistic AF	14

3	Dynamic	18
4	Overview	19
4.1	Belief Revision and Argumentation	19
A	Probability Measures and Distributions	20
	References	22

1 Abstract Argumentation

This section is devoted to the *abstract argumentation theory* (抽象论辩理论) introduced in the seminal paper [10] by Dung. This formalism is based on the idea that arguments are defeasible entities which may attack each other and whose acceptance is subject to a given reasonable criterion (called *semantics*). Formally, an argumentation framework is represented as a directed graph in which the arguments are represented as nodes and the attack relations as edges.

Given such a graph, a key question is which set(s) of arguments can be accepted. That is, once the argumentation framework has been constructed, how to determine which arguments to accept or reject? To answer this kind of questions corresponding to define an *argumentation semantics* (论辩语义). By and large, two kinds of approaches for argumentation semantics are available in the literature:

- (1) the *extension*-based approach (基于外延的方法), proposed in Dung's original paper [10], and
- (2) the *labelling*-based approach (基于标签的方法).

In this note, however, for the sake of simplicity, we only focus on the first one.

1.1 Abstract Argumentation frameworks

An (abstract) argumentation framework is nothing, mathematically speaking, but a pair consists of a set of arguments and a binary relation representing the attack relationship between arguments, that is, a *directed graph* in which the arguments as nodes and the attack relations as arrows. An argument is an abstract entity whose role is solely determined by its relations to other arguments.

Definition 1.1 (Argumentation frameworks, AFs) An *argumentation framework* (论辩框架) is a pair

$$AF = (Arg, \rightarrow)$$

where Arg is a non-empty set of arguments, and $\rightarrow \subseteq Arg \times Arg$ is a binary relation on Ar . ⊣

Given an AF $AF = (Arg, \rightarrow)$, let $a, b \in Arg$, we say that a *attacks/defeats* b (accordingly, a is an *attacker* of b) iff $a \rightarrow b$ holds. For any $X \cup \{a\} \subseteq Arg$, then we say that X *attacks* a , denoted as $X \rightarrow a$, if there exists $b \in X$ s.t. $b \rightarrow a$. Likewise, we say that a *attacks* X , written as $a \rightarrow X$, if there is $b \in X$ s.t. $a \rightarrow b$. For $a \in Arg$, we define the sets a^- and a^+ as follows: (各种攻击关系)

$$\begin{aligned} a^- &:= \{b \in Arg \mid b \rightarrow a\}, \\ a^+ &:= \{b \in Arg \mid a \rightarrow b\}. \end{aligned}$$

Those two operations can be extended att any subset $X \subseteq Arg$ by

$$X^\pm = \bigcup_{a \in X} a^\pm \quad \pm \in \{+, -\}.$$

The attack relations between argument(s) aforementioned are summarized in Table 1.

Table 1: The attack relations between argument(s)

notation	meaning
$a \rightarrow b$	a attacks b
$a \rightarrow X$	a attacks X ($\exists b \in X : a \rightarrow b$)
$X \rightarrow a$	X attacks a ($\exists b \in X : b \rightarrow a$)
$X \rightarrow Y$	X attacks Y ($\exists a \in X, \exists b \in Y : a \rightarrow b$)

Definition 1.2 (Defense) Let $AF = (Arg, \rightarrow)$ be an AF and $X \subseteq Arg$. The set X *defends* $a \in Arg$ (or, “ a acceptable w.r.t. X ”¹) iff $\forall b \in Arg : b \rightarrow a \Rightarrow X \rightarrow b$ (or equivalently, $\forall b \in a^- : X \rightarrow b$, where a^- is the set of attackers of a). (辩护) \dashv

According to vacuous truth, if $a^- = \emptyset$ (such a are called *initial arguments*, the set of initial arguments of an AF denoted as $\mathcal{IN}(AF)$, i.e., $\mathcal{IN}(AF) = \{a \in Ar \mid a^- = \emptyset\}$) then a defended by any set of arguments, including \emptyset of course.

Definition 1.3 (Characteristic function) Let $AF = (Arg, \rightarrow)$ be an AF. The *characteristic function* of AF is mapping $C_{AF} : \wp(Arg) \rightarrow \wp(Arg)$ such that

$$C_{AF}(X) = \{a \in Arg \mid X \text{ defends } a\}$$

for each $X \subseteq Arg$. (刻画函数)

\dashv

Proposition 1.4 For any AF $AF = (Arg, \rightarrow)$, then:

- (1) $C_{AF}(\emptyset) = \mathcal{IN}(AF) = \{a \in Arg \mid a^- = \emptyset\}$.
- (2) $\mathcal{IN}(AF) \subseteq C_{AF}(X)$.
- (3) $C_{AF}(X) = (X^+)^+$.

¹This is the original terminology in Dung’s paper [10].

where $X \subseteq Arg$. \dashv

Definition 1.5 (Conflict-freeness) Let $AF = (Arg, \rightarrow)$ be an AF and $X \subseteq Arg$. X is said to be *conflict-free* (无冲突) iff $\neg \exists a, b \in X : a \rightarrow b$. \dashv


Clearly, the emptyset \emptyset is conflict-free. Furthermore, if each argument has at least one attacker, i.e. $a^- \neq \emptyset$ for every argument a , then \emptyset is a (conflict-free) fixed point of the characteristic function. (什么情况下空集是不动点)

After introduced the notion of *defense*, a basic requirement for a set of arguments is the capability to defend all its elements.

Definition 1.6 (Admissibility) Let $AF = (Arg, \rightarrow)$ be an AF. A set $X \subseteq Arg$ is called an *admissible set* (可容许集) iff (1) X is conflict-free and (2) $X \subseteq C_{AF}(X)$. \dashv

Thus, an admissible set is required to be both internally coherent, that is, conflict-free and able to defend its elements. Admissible sets always exist. A very trivial case is that the empty set \emptyset is admissible for any argumentation framework. (空集是可容许集)

Example 1.7



- non-empty conflict-free sets: $\{a\}, \{b\}, \{c\}, \{d\}, \{a, c\}, \{a, d\}, \{b, d\}$.
- non-empty admissible sets: $\{a\}, \{d\}, \{a, c\}, \{a, d\}$.
- $C_{AF}(\{a\}) = \{a\}$, $C_{AF}(\{d\}) = \{d, a\}$, $C_{AF}(\{a, c\}) = \{a, c\}$, $C_{AF}(\{a, d\}) = \{a, c, d\}$. \dashv

Finally, it is worth recalling that admissibility and defense are related by a basic property. In terms of extensions, if an admissible set defends an argument, it is possible to add the argument to the set while preserving its admissibility and its capability to defend any other argument. This was proved in the so-called Dung's Fundamental Lemma.

Lemma 1.8 (Dung's Fundamental Lemma [10]) For any AF $AF = (Arg, \rightarrow)$, let X be an admissible set and a, b be arguments defended by X . Then

- (1) $X' = X \cup \{a\}$ is an admissible set;
- (2) X' defends b .

\dashv

1.2 An overview of (extension-based) argumentation semantics

In this subsection we will provide an overview of some well-known argumentation semantics, starting from the very basic notion of “naïve semantics” [2, § 3.2] and then discussing Dung’s original concepts of *complete*, *stable*, *preferred* and *grounded* semantics [10].

Remark 1.9 In the literature, *admissibility* and *conflict-freeness* mentioned in § 1.1 are sometimes viewed as semantics, and sometimes as properties. We choose to treat them as properties in this note. \dashv

Definition 1.10 (Extension-based semantics) An *extension-base semantics* (semantics, for short) σ associates with any argumentation framework $AF = (Arg, \rightarrow)$ is a subset of $\wp(Arg)$, denoted as $\sigma(AF)$. The elements in $\sigma(AF)$ are called *extensions* (under semantics σ) (外延).

Let \mathcal{D}^σ be the class of AFs where a semantic σ is defined, that is,

$$\mathcal{D}^\sigma = \{AF \mid \sigma(AF) \neq \emptyset\}.$$

A semantics σ is called *universally defined* if \mathcal{D}^σ includes all AFs. If for any $AF \in \mathcal{D}^\sigma$ we have that $|\sigma(AF)| = 1$, i.e. the semantics σ always prescribes exactly one extension, then σ is said to belong to the *unique-status approach*, it is said to belong to the *multiple-status approach*, otherwise. (基于外延的语义) \dashv

1.2.1 Naïve Semantics

Naïve semantics (denoted as \mathcal{NA}) corresponds to selecting as many arguments as possible, provided that there are no conflicts among them. It is a sort of greedy strategy, driven by the only criterion of avoiding conflicts. Formally it corresponds to requiring conflict-freeness together with a maximality property.

Definition 1.11 (Naïve extensions) Let (Arg, \rightarrow) be an AF. A set $X \subseteq Arg$ is called a *naïve extension* iff X is a maximal conflict-free set. \dashv

Example 1.12

AF	naïve extensions $\mathcal{NA}(AF)$
	$\{a, c\}, \{a, d\}, \{b, d\}$
	$\{a, d\}, \{b, d\}, \{c\}$
	$\{a\}, \{b\}, \{c\}$

\dashv

1.2.2 Complete Semantics (完全语义)

Complete semantics (denoted as \mathcal{CO}) can be regarded as a strengthening of the basic requirements enforced by the idea of admissibility, it lies at the heart of all Dung's semantics (see Fig. 1).

A complete extension is a conflict-free set which includes precisely those arguments it defends. That is, if an argument is defended by the set it should be in the set, and if an argument is not defended by the set, it should not be in the set.

Definition 1.13 (Complete extensions) Let $AF = (Arg, \rightarrow)$ be an AF. A set $X \subseteq Arg$ is called a *complete extension* iff X is conflict-free and $X = C_{AF}(X)$. \dashv



Technically this means that a complete extension is a *conflict-free fixed point* of the characteristic function. It is clear that every complete extension is an admissible set, but the reverse does not hold in general. (无冲突不动点)
 “Intuitively, the notion of complete extension captures the kind of confident relational agent who believe in every thing he can defend”[10].

Proposition 1.14 Let $AF = (Arg, \rightarrow)$ be any AF.

- $\mathcal{CO}(AF) \neq \emptyset$, that is, complete semantics is universally defined (see Definition 1.10).
- $\emptyset \in \mathcal{CO}(AF)$ iff $\mathcal{NI}(AF) = \emptyset$, where $\mathcal{NI}(AF) := \{a \mid a^- = \emptyset\}$.
- $\forall E \in \mathcal{CO}(AF) : \mathcal{NI}(AF) \subseteq E$.

\dashv

Example 1.15

AF	complete extensions $\mathcal{E}_{\mathcal{CO}}(AF)$
$a \longrightarrow b \longrightarrow c \rightleftarrows d$	$\{a\}, \{a, d\}, \{a, c\}$
	$\emptyset, \{a, d\}, \{b, d\}$
	\emptyset

\dashv

1.2.3 Grounded Semantics (基语义)

To accept only the arguments that one cannot avoid accepting, to reject only the arguments that one cannot avoid rejecting, and abstaining as much as possible. This gives rise to the **most skeptical semantics** among those based on complete extensions, namely the *grounded semantics* (denoted as \mathcal{GR}).

Definition 1.16 (The grounded extension) Let $AF = (Arg, \rightarrow)$ be an AF. The *grounded extension* of AF is a minimal conflict-free fixed point of the characteristic function. \dashv

Notice that the **uniqueness** of the grounded extension. Since the characteristic function C_{AF} is monotonic, it follows from the Knaster-Tarski Theorem that C_{AF} has a unique smallest fixed point, it can then be proved that this fixed point is also conflict-free.

Proposition 1.17 For any AF $AF = (Arg, \rightarrow)$, the following statements are equivalent:

- (1) X is a minimal conflict-free fixed point of C_{AF} .
- (2) X is the smallest fixed point of C_{AF} .

\dashv

It follows that:

- the grounded extension is unique (i.e. grounded semantics belongs to the unique-status approach);
- the grounded extension is the least complete extension, in particular it is included in any complete extension.

The grounded extension of an argumentation framework AF will be denoted as $\mathcal{GR}(AF)$. By definition, the grounded extension coincides with the intersection of all complete extensions, that is

$$\mathcal{GR}(AF) = \bigcap \mathcal{CO}(AF).$$

Hence, a unique grounded extension always exists, although it may be the empty set.

Proposition 1.18 If there are no initial arguments in an AF, then the grounded extension is the empty set. That is, $\mathcal{IN}(AF) = \emptyset \Rightarrow \mathcal{GR}(AF) = \emptyset$. \dashv

Example 1.19 (Grounded extension)

AF	grounded extensions $\mathcal{GR}(AF)$
$a \longrightarrow b \longrightarrow c \begin{smallmatrix} \curvearrowright \\ \curvearrowleft \end{smallmatrix} d$	$\{a\}$
$\begin{array}{ccc} a & \longrightarrow & c \\ \downarrow & \nearrow & \downarrow \\ b & & d \end{array}$	\emptyset
$\begin{array}{ccc} a & \longrightarrow & b \\ & \curvearrowright & \\ & c & \end{array}$	\emptyset

⊣

1.2.4 Preferred Semantics (优先语义)

The idea of maximizing accepted arguments is expressed by *preferred semantics* (\mathcal{PR} , in symbol).

Definition 1.20 (Preferred extensions) Let $AF = (Arg, \rightarrow)$ be an AF. A *preferred extension* is a maximal (w.r.t. \subseteq) admissible set of AF . ⊣

Every argumentation framework possesses at least one preferred extension. Hence, preferred extension semantics is always defined for any argumentation framework. Relationships of preferred extensions with other semantics notions have been analyzed in Dung's [10]. Preferred extensions can for instance equivalently be characterized as maximal complete extensions.

Proposition 1.21 Let $AF = (Arg, \rightarrow)$ be an AF and $X \subseteq Arg$. The following two statements are equivalent:

- (1) X is a maximal admissible set of AF .
- (2) X is a maximal complete extension of AF .

⊣

This in particular implies that the grounded extension is included in any preferred extension, as it is in any complete extension.

Preferred semantics has often been regarded as the most satisfactory semantics in the context of Dung's framework.

Example 1.22 (Preferred extensions)

AF	preferred extensions $\mathcal{PR}(AF)$
$a \longrightarrow b \longrightarrow c \begin{smallmatrix} \curvearrowright \\ \curvearrowleft \end{smallmatrix} d$	$\{a, d\}, \{a, c\}$
$\begin{array}{ccc} a & \longrightarrow & c \\ \updownarrow & \nearrow & \downarrow \\ b & & d \end{array}$	$\{a, d\}, \{b, d\}$
$\begin{array}{ccc} a & \longrightarrow & b \\ & \curvearrowright & \\ & c & \end{array}$	\emptyset

⊣

1.2.5 Stable Semantics (稳定语义)

Stable semantics (denoted as **ST**) relies on a very simple intuition: an extension should be able to attack all arguments not included in it.

Definition 1.23 (Stable extensions) Let $AF = (Arg, \rightarrow)$ be an AF. A *stable extension* (稳定外延) of AF is a conflict-free set X such that $X \cup X^+ = Arg$. ⊣

A stable extension is an admissible set. In the context of game theory, the notion of stable extension coincides with the notion of *stable solution* of n -person games [10]. Every stable extension is a preferred extension, but not vice versa.

Proposition 1.24 Let $AF = (Arg, \rightarrow)$ be an AF and $X \subseteq Arg$. The following statements are equivalent:

- (1) X is a stable extension.
- (2) X is an admissible set s.t. $X \cup X^+ = Arg$.
- (3) X is a complete extension s.t. $X \cup X^+ = Arg$.
- (4) X is a preferred extension s.t. $X \cup X^+ = Arg$.
- (5) $X^+ = Arg \setminus X$.

⊣

No stable extension is empty, and not every argument framework has stable extensions.

Example 1.25 (Stable extensions)

AF	stable extensions $\mathcal{ST}(AF)$
$a \longrightarrow b \longrightarrow c \begin{matrix} \curvearrowright \\ \curvearrowleft \end{matrix} d$	$\{a, d\}, \{a, c\}$
$\begin{matrix} a & \longrightarrow & c \\ \uparrow & \nearrow & \downarrow \\ b & & d \end{matrix}$	$\{a, d\}, \{b, d\}$
$\begin{matrix} a & \longrightarrow & b \\ & \curvearrowright & \\ & & c \end{matrix}$	—

⊥

1.2.6 Semi-Stable Semantics (coming in soon)

1.2.7 Ideal and Eager Semantics (coming in soon)

1.2.8 Stage Semantics (coming in soon)

1.2.9 CF2 and stage2 Semantics (coming in soon)

1.3 Computational problems and Complexity

Given an AF $AF = (Arg, \rightarrow)$ and a semantics σ , there are three kinds of computational problems usually be considered:

- (1) the *verification problem* (验证问题), denoted as Var_σ : deciding whether a set $X \subseteq Arg$ is a σ -extension of AF , that is, whether $X \in \sigma(AF)$?
- (2) the *credulous acceptance problem* (轻信接受问题), denoted as CA_σ : for $a \in Arg$, deciding whether a is credulously accepted, that is deciding whether a belongs to a σ -extension of AF . I.e., whether $a \in \bigcup \sigma(AF)$?
Every argument that does not attack itself will be credulously accepted under the conflict-free property.
- (3) the *skeptical acceptance problem* (谨慎接受问题), denoted as SA_σ : deciding whether a is skeptically accepted, that is deciding whether a belongs to every σ -extension of AF . I.e., whether $a \in \bigcap \sigma(AF)$?

Clearly, CA_{GR} and SA_{GR} are identical problems. For $\sigma \in \{CO, GR, PR, ST\}$, the computational complexity of those problems are summarized in table 2 (for more detail, see [11, 12]).

Table 2: Complexity of Ver , CA and SA problems

semantics	Ver_σ	CA_σ	SA_σ
\mathcal{CO}	in P	NP-c	P-c
\mathcal{GR}	in P	in P	in P
\mathcal{PR}	coNP-c	NP-c	\prod_2^{p-c}
\mathcal{ST}	in P	NP-c	coNP-c

.....some symbols

$AF \models_\sigma^c a$ credulously accepted

$AF \models_\sigma^s a$ skeptically accepted

$AF \models_\sigma^\circ a$ where $\circ \in \{s, c\}$

1.4 A summary

The grounded extension is uniquely determined and always exists [10], and not every framework is guaranteed to produce a stable extension.

It is well-known that the set of complete extensions forms a *complete semilattice* w.r.t. \subseteq , where $GR(AF)$ is the meet element, whereas the greatest elements are the preferred extensions.




Figure 1: Relations among extension-based semantics

Note: The intuitive meaning of arrow “ $x \longrightarrow y$ ” is that “every x is a y ”. For example, every stable extension is a preferred extension.

Table 3: A summary of the examples mentioned

AF	naïve	complete	grounded	preferred	stable
$a \longrightarrow b \longrightarrow c \rightleftarrows d$	$\{a, c\}$ $\{a, d\}$ $\{b, d\}$	$\{a\}$ $\{a, c\}$ $\{a, d\}$	$\{a\}$	$\{a, c\}$ $\{a, d\}$	$\{a, c\}$ $\{a, d\}$
$\begin{array}{ccc} a & \longrightarrow & c \\ \updownarrow & \nearrow & \downarrow \\ b & & d \end{array}$	$\{a, d\}$ $\{b, d\}$ $\{c\}$	\emptyset $\{a, d\}$ $\{b, d\}$	\emptyset	$\{a, d\}$ $\{b, d\}$	$\{a, d\}$ $\{b, d\}$
$\begin{array}{ccc} a & \longrightarrow & b \\ & \nearrow & \downarrow \\ & c & \end{array}$	$\{a\}$ $\{b\}$ $\{c\}$	\emptyset	\emptyset	\emptyset	—

Table 4: Some basic concepts

$AF = (Arg, \rightarrow)$ is an AF and $X \cup \{a, b\} \subseteq Arg$.

Notions	Definition or equivalent descriptions
$a \rightarrow b$	a attacks/defeats b a is an attacker/counterargument of b
$X \rightarrow a$	X attacks a : $\exists b \in X : b \rightarrow a$
a^-	$a^- = \{b \in Arg \mid b \rightarrow a\}$
a^+	$a^+ = \{b \in Arg \mid a \rightarrow b\}$
X^-	$X^- = \{b \in Arg \mid \exists a \in X : b \rightarrow a\} = \bigcup_{a \in X} a^-$
X^+	$X^+ = \{b \in Arg \mid \exists a \in X : a \rightarrow b\} = \bigcup_{a \in X} a^+$
$\mathcal{IN}(AF)$: the set of initial arguments	$\mathcal{IN}(AF) = \{a \in Arg \mid a^- = \emptyset\}$
X defends a / a is admissible w.r.t. X	$\forall b : b \rightarrow a \Rightarrow X \rightarrow b$ [X defends all initial arguments]
C_{AF} : the characteristic function	$C_{AF}(X) = \{a \mid X \text{ defends } a\}$ $C_{AF}X = (X^+)^+$ [\emptyset is a fixed point if $\mathcal{IN}(AF) = \emptyset$]
X is conflict-free	$\nexists a, b \in X : a \rightarrow b$ [\emptyset is conflict-free] $\nexists a, b \in X : a \in b^-$ $X \cap X^+ = \emptyset$
X is admissible	X is conflict-free and $X \subseteq C_{AF}(X)$ [\emptyset is admissible]
SEMANTICS	
$\mathcal{NA}(AF) \ni X$ is a <i>naïve extension</i>	X is a maximal conflict-free set
$\mathcal{CO}(AF) \ni X$ is a <i>complete extension</i>	X is a conflict-free and $C_{AF}(X) = X$ conflict-free fixed point
$\mathcal{GR}(AF) \ni X$ is the <i>grounded extension</i>	X is the least fixed point of C_{AF} X is the minimal complete extension $X = GR(AF) = \bigcap \mathcal{CO}(AF)$
$\mathcal{PR}(AF) \ni X$ is a <i>preferred extension</i>	X is a maximal admissible set X is a maximal complete extension
$\mathcal{ST}(AF) \ni X$ is a <i>stable extension</i>	X is conflict-free and $X \cup X^+ = Ar$ $X^+ = Ar \setminus X$ X is a preferred extension and $X \cup X^+ = Ar$ X is a complete extension and $X \cup X^+ = Ar$ X is admissible and $X \cup X^+ = Ar$ $X = \{a \in Ar \mid X \not\rightarrow a\}$ X is conflict-free and attacks each argument that is not in X

2 Some extensions

[19]

2.1 Preference-based AF

Several works generalizing Dung’s framework to handle preferences over arguments have been proposed.

Definition 2.1 (Preference-based Argumentation Frameworks, PAFs) A *preference-based argumentation framework* (PAF) is a triple $(Arg, \rightarrow, >)$ such that (Arg, \rightarrow) is an AF and $>$ is a strict partial order (i.e. an irreflexive, asymmetric and transitive relation) on Arg , called *preference relation*. \dashv

For any $a, b \in Arg$, $a > b$ means that “ a is better than b ” for the agent.

The preference in a PAF $(Arg, \rightarrow, >)$ working as follows: classical argumentation semantics are used to obtain the extensions of the underlying (Arg, \rightarrow) , and then the preference relation $>$ is used to obtain a preference relation \sqsupseteq over such extensions, so that the *best extensions* w.r.t. \sqsupseteq are eventually selected.

2.2 Value-based AF

The motivation behind VAFs (value-based argumentation frameworks) is to offer an explanatory mechanism accounting for choices between distinct justifiable collections S and T , which are not collectively acceptable, i.e., S and T may be admissible under Dung’s semantics, however, $S \cup T$ fails to be.

2.3 Probabilistic AF

Recently, there has been an increasing interest in modeling uncertainty in argumentation. This has been carried out by combining probability theory with formal argumentation. The extension of Dung’s abstract argumentation framework with probability theory is called *probabilistic argumentation framework*.

In general a probabilistic argumentation framework consists of probabilistic arguments and probabilistic attacks [13, 16]. As shown in [17], however, an argumentation framework with probabilities on both arguments and attacks can be transformed into an equivalent one with certain attack relations (i.e. the probability of each attack is 1).² Hence, for the sake of brevity, in the section we only focus on probabilistic argumentation frameworks where only arguments are uncertain.

²The equivalent transformation between those two kinds of probabilistic AFs has linear complexity [17].

Definition 2.2 (Probabilistic Argumentation Frameworks, PrAFs) A *probabilistic argumentation framework* (PrAF) is a tuple

$$PAF = (Arg, \rightarrow, P)$$

where (Arg, \rightarrow) is an argumentation framework and P is a function assigning a non-zero probability value to each argument in Arg , that is, $P: Arg \rightarrow (0, 1]$ (or $P: Arg \rightarrow (0, 1] \cap \mathbb{Q}$ to facilitate the calculation). \dashv

Intuitively, the value assigned by P to an argument a represents the probability that a actually occurs, moreover, every attack $a \rightarrow b$ occurs with conditional probability 1, that is, a attacks b whenever both a and b occur. Or in a *justification perspective*: $P(a)$ is treated as the probability that a is a justified point and therefore should appear in the graph, and $1 - P(a)$ is the probability that a is not a justified point and so should not appear in the graph.

Thus, an argument $a \in Arg$ is viewed as a probabilistic event which is independent from the other events associated with other arguments $a \neq b \in Arg$.

The meaning of a PrAF is given in terms of *possible worlds*. Given a PrAF $PAF = (Arg, \rightarrow, P)$, a *possible world* of PAF is an AF (Arg', \rightarrow') which is the restriction of (Arg, \rightarrow) to Arg' , that is, $Arg' \subseteq Arg$ and $\rightarrow' = \rightarrow \cap (Arg' \times Arg')$. The set of all possible worlds of PAF is denoted as $pw(PAF)$.

The probability distribution over arguments can generate a probability distribution over possible worlds (subgraphs) of the original argument framework. Using the subgraphs, we can then explore the notions of probability distributions over admissible sets, extensions, and inferences.

The intuition hereby is as follows: for $a \in Arg$, $P(a)$ is the probability that a belongs to an arbitrary possible world (full subgraph) of PAF ; while $1 - P(a)$ is the probability that a does not exist in an arbitrary possible world (full subgraph).

(using the justification perspective [14], where $P(a)$ means the probability that a is justified in appearing in the graph)

We can use the probability assigned to each argument to generate a probability distribution over the subgraphs. So each subgraph can be viewed as an “interpretation” of what the argument graph should be. If all the arguments have probability 1, then the argument graph itself has probability 1, and that is the only interpretation we should consider (using the constellations approach). But, if one or more arguments has a probability less than 1, then there will be multiple “interpretations”. So for instance, if there is exactly one argument a in the framework G with probability less than 1, then there are two “interpretations”, the first with a , and the second without a . So using the justification perspective, with the constellations approach, we can treat the set of subgraphs of a G as a *sample space*, where one of the subgraphs is the “true” argument graph.

Definition 2.3 The *interpretation* for a PrAF $PAF = (Arg, \rightarrow, P)$ is function I over the set $pw(PAF)$ such that each $w \in pw(PAF)$ is assigned by I the probability

$$I(w) = \left(\prod_{a \in Arg(w)} P(a) \right) \cdot \left(\prod_{a \in Arg \setminus Arg(w)} (1 - P(a)) \right)$$


where $Arg(w)$ is the set of arguments in w . \dashv

Thus, the probability of a subgraph captures the degree of certainty that the subgraph contains exactly the arguments that are regarded as holding.

Theorem 2.4 ([16], revised) Let $PAF = (Arg, \rightarrow, P)$ be a PrAF, the function I is a *probability distribution* on the set $pw(PAF)$, i.e., I is a function such that $\sum_{w \in pw(PAF)} I(w) = 1$. \dashv

Proof. By induction on the size of Arg . See the proof of [15, Prop. 3 in p. 60] for details. \blacksquare

Example 2.5 Considering following PrAF



Clearly G has eight subgraphs, then we get the following probability distribution over the subgraphs:

	$G_1 = G$	G_2	G_3	G_4	G_5	G_6	G_7	G_8
I	0.8	0.2	0					

\dashv

If all the arguments in a PrAF G have probability of 1, then the only subgraph of G to have non-zero probability is itself, and so it has probability 1. At the other extreme, if all the arguments in a probabilistic argument graph G have probability of 0, then the empty graph has probability 1.

Given a PrAF $G = (Arg, \rightarrow, P)$, and a set of arguments $\Gamma \subseteq Arg$, we want to calculate the probability that Γ is a σ -extension, which we denote by $P_G^\sigma(\Gamma)$, where $\sigma \in \{ad, co, pr, gr, st\}$. For this, we take the sum of the probability of the full subgraphs for which Γ is a σ -extension.

The analogous *credulous acceptance problem* in the context of a probabilistic argumentation framework, i.e. the probability that a given set of arguments is an extension under a given semantics, is the following.

Definition 2.6 (Probabilistic credulous acceptance) Given a PrAF $PAF = (Arg, \rightarrow, P)$, an argument $a \in Arg$, the probability $PrCA_{PAF}^\sigma(a)$ that a is credulously acceptable w.r.t. semantics σ is

$$PrCA_{PAF}^\sigma(g) = \sum_{w \in pw(PAF) \wedge a \in \bigcup \sigma(w)} I(w).$$

⊣

Thus, the probability that an argument a is credulously accepted according to a semantics σ is defined as the sum of the probabilities of the possible worlds of a PrAF for which argument a is credulously accepted.

Computing $PrCA_{PAF}^\sigma(a)$ is $FP^{\#P}$ -hard for $\sigma \in \{\mathcal{GR}, \mathcal{PR}, \mathcal{ST}, \mathcal{STT}\}$ [Fazzinga, Flesca, and Furfaro 2018], where $FP^{\#P}$ is the class of functions computable by a polynomial-time Turing machine with a $\#P$ oracle.

Probabilistic credulous acceptance does not express the probability that a given argument is accepted. However, a new problem, called *Probabilistic Acceptance*, was given in [1] can be intuitively stated as follows. Given a probabilistic AF, a semantics σ and a goal argument a , computing the probability that a is accepted.

Definition 2.7 (Probabilistic Acceptance) Given a PrAF $PAF = (Arg, \rightarrow, P)$ and an argument $a \in Arg$, the probability $PrA_{PAF}^\sigma(a)$ that a is acceptable w.r.t. semantics σ is

$$PrA_{PAF}^\sigma(a) = \sum_{w \in pw(PAF) \wedge E \in \sigma(w) \wedge g \in E} I(w) \cdot Pr(E, w, \sigma)$$

where $Pr(\cdot, w, \sigma)$ is a *PDF* over the set $\sigma(w)$.

⊣

3 Dynamic

An important feature of the argumentation forms is that, in practice, these are not *static* systems: a particular AF $AF = (Arg, \rhd)$ represents only a “snapshot” of the environment, and, as further facts, information and opinions emerge the form of the initial view may change significantly in order to accommodate these. For example, additional arguments may have to be considered so changing AF ; existing attacks may cease to apply and new attacks (arising from changes to AF) come into force.

It is clear that accounting for such dynamic aspects raises a number of issues in terms of assessing the acceptability status of individual arguments.

4 Overview

4.1 Belief Revision and Argumentation

There are several works that combine belief revision and argumentation. Coste-Marquis et al. [7] introduce novel enforcement strategies for modifying argumentation frameworks to make sure that a specific set of arguments is part of its extension, which are close to the process of belief revision. Baroni et al. compare and relate belief revision and argumentation as approaches to model reasoning processes [3]. Coste-Marquis et al. [On the revision of argumentation systems: minimal change of arguments statuses, in: Proceedings of the Fourteenth International Conference on Principles of Knowledge Representation and Reasoning, 2014, pp. 52–61.] derive argumentation systems that satisfy given revision formulas, i.e., given an argumentation system and a revision formula that expresses how the statuses of some arguments have to be changed under a chosen semantics, the derived argumentation systems are such that the corresponding extensions are as close as possible to the extensions of the input system. Diller et al. [8] follow this work and study how to update an argumentation framework with new information, either a formula or another argumentation framework, and defines rationality criteria for such updates. Paglieri and Castelfranchi propose a data-oriented belief revision that enables incorporating computational argumentation [18]. Booth et al. [6] propose two methods to restore consistency when an agent’s belief state, composed of a Dung’s argumentation framework and a propositional constraint, are inconsistent: firstly, a normal expansion that may alter the set of complete labellings; and secondly, belief revision techniques that aim to retain similarity to the original labellings.

Appendix

A Probability Measures and Distributions

Let S be a nonempty set and \mathcal{A} an algebra of subsets of S , i.e., a set of subsets of S s.t. (i) $S \in \mathcal{A}$, and (ii) if $H_1, H_2 \in \mathcal{A}$ then $\overline{H_1}, H_1 \cup H_2 \in \mathcal{A}$, where $\overline{H_1} = S \setminus H_1$.

A (*finitely additive*) *probability measure* is a function $p: \mathcal{A} \rightarrow [0, 1]$ such that:

- (1) $p(S) = 1$,
- (2) $p(H_1 \cup H_2) = p(H_1) + p(H_2)$, whenever $H_1 \cap H_2 = \emptyset$.

The triple (S, \mathcal{A}, p) is called a *probability space*, and elements of \mathcal{A} are called *measurable sets*.

For any probability measure p and $H, A \in \mathcal{A}$ such that $p(H) > 0$, the *conditional probability* $p(A|H)$ is defined in the usual way, that is,

$$p(A|H) = \frac{p(A \cap H)}{p(H)}.$$

It is known that the function $p(\cdot|H)$ is also a probability measure.

Bayes' Theorem: $p(A|B) = \frac{p(B|A) \cdot p(A)}{p(B)}$

For a finite set S , a *probability distribution* is any function $d: S \rightarrow [0, 1]$ such that

$$\sum_{s \in S} d(s) = 1.$$

Every probability distribution d on a finite set S induces a function p on the $\wp(S)$:

$$p(H) = \sum_{s \in H} d(s),$$

which is a (finitely additive) probability measure. On the other hand, any probability measure p on the power set of S induces a distribution $d(s) = p(\{s\})$, thus, on finite sets “measures = distributions”.

References

- [1] Gianvincenzo Alfano, Marco Calautti, Sergio Greco, Francesco Parisi, and Irina Trubitsyna. Explainable acceptance in probabilistic abstract argumentation: Complexity and approximation. In *Proceedings of the 17th International Conference on Principles of Knowledge Representation and Reasoning (KR2020)*, volume 17, pages 33–43, 2020. doi:10.24963/kr.2020/4.
- [2] Pietro Baroni, Martin Caminada, and Massimiliano Giacomin. Abstract argumentation frameworks and their semantics. In Baroni et al. [4]. URL: <https://www.collegepublications.co.uk/handbooks/?00003>.
- [3] Pietro Baroni, Eduardo Fermé, Massimiliano Giacomin, and Guillermo Ricardo Simari. Belief revision and computational argumentation: A critical comparison. *Journal of Logic, Language and Information*, 31(4):555–589, December 2022. doi:10.1007/s10849-022-09369-8.
- [4] Pietro Baroni, Dov M. Gabbay, Massimiliano Giacomin, and Leendert van der Torre, editors. *Handbook of Formal Argumentation*, volume 1. College Publications, 2018. URL: <https://www.collegepublications.co.uk/handbooks/?00003>.
- [5] Pietro Baroni and Massimiliano Giacomin. Semantics of abstract argument systems. In Rahwan and Simari [19], pages 25–44. doi:10.1007/978-0-387-98197-0_2.
- [6] Richard Booth, Souhila Kaci, Tjitze Rienstra, and Leendert van der Torre. A logical theory about dynamics in abstract argumentation. In Weiru Liu, V. S. Subrahmanian, and Jef Wijsen, editors, *Scalable Uncertainty Management*, pages 148–161, Berlin, Heidelberg, 2013. Springer. doi:10.1007/978-3-642-40381-1_12.
- [7] Sylvie Coste-Marquis, Sébastien Konieczny, Jean-Guy Mailly, and Pierre Marquis. Extension enforcement in abstract argumentation as an optimization problem. In *Proceedings of the 24th International Conference on Artificial Intelligence (IJCAI’15)*, pages 2876–2882. AAAI Press, July 2015.
- [8] Martin Diller, Adrian Haret, Thomas Linsbichler, Stefan Rümmele, and Stefan Woltran. An extension-based approach to belief revision in abstract argumentation. *International Journal of Approximate Reasoning*, 93:395–423, February 2018. doi:10.1016/j.ijar.2017.11.013.
- [9] Dragan Doder and Stefan Woltran. Probabilistic argumentation frameworks – a logical approach. In Umberto Straccia and Andrea Calì, editors, *Scalable Uncertainty Management (SUM 2014)*, LNAI 8720, pages 134–147, Cham, 2014. Springer International Publishing. doi:10.1007/978-3-319-11508-5_12.
- [10] Phan Minh Dung. On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and n -person games.

- Artificial Intelligence*, 77(2):321–357, 1995. doi:10.1016/0004-3702(94)00041-X.
- [11] Paul E. Dunne and Michael Wooldridge. Complexity of abstract argumentation. In Rahwan and Simari [19], pages 85–104. doi:10.1007/978-0-387-98197-0_5.
 - [12] W. Dvorak and Paul E. Dunne. Computational problems in formal argumentation and their complexity. In Baroni et al. [4]. URL: <http://hdl.handle.net/20.500.12708/29850>.
 - [13] Bettina Fazzinga, Sergio Flesca, and Francesco Parisi. On the complexity of probabilistic abstract argumentation frameworks. In *ACM Transactions on Computational Logic*, volume 16, pages 22:1–22:39, 2015. doi:10.1145/2749463.
 - [14] Anthony Hunter. Some foundations for probabilistic abstract argumentation. In *Proceedings of COMMA 2012*, Frontiers in Artificial Intelligence and Applications Vol. 245, pages 117–128. IOS Press, 2012. doi:10.3233/978-1-61499-111-3-117.
 - [15] Anthony Hunter. A probabilistic approach to modelling uncertain logical arguments. *International Journal of Approximate Reasoning*, 54(1):47–81, 2013. doi:10.1016/j.ijar.2012.08.003.
 - [16] Hengfei Li, Nir Oren, and Timothy J. Norman. Probabilistic argumentation frameworks. In Sanjay Modgil, Nir Oren, and Francesca Toni, editors, *Proc. of the 1st International Workshop on the Theorie and Applications of Formal Argumentation (TAFA 2011)*, LNAI 7132, pages 1–16, Berlin, Heidelberg, 2011. Springer. doi:10.1007/978-3-642-29184-5_1.
 - [17] Theofrastos Mantadelis and Stefano Bistarelli. Probabilistic abstract argumentation frameworks, a possible world view. *International Journal of Approximate Reasoning*, 119:204–219, April 2020. doi:10.1016/j.ijar.2019.12.006.
 - [18] Fabio Paglieri and Cristiano Castelfranchi. Revising beliefs through arguments: Bridging the gap between argumentation and belief revision in mas. In Iyad Rahwan, Pavlos Moraitis, and Chris Reed, editors, *Argumentation in Multi-Agent Systems*, pages 78–94, Berlin, Heidelberg, 2005. Springer. doi:10.1007/978-3-540-32261-0_6.
 - [19] Iyad Rahwan and Guillermo R. Simari, editors. *Argumentation in Artificial Intelligence*. Springer, New York, 2009. doi:10.1007/978-0-387-98197-0.