



Vidyavardhini's College of Engineering & Technology
Department of Computer Science and Engineering (Data Science)

Name : Niyati Patil
Experiment No.2
Apply Tokenization on given English and Indian Language Text
Date of Performance:
Date of Submission:



Vidyavardhini's College of Engineering & Technology

Department of Computer Science and Engineering (Data Science)

CSDL7013: Natural Language Processing Lab

Aim: Apply Tokenization on given English and Indian Language Text

Objective: Able to perform sentence and word tokenization for the given input text for English and Indian Language.

Theory:

Tokenization is one of the first steps in any NLP pipeline. Tokenization is nothing but splitting the raw text into small chunks of words or sentences, called tokens. If the text is split into words, then it's called 'Word Tokenization' and if it's split into sentences then it's called 'Sentence

Tokenization'. Generally 'space' is used to perform the word tokenization and characters like 'periods, exclamation point and newline char are used for Sentence Tokenization. We have to choose the appropriate method as per the task in hand. While performing the tokenization a few characters like spaces, punctuations are ignored and will not be the part of the final list of tokens.

Why Tokenization is Required?

Every sentence gets its meaning by the words present in it. So by analyzing the words present in the text we can easily interpret the meaning of the text. Once we have a list of words we can also use statistical tools and methods to get more insights into the text. For example, we can use word count and word frequency to find out the importance of word in that sentence or document.



Vidyavardhini's College of Engineering & Technology

Department of Computer Science and Engineering (Data Science)

Input Text

Tokenization is one of the first step in any NLP pipeline. Tokenization is nothing but splitting the raw text into small chunks of words or sentences, called tokens.

Word Tokenization

Tokenization	is	one	of
the	first	step	in
any	NLP	pipeline	Tokenization
is	nothing	but	splitting
the	raw	text	into
small	chunks	of	words
or	sentences	called	tokens

Sentence Tokenization

Tokenization is one of the first step in any NLP pipeline

Tokenization is nothing but splitting the raw text into small chunks of words or sentences, called tokens

Output:

Library required for Preprocessing

```
In [ ]: !pip install nltk
```

```
Requirement already satisfied: nltk in /usr/local/lib/python3.10/dist-packages (3.8.1)  
Requirement already satisfied: click in /usr/local/lib/python3.10/dist-packages (from nltk) (8.1.6)  
Requirement already satisfied: joblib in /usr/local/lib/python3.10/dist-packages (from nltk) (1.3.2)  
Requirement already satisfied: regex>=2021.8.3 in /usr/local/lib/python3.10/dist-packages (from nltk) (2023.6.3)  
Requirement already satisfied: tqdm in /usr/local/lib/python3.10/dist-packages (from nltk) (4.66.1)
```

```
In [ ]: import nltk
```

```
In [ ]: nltk.download()
```

NLTK Downloader

d) Download l) List u) Update c) Config h) Help q) Quit

Downloader> d

Download which package (l=list; x=cancel)?

Identifier> punkt

Downloading package punkt to /root/nltk_data...

Unzipping tokenizers/punkt.zip.

d) Download l) List u) Update c) Config h) Help q) Quit



Sentence Tokenization

```
In [ ]: from nltk.tokenize import sent_tokenize

In [ ]: text = '''Stephenson 2-18 is now known as being one of the largest, if not the current largest star ever discovered, surpassing other stars like VY Canis Majoris and UY Scuti.\n                Stephenson 2-18 has a radius of 2,150 solar radii, being larger than almost the entire orbit of Saturn (1,940 - 2,169 solar radii).'''

In [ ]: text

Out[ ]: 'Stephenson 2-18 is now known as being one of the largest, if not the current largest star ever discovered, surpassing other stars like VY Canis Majoris and UY Scuti.\n                Stephenson 2-18 has a radius of 2,150 solar radii, being larger than almost the entire orbit of Saturn (1,940 - 2,169 solar radii).'
```

```
In [ ]: sentences = sent_tokenize (text)

In [ ]: sentences

Out[ ]: ['Stephenson 2-18 is now known as being one of the largest, if not the current largest star ever discovered, surpassing other stars like VY Canis Majoris and UY Scuti.',
        'Stephenson 2-18 has a radius of 2,150 solar radii, being larger than almost the entire orbit of Saturn (1,940 - 2,169 solar radii).']
```

Word Tokenization

```
In [ ]: from nltk.tokenize import word_tokenize

In [ ]: words = word_tokenize (text)

In [ ]: words

Out[ ]: ['Stephenson',
        '2-18',
        'is',
        'now',
        'known',
        'as',
        'being',
        'one',
        'of',
        'the',
        'largest',
        ',',
        'if',
        'not',
        'the',
        'current',
        'largest',
```



Vidyavardhini's College of Engineering & Technology

Department of Computer Science and Engineering (Data Science)

```
In [ ]: for w in words:  
        print (w)
```

```
Stephenson  
2-18  
is  
now  
known  
as  
being  
one  
of  
the  
largest  
,  
if  
not  
the  
current  
largest  
star  
ever  
discovered  
,  
surpassing  
other  
stars  
like
```

Levels of Sentences Tokenization using Comprehension

```
In [ ]: sent_tokenize (text)
```

```
Out[ ]: ['Stephenson 2-18 is now known as being one of the largest, if not the current largest star ever discovered, surpassing other stars like VY Canis Majoris and UY Scuti.',  
        'Stephenson 2-18 has a radius of 2,150 solar radii, being larger than almost the entire orbit of Saturn (1,940 - 2,169 solar radii).']
```

```
In [ ]: [word_tokenize (text) for t in sent_tokenize(text)]
```

```
Out[ ]: [['Stephenson',  
          '2-18',  
          'is',  
          'now',  
          'known',  
          'as',  
          'being',  
          'one',  
          'of',  
          'the',  
          'largest',  
          ',',  
          'if',  
          'not',  
          'the',  
          'current',
```



Vidyavardhini's College of Engineering & Technology

Department of Computer Science and Engineering (Data Science)

```
In [ ]: from nltk.tokenize import wordpunct_tokenize
```

```
In [ ]: wordpunct_tokenize (text)
```

```
Out[ ]: ['Stephenson',  
        '2',  
        '-',  
        '18',  
        'is',  
        'now',  
        'known',  
        'as',  
        'being',  
        'one',  
        'of',  
        'the',  
        'largest',  
        ',',  
        'if',  
        'not',  
        'the',  
        'current',  
        'largest',  
        'star',  
        'ever',  
        'discovered',
```

Filteration of Text by converting into lower case

```
In [ ]: text.lower()
```

```
Out[ ]: 'stephenson 2-18 is now known as being one of the largest, if not the current largest star ever discovered, sur  
passing other stars like vy canis majoris and uy scuti.\n          stephenson 2-18 has a radius of 2,150 solar ra  
dii, being larger than almost the entire orbit of saturn (1,940 - 2,169 solar radii).'
```

```
In [ ]: text.upper()
```

```
Out[ ]: 'STEPHENSON 2-18 IS NOW KNOWN AS BEING ONE OF THE LARGEST, IF NOT THE CURRENT LARGEST STAR EVER DISCOVERED, SUR  
PASSING OTHER STARS LIKE VY CANIS MAJORIS AND UY SCUTI.\n          STEPHENSON 2-18 HAS A RADIUS OF 2,150 SOLAR RA  
DII, BEING LARGER THAN ALMOST THE ENTIRE ORBIT OF SATURN (1,940 - 2,169 SOLAR RADII).'
```

Conclusion:

There are a number of tools available for tokenization of Indian language input. Some of the most popular tools include:

iNLTK: iNLTK is a Python library for natural language processing (NLP) in Indian languages. It includes a variety of NLP tools, including a tokenizer for Indian languages.

Mila NMT: Mila NMT is a machine translation toolkit that includes a tokenizer for Indian languages.