

MODULE 1 · PLATFORM FOUNDATION · SCREEN BOOK 2 OF 3

M01 Screens — User (desktop)

All 11 Module 1 user screens at desktop width (1440 px), each with a build card. Seven are shared parts that other modules place in their own pages (uploaders, unit picker, cookie banner, phone number field, address form); four are pages of their own. Also: the site shell, where each part is used, the photo-upload sequence and the messages Module 1 sends.

1 · The rule Parts and pages	2 · Overview Site shell · where used · upload sequence	3 · Screens M01-S01 to M01-S11 with build cards	4 · Messages In-app and email texts	5 · Review decisions Issues from the Screen–Field Map
--	--	---	---	---

1 · The rule — parts and pages

Part of the site	Owner	What the owner decides
Site header, footer, language and currency switch, search box	M01	The app shell every page sits in (M01-4 app shell); same on every page
Account area: side list Profile · Security · Preferences · ...	M02	The account pages; M01 adds Preferences and Account activity
Shared parts: photo, video and document uploaders, unit picker and price display, cookie banner, phone number field, address form	M01	How the part looks, checks and messages; built once, used everywhere
The page a shared part sits in (listing form, verification form, ...)	Module	Where the part goes and what the page is for (e.g. M05 listing form)
M01 pages: account activity, preferences, error pages, report a security issue	M01	Whole page (M01-6 §7.1, §9, §10, §10.1)
Wording of public texts (security page, cookie explanations)	M17	Content (translation store); texts here are samples

Part or page?


- **Part** (S01–S05, S10, S11): no route of its own. The build card shows "— (component in ...)". Another module's page shows it; M01 owns its look, checks and texts.
- **Page** (S06–S09): its own route, drawn in the site shell.

How to read a screen page

- Left: the part or page at desktop width, with three notes.
- Right: the **build card** — pointers to where each fact lives, generated from the Cross-Module Registers and the Screen-Field Map.
- Phone layouts of every screen: **M01 Screens — User (phone)**.

Sources: UX/UI Foundation · M01-4 (app shell, error pages) · M01-6 §3–§11 (accessibility) · Cross-Module Standards §4.

Overview 1 Site shell — what every page sits in



► ① Header (M01 app shell): search, Post requirement, language and currency, Messages, Dashboard, Account.

► ② Account menu: items owned by M02, M03 and M01. ③ Page body: here M01-S09, owned by Module 1 (M01-6 §7.1).

► ④ Footer (M01 app shell): language, number format, guide currency, Cookie settings (M01-S05), status, security (M01-S08).

Where the M01 user screens appear

Seven of the eleven M01 user screens are **parts** built once in Module 1 and used inside other modules' pages. Build them first: M03 and M05 pages can't be finished without them.

Parts inside other modules' pages

Photo uploader → listing form, profile and site photos M01-S01

host: Add a listing M05

host: business locations, farm visits M03

Video uploader → listing form, business locations M01-S02

Document uploader → wizard Documents step M01-S03

host: verification documents M03 · M06

Unit picker and price display → listing form, cards, pages M01-S04

host: listings M05

Phone number field → sign-up, business contacts M01-S10

Address form → business locations, addresses M01-S11

host: sign-up, profiles M02 · M03

On every page

Cookie banner + Cookie settings (footer) M01-S05

Header and footer (app shell) M01-4 §1

Error and status pages (6) M01-S07

Pages of Module 1

Account > Security > Account activity M01-S06

/account/security (under M02 route) M02-4

Account > Preferences — /account/preferences M01-S09

Report a security issue — /report-security-issue M01-S08

Reading the books

Desktop book: every user screen at 1440 px, in the site shell.


Phone book: the same screens at 390 px, plus farmer simple mode (big buttons, one action per screen, "Call my field agent").

A dashed box = the host page of another module, drawn only to place the M01 part. A gold box = the M01 part.

► Parts go into other modules' pages: listing form (M05), verification and document forms (M03, M06), listing pages.

► Pages have their own route: /account/security (activity), /account/preferences, /report-security-issue, error pages.

► Field agents see their own actions in the agent app (M02-S20), not in Account activity.



► The browser asks for an upload link, sends the file straight to storage, then confirms (M01-3 media endpoints).

► The server scans and processes the file (location removed unless the purpose keeps it); the part shows "Checking..." until done.

► A held photo goes to moderation; the seller sees the reason and Replace photo. Sources: M01-3 §2, §2.1, §4.

3 · All Module 1 user screens

Code	Screen	Part / page	Route or where it is used
M01-S01	Photo uploader (with farmer simple mode)	Part	— (component in upload forms, e.g. the M05 listing form)
M01-S02	Video uploader	Part	— (component in upload forms, e.g. the M05 listing form)
M01-S03	Document uploader	Part	— (component in M03 and M06 document forms)
M01-S04	Unit picker and price display	Part	— (component in the M05 listing form and listing pages)
M01-S05	Cookie banner	Part	— (on every page; footer link "Cookie settings")
M01-S06	My account activity	Page	Account → Security → Account activity (under /account/security, M02-4); data GET /v1/me/activity. Field agents use My actions in the agent app (M02-S20), not this page
M01-S07	Error and status pages	Part	— (404, 500, maintenance, offline, too many requests, blocked country; read-only banner and planned-maintenance notice on every page)
M01-S08	Report a security issue page	Page	/report-security-issue (public; linked from /.well-known/security.txt and the footer)
M01-S09	Account → Preferences	Page	/account/preferences; data GET · PUT /v1/me/preferences
M01-S10	Phone number field	Part	— (component in other modules' forms, e.g. M02 sign-up, M03 business locations)
M01-S11	Address form	Part	— (component in other modules' forms, e.g. M02 sign-up, M03 business locations)

The next pages show each screen with its build card. M01-S01 and M01-S05 take two pages each. Every part and page also has a phone layout in the phone book.

OudhTradeCategories ▾

Search chips, oil, saplings...

Post requirement

EN · ₹ ▾

Messages

Dashboard

ASAccount

Dashboard / Listings / New listing

Add a listing

HOST PAGE: ADD A LISTING (M05 LISTING FORM, NOT DESIGNED YET) — OWNED BY MODULE 5; SHOWN ONLY TO PLACE THE M01 PART

Title

Assam agarwood chips — Grade A, semi-sinking

Category

Wood chips ▾

M01-S01 Photo uploader

Photos

4 of 10 · drag to reorder · Move left / Move right / Make cover with the keyboard

Cover

Uploading 60%

× Cancel

Checking...

Drop photos here or Browse

⚠ This photo is small or blurry — buyers prefer clear photos.

☐ Add OudhTrade watermark to my photos ⓘ

JPG, PNG, WEBP or iPhone photos, max 15 MB each.

... more listing fields (price, quantity, origin) — Module 5

OudhTrade

LanguageEnglish ▾

Number formatIndian ▾

Guide currencyDon't show ▾

Cookie settings

Service status

Report a security issue

Terms · Privacy


M01-S01 · Photo uploader — inside the listing form (states: cover, uploading, checking, warning)OudhTrade website · Sample mock-up · values are examples

- ▶ Shown here inside the M05 listing form ("Agarwood oil"); the form belongs to M05, the uploader to M01.
- ▶ Up to 10 photos, 15 MB each; the first is the Cover; reorder by drag and by buttons (Move left, Move right, Make cover).
- ▶ Option "Add OudhTrade watermark to my photos" (off). Texts: M01-6 §3.

Build card		M01-S01
SCREEN		
Name	Photo uploader (with farmer simple mode)	
Route	— (component in upload forms, e.g. the M05 listing form)	
Spec	M01-6 §3, §3.1	
Requirements	FIL-001, FIL-002, FIL-003, FIL-004, FIL-005, FIL-006, FIL-007, FIL-018, FIL-020, FIL-021, FIL-022, FIL-023, FIL-024, FIL-025, SEC-011, FIL-028	
FRONTEND		
Components	PhotoUploader (farmer simple version for farmers and their field agents)	
Tabs	—	
BACKEND		
Endpoints	POST /v1/files POST /v1/files/{id}/complete GET /v1/files/{id} DELETE /v1/files/{id}	
Tables	files, file_variants, image_blocklist	
QA		
Tests	TC-001, TC-002, TC-003, TC-004, TC-005, TC-006, TC-007, TC-008, TC-009, TC-078, TC-079, TC-080, TC-081, TC-082, TC-145, TC-157, TC-158, TC-159, TC-160, TC-161, TC-193, TC-195, TC-199, TC-200	
Fields	19 rows — Screen-Field Map, filter M01-S01	
Open issues	None (decided: OI-01, OI-02, OI-04, OI-05)	
Figma frame	M01-S01 Photo uploader (with farmer simple mode)	


OudhTrade · M01 Screens — User (desktop) · 29 Sep 2026 · Sample mock-up — values are examples; exact texts and rules are in the specs

7 / 24




- ▶ Empty, uploading, checking, ready, warning, error, limit reached, held for review; location note only for purposes that keep the location.
- ▶ Held: amber chip with the reason and Replace photo. A suspected copy shows nothing to the seller unless moderation confirms it.
- ▶ Farmer simple mode (M01-6 §3.1): big buttons of 48 px, one action per screen — drawn in the phone book.

Build card		M01-S01
SCREEN		
Name	Photo uploader (with farmer simple mode)	
Route	— (component in upload forms, e.g. the M05 listing form)	
Spec	M01-6 §3, §3.1	
Requirements	FIL-001, FIL-002, FIL-003, FIL-004, FIL-005, FIL-006, FIL-007, FIL-018, FIL-020, FIL-021, FIL-022, FIL-023, FIL-024, FIL-025, SEC-011, FIL-028	
FRONTEND		
Components	PhotoUploader (farmer simple version for farmers and their field agents)	
Tabs	—	
BACKEND		
Endpoints	POST /v1/files POST /v1/files/{id}/complete GET /v1/files/{id} DELETE /v1/files/{id}	
Tables	files, file_variants, image_blocklist	
QA		
Tests	TC-001, TC-002, TC-003, TC-004, TC-005, TC-006, TC-007, TC-008, TC-009, TC-078, TC-079, TC-080, TC-081, TC-082, TC-145, TC-157, TC-158, TC-159, TC-160, TC-161, TC-193, TC-195, TC-199, TC-200	
Fields	19 rows — Screen-Field Map, filter M01-S01	
Open issues	None (decided: OI-01, OI-02, OI-04, OI-05)	
Figma frame	M01-S01 Photo uploader (with farmer simple mode)	




- One short video (60 seconds, MP4 or MOV, 100 MB) for verified sellers and farmers only.
- Allowance from the plan; uploading resumes after network loss; processing and review before it goes live.
- "24 hours" stands for {service target}; exact texts from M01-6 §4.

Build card		M01-S02
SCREEN		
Name	Video uploader	
Route	— (component in upload forms, e.g. the M05 listing form)	
Spec	M01-6 §4	
Requirements	FIL-011, FIL-012, FIL-013, FIL-014, FIL-015, FIL-016, FIL-017, FIL-021	
FRONTEND		
Components	VideoUploader	
Tabs	—	
BACKEND		
Endpoints	POST /v1/files POST /v1/files/{id}/complete GET /v1/files/{id} DELETE /v1/files/{id} GET /v1/me/allowances (Module 11 plan allowance)	
Tables	files, file_variants, video_assets	
QA		
Tests	TC-012, TC-013, TC-014, TC-015, TC-016, TC-017, TC-020, TC-209, TC-216	
Fields	8 rows — Screen-Field Map, filter M01-S02	
Open issues	None (decided: OI-06, OI-07, OI-08, OI-09)	
Figma frame	M01-S02 Video uploader	




- Shown here in the M03 verification wizard (step 5 Documents); also used in M06 document forms.
- PDF, JPG, PNG, HEIC/HEIF or WEBP, max 10 MB; privacy note under every document uploader.
- Errors under the file name; only the uploader sees View (staff use the M03 viewer). Spec: M01-6 §5.

Build card		M01-S03
SCREEN		
Name	Document uploader	
Route	— (component in M03 and M06 document forms)	
Spec	M01-6 §5	
Requirements	FIL-008, FIL-009, FIL-010, FIL-018	
FRONTEND		
Components	DocumentUploader	
Tabs	—	
BACKEND		
Endpoints	POST /v1/files POST /v1/files/{id}/complete GET /v1/files/{id} DELETE /v1/files/{id} GET /v1/files/{id}/link (owner only)	
Tables	files, file_variants	
QA		
Tests	TC-010, TC-011, TC-018, TC-163, TC-201	
Fields	5 rows — Screen-Field Map, filter M01-S03	
Open issues	None (decided: OI-03)	
Figma frame	M01-S03 Document uploader	




- ▶ Picker in the M05 listing form: only units allowed for the item, grouped Weight · Volume · Count · Area; bigha, katha and lessa need the state.
- ▶ Price helper "Know your price per tola?" turns a tola price into the price per ml.
- ▶ Card: "₹500 / ml", "≈ ₹6,000 / tola" and, outside India, a guide line in the viewer's currency. Spec: M01-6 §6.

Build card		M01-S04
SCREEN		
Name	Unit picker and price display	
Route	— (component in the M05 listing form and listing pages)	
Spec	M01-6 §6	
Requirements	UNT-001, UNT-002, UNT-003, UNT-004, UNT-005, UNT-006, UNT-007, UNT-008, UNT-009, CTY-005, CTY-006	
FRONTEND		
Components	PriceDisplay (with the unit picker)	
Tabs	—	
BACKEND		
Endpoints	GET /v1/units?itemType= GET /v1/units/convert GET /v1/fx/guide-rates	
Tables	units, area_unit_factors, fx_rates	
QA		
Tests	TC-021, TC-022, TC-023, TC-024, TC-025, TC-026, TC-027, TC-028, TC-068, TC-069, TC-070, TC-071, TC-107	
Fields	10 rows — Screen-Field Map, filter M01-S04	
Open issues	None	
Figma frame	M01-S04 Unit picker and price display	




- ▶ Bottom bar on desktop (bottom sheet on phone); it does not block browsing.
- ▶ Three buttons of equal size and style: Accept all · Reject all · Choose.
- ▶ The footer link "Cookie settings" opens the choices again. Spec: M01-6 §8.

Build card		M01-S05
SCREEN		
Name	Cookie banner	
Route	— (on every page; footer link "Cookie settings")	
Spec	M01-6 §8	
Requirements	CKE-001, CKE-002, CKE-003, CKE-004, CKE-005, CKE-006, CKE-007	
FRONTEND		
Components	CookieBanner & CookieSettings	
Tabs	—	
BACKEND		
Endpoints	P05T /v1/consents	
Tables	cookie_consent	
QA		
Tests	TC-056, TC-057, TC-058, TC-059, TC-060, TC-115, TC-140, TC-210, TC-211	
Fields	5 rows — Screen-Field Map, filter M01-S05	
Open issues	None (decided: OI-10, OI-17)	
Figma frame	M01-S05 Cookie banner	




Build card		M01-S05
SCREEN		
Name	Cookie banner	
Route	— (on every page; footer link "Cookie settings")	
Spec	M01-6 §8	
Requirements	CKE-001, CKE-002, CKE-003, CKE-004, CKE-005, CKE-006, CKE-007	
FRONTEND		
Components	CookieBanner & CookieSettings	
Tabs	—	
BACKEND		
Endpoints	P05T /v1/consents	
Tables	cookie_consent	
QA		
Tests	TC-056, TC-057, TC-058, TC-059, TC-060, TC-115, TC-140, TC-210, TC-211	
Fields	5 rows — Screen-Field Map, filter M01-S05	
Open issues	None (decided: OI-10, OI-17)	
Figma frame	M01-S05 Cookie banner	

- ▶ Choose panel: Essential (always on, explained) · Analytics · Marketing · Save choices; link to the Cookie Policy.
- ▶ The group explanations are sample wording (M17 writes them).
- ▶ Each choice is stored in cookie_consent through POST /v1/consents and asked again after cookies.consent_months. Spec: M01-6 §8.




- ▶ Account → Security → Account activity: the user's own audit records, newest first.
- ▶ Filters: sign-ins, changes, document views, agent actions.
- ▶ "Something looks wrong? Secure your account" goes to password change and sign out of all devices. Spec: M01-6 §9.

Build card		M01-S06
SCREEN		
Name	My account activity	
Route	Account → Security → Account activity (under /account/security, M02-4); data GET /v1/me/activity. Field agents use My actions in the agent app (M02-S20), not this page	
Spec	M01-6 §9	
Requirements	AUD-005	
FRONTEND		
Components	ActivityList	
Tabs	—	
BACKEND		
Endpoints	GET /v1/me/activity?type=	
Tables	audit_log	
QA		
Tests	TC-045, TC-212	
Fields	7 rows — Screen-Field Map, filter M01-S06	
Open issues	None (decided: OI-11, OI-12)	
Figma frame	M01-S06 My account activity	




- ▶ Six pages: not found (404), something went wrong (500), maintenance, offline, too many requests, blocked country.
- ▶ "Too many requests" shows "try again in {time}" with the real wait; 404, 500 and maintenance link to the status page.
- ▶ The maintenance time is a sample. Spec: M01-4 error pages, M01-6 §10.

Build card		M01-S07
SCREEN		
Name	Error and status pages	
Route	— (404, 500, maintenance, offline, too many requests, blocked country; read-only banner and planned-maintenance notice on every page)	
Spec	M01-6 §10	
Requirements	API-002, API-004, RTL-003, SEC-004, OBS-006, API-009, CFG-012	
FRONTEND		
Components	Error & status pages	
Tabs	—	
BACKEND		
Endpoints	— (pages; 429 RATE_LIMITED with Retry-After; blocked countries stopped at the edge) /status/maintenance.json (CDN file, no API call)	
Tables	countries	
QA		
Tests	TC-064, TC-066, TC-089, TC-097, TC-213, TC-214, TC-231, TC-232, TC-235	
Fields	9 rows — Screen-Field Map, filter M01-S07	
Open issues	None (decided: OI-13, OI-14, OI-15, OI-16)	
Figma frame	M01-S07 Error and status pages	




Build card		M01-S07
SCREEN		
Name	Error and status pages	
Route	— (404, 500, maintenance, offline, too many requests, blocked country; read-only banner and planned-maintenance notice on every page)	
Spec	M01-6 §10	
Requirements	API-002, API-004, RTL-003, SEC-004, OBS-006, API-009, CFG-012	
FRONTEND		
Components	Error & status pages	
Tabs	—	
BACKEND		
Endpoints	– (pages; 429 RATE_LIMITED with Retry-After; blocked countries stopped at the edge) /status/maintenance.json (CDN file, no API call)	
Tables	countries	
QA		
Tests	TC-064, TC-066, TC-089, TC-097, TC-213, TC-214, TC-231, TC-232, TC-235	
Fields	9 rows — Screen-Field Map, filter M01-S07	
Open issues	None (decided: OI-13, OI-14, OI-15, OI-16)	
Figma frame	M01-S07 Error and status pages	

- Read-only maintenance: a bar on every page; people can look around and sign in; pressing a change button shows the same message and keeps what they typed.
- Planned maintenance: a notice from maintenance.notice_hours before the start (48 hours by default, PRD-NFR-003); × closes it until the next visit.
- Both read /status/maintenance.json from the CDN. Spec: M01-6 §10; M01-2 CFG-012, API-009.



Build card		M01-S08
SCREEN		
Name	Report a security issue page	
Route	/report-security-issue (public; linked from /.well-known/security.txt and the footer)	
Spec	M01-6 §10.1	
Requirements	SEC-010	
FRONTEND		
Components	SecurityIssuePage	
Tabs	—	
BACKEND		
Endpoints	GET /.well-known/security.txt	
Tables	—	
QA		
Tests	TC-144	
Fields	1 rows — Screen-Field Map, filter M01-S08	
Open issues	None	
Figma frame	M01-S08 Report a security issue page	

- ▶ Public page /report-security-issue, linked from /.well-known/security.txt and the footer.
- ▶ No sign-in needed; the contact is the security contact listed in /.well-known/security.txt.
- ▶ Content from the translation store (security_page.*), written by M17; wording here is a sample. Spec: M01-6 §10.1.



Build card		M01-S09
SCREEN		
Name	Account → Preferences	
Route	/account/preferences; data GET · PUT /v1/me/preferences	
Spec	M01-6 §7.1	
Requirements	LOC-001, LOC-003, LOC-005, CTY-006	
FRONTEND		
Components	PreferencesPage	
Tabs	—	
BACKEND		
Endpoints	GET /v1/me/preferences PUT /v1/me/preferences	
Tables	user_preferences	
QA		
Tests	TC-033, TC-069, TC-215	
Fields	7 rows — Screen-Field Map, filter M01-S09	
Open issues	None (decided: OI-18, OI-19)	
Figma frame	M01-S09 Account → Preferences	

- ▶ Account → Preferences: Language · Number format · Guide currency · Time zone.
- ▶ Each change saves at once: "Saved." A chosen time zone is never replaced automatically.
- ▶ Visitors choose in the footer instead. Data: GET · PUT /v1/me/preferences. Spec: M01-6 §7.1.

OudhTrade

Categories ▾

🔍

Search chips, oil, saplings...

Post requirement

EN · ₹ ▾

✉

Messages

📊

Dashboard

AS

Account

Sign up / Step 1 of 3

Your phone number

HOST PAGE: SIGN-UP FORM (M02-6) — OWNED BY MODULE 2; SHOWN ONLY TO PLACE THE M01 PART

M01-S10 Phone number field

Phone number

+971 ▾

50 123 4567

Example for United Arab Emirates: 50 123 4567 - stored as +971501234567

Enter a valid phone number for United Arab Emirates.

Default country: the viewer's country. Formats as you type; checked with a standard phone-number check.

Country list open:

🔍

Search country or code

🇦🇪 United Arab Emirates

+971

🇮🇳 India

+91

🇸🇦 Saudi Arabia

+966

🇸🇬 Singapore

+65

🇶🇦 Qatar

+974

Business profile / Locations

Add a business location

HOST PAGE: BUSINESS LOCATIONS (M03-6) — OWNED BY MODULE 3; SHOWN ONLY TO PLACE THE M01 PART

M01-S11 Address form

India

Address line 1

Plot 12, Dhing Road

City or village

Hojai

State

Assam ▾

District

Hojai ▾

Only districts of the chosen state (official codes).

PIN code

782435

Fields and their order come from the country's address layout (Country table). Names in any script.

United Arab Emirates

Building or villa

Al Attar Tower, 14th floor

Street

Sheikh Zayed Road

Area

Trade Centre

Emirate

Dubai ▾

P.O. Box

55123

OudhTrade

Language English ▾

Number format Indian ▾

Guide currency Don't show ▾

Cookie settings

Service status

Report a security issue

Terms · Privacy

M01-S10 · M01-S11 · Phone number field and address form — inside M02 and M03 forms

OudhTrade website · Sample mock-up · values are examples

Build card		M01-S10
SCREEN		
Name	Phone number field	
Route	— (component in other modules' forms, e.g. M02 sign-up, M03 business locations)	
Spec	M01-6 §7	
Requirements	LOC-009, CTY-001	
FRONTEND		
Components	PhoneInput	
Tabs	—	
BACKEND		
Endpoints	GET /v1/countries	
Tables	countries	
QA		
Tests	TC-073	
Fields	2 rows — Screen-Field Map, filter M01-S10	
Open issues	None	
Figma frame	M01-S10 Phone number field	

- ▶ M01-S10: flag and country code picker (default the viewer's country), then the number; example in the country's format; stored as +country code.
- ▶ M01-S11: fields and order from the country's address layout (India: State, District, PIN code; UAE: Emirate, P.O. Box).
- ▶ Parts used in M02 sign-up and M03 business locations. Spec: M01-6 §7. The M01-S11 build card is on the next page.

OudhTrade · M01 Screens — User (desktop) · 29 Sep 2026 · Sample mock-up — values are examples; exact texts and rules are in the specs

19 / 24

Address form (M01-S11)

- Fields and order come from countries.address_layout; the State list from country_regions, the District list from country_districts (India).
- Retired states and districts are not offered, but stay on records that use them.
- Names accept any script; the module that uses the form stores the address.

Build card		M01-S11
SCREEN		
Name	Address form	
Route	— (component in other modules' forms, e.g. M02 sign-up, M03 business locations)	
Spec	M01-6 §7	
Requirements	LOC-010, CTY-002	
FRONTEND		
Components	AddressForm	
Tabs	—	
BACKEND		
Endpoints	GET /v1/countries	
Tables	countries, country_regions, country_districts	
QA		
Tests	TC-074, TC-099	
Fields	3 rows — Screen-Field Map, filter M01-S11	
Open issues	None	
Figma frame	M01-S11 Address form	

OudhTrade

Categories ▾

Search chips, oil, saplings...

Post requirement

EN · ₹ ▾

Messages

Dashboard

ASAccount

Messages sent by Module 1

From the Cross-Module Registers (sheet Messages, M01 rows). Other channels for the upload statuses are decided by M13 [TBC]. Wording is sample text; templates are written by M13 / M17.

IN-APP UPLOAD STATUS (4)

⏸

Your photo is on hold: it seems to show contact details (a phone number, email, web address, payment ID or QR code).

Trigger file.held (photo) · in-app upload status

🎬

Our team checks your video before it goes live.

Trigger file.held (video in review) · in-app upload status

✓

Your video is live.

Trigger file.ready (video approved) · in-app upload status

✕

Your photo or video was not approved: Shows a phone number. Please remove contact details and upload again.

Trigger file.rejected · with the reason · in-app upload status

EMAIL + IN-APP · QUARTERLY RULES NOTICE (PRD-CNT-007)

From: OudhTrade <notices@oudhtrade.com>

Subject: Our platform rules — quarterly notice

OudhTrade

Dear Anil,

Every quarter we remind all users of our platform rules: what is not allowed, and what happens when rules are broken (for example, listings removed or accounts suspended).

Read the platform rules

You get this notice because you have an OudhTrade account. It is a legal notice, so it is sent to everyone.

OudhTrade

LanguageEnglish ▾

Number formatIndian ▾

Guide currencyDon't show ▾

Cookie settings

Service status

Report a security issue

Terms · Privacy

Messages · Messages sent by Module 1

OudhTrade website · Sample wording · triggers from the register

► 5 messages in the register (Cross-Module Registers, sheet Messages): 4 upload statuses in-app, 1 quarterly notice by email and in-app.

► Other channels for the upload statuses are decided by M13 (to be confirmed).

► The quarterly email wording is a sample; templates are written by M13 / M17.

OudhTrade · M01 Screens — User (desktop) · 29 Sep 2026 · Sample mock-up — values are examples; exact texts and rules are in the specs

21 / 24

5 · Review decisions — user screens

Found while mapping every field to its API field and column; decided by the product owner on 29 Sep 2026 and applied to the documents. Full text: **Screen–Field Map, sheet "Open issues"**.

ID	Screen	Kind	Problem	Decision
OI-01	M01-S01	No column	Photo order and the cover (first photo) have no column: files has no position / order column and no M01 table records the order, yet FIL-005 requires reordering by drag a...	Photo order and cover are stored by M05 on its listing-photo link (position column); M01-5 says so.
OI-02	M01-S01	Other	The watermark toggle writes files.has_watermark, but no endpoint carries it: POST /v1/files / FileService.createUploadSlot(owner, purpose, type, size) has no watermark pa...	Remember per account: user_preferences.watermark_default; each photo keeps files.has_watermark.
OI-03	M01-S03	No screen	files.side (front, back, selfie or page for ID and document scans) is set by no screen and no API parameter: the document uploader has no side selector and POST /v1/files...	Add side to POST /v1/files; the M03 / M06 form shows one slot per side.
OI-04	M01-S01	Label mismatch	The held-photo chip names only “a phone number, payment ID or QR code”, but the check also holds for email addresses and web addresses (files.safety_flags: phone, email, ...	Use M01-6 wording; the chip names all found types (phone number, email, web address, payment ID or QR code).
OI-05	M01-S01	Limit mismatch	The uploader texts fix the limits: “Add photos (up to 10) ... max 15 MB”, “Photo is larger than 15 MB”, “You’ve added 10 photos, the maximum.”, “4 of 10”; video “up to 60 s...	Texts use placeholders from the settings ({n}, {max}, {seconds}).
OI-06	M01-S02	Other	The uploaders are also used for business-location media (FIL-026: up to 2 photos per location, video ≤ 45 s and ≤ 45 MB, server compresses), but M01-6 §3 / §4 give only t...	Business-location limits and texts added to M01-6 §3 and §4.
OI-07	M01-S02	Label mismatch	The too-long video message differs: M01-2 FIL-012 requires “Video must be 60 seconds or shorter”, while M01-6 §4 and M01-3 VIDEO_TOO_LONG say “This video is {length}. Ple...	FIL-012 uses the M01-6 / M01-3 wording.
OI-08	M01-S02	No test	No error text for a video larger than 100 MB in M01-6 §4 (only the generic FILE_TOO_LARGE “File is larger than {max} MB.” in M01-3), and no test for the size limit: TC-01...	Oversize state added to M01-6 §4; test M01-TC-209.
OI-09	M01-S02	Other	“Video: 1 of 2 used on your plan.” needs the used and total allowance, but no M01-3 endpoint returns it; the allowance is only enforced as 403 UPLOAD_ALLOWANCE_USED on PO...	GET /v1/me/allowances (Module 11 plan allowance).
OI-10	M01-S05	No test	No test sets the Choose panel toggles separately (e.g. Analytics on, Marketing off → Save choices), and none checks that the choice is asked again after 12 months (CKE-00...	Tests M01-TC-210 (toggles) and M01-TC-211 (asked again).
OI-11	M01-S06	No column	The sign-in row shows a place (“Guwahati, IN”), but audit_log stores only ip (inet); no column, lookup or rule says how the place is found.	Store city and country (audit_log.geo_city / geo_country) when the sign-in is recorded.
OI-12	M01-S06	No test	The activity filters (sign-ins, changes, document views, agent actions) and agent-action rows are not tested: TC-045 only checks that own sign-ins, changes and document v...	GET /v1/me/activity?type= and test M01-TC-212.
OI-13	M01-S07	Other	M01-2 API-004 says the 404, 500 and maintenance pages each have a search box and a help link, but M01-6 §10 puts a search box only on 404; 500 has Try again · Help centre...	Follow M01-6: API-004 changed (search only on 404).

5 · Review decisions — user screens (continued)

Found while mapping every field to its API field and column; decided by the product owner on 29 Sep 2026 and applied to the documents. Full text: **Screen–Field Map, sheet "Open issues"**.

ID	Screen	Kind	Problem	Decision
OI-14	M01-S07	Label mismatch	The offline text differs: M01-6 §10 “You’re offline. We’ll retry when you’re connected.” vs M01-4 §7 “You’re offline — we’ll retry when you’re back online”.	M01-4 uses the M01-6 offline text.
OI-15	M01-S07	No column	The maintenance page shows “Expected back: time in the user’s zone”, but no setting (M01-2 §18), column or endpoint is named as the source of that time.	Setting maintenance.expected_back_at; Module 1 writes /status/maintenance.json to the CDN when it is published; the maintenance page reads that file (works while the API ...
OI-16	M01-S07	No test	The maintenance and offline pages have no test: TC-066 covers 404 and 500; TC-097 only checks the status page.	Tests M01-TC-213 (maintenance) and M01-TC-214 (offline).
OI-17	M01-S05	Other	M01-3 §4 says GET · PUT /v1/me/preferences also carries the “cookie choice”, but user_preferences has no cookie column; the choice is stored in cookie_consent through PO...	Cookie choice removed from the preferences endpoint; POST /v1/consents only.
OI-18	M01-S09	Other	Owner of time_zone_source is unclear: M01-5 §4.2 says it is “Written by M02”, while M01-3 §4 has the Module 1 endpoint PUT /v1/me/preferences set the time zone with its s...	M02 writes country or browser at sign-up; the M01 preferences page writes user.
OI-19	M01-S09	No test	The Language and Time zone fields have no test (TC-033 covers number format and TC-069 guide currency); the rule “A time zone the user chooses is never replaced automatic...	Test M01-TC-215.
OI-68	—	Other	M01-6 §7 specifies a phone field (flag and country-code picker) and an address form (fields by country), and M01-4 builds PhoneInput and AddressForm, but they have no scr...	New codes M01-S10 Phone number field and M01-S11 Address form.

What this book is — and what comes next

This book is

- Module 1's user parts and pages at desktop width in the site shell, with a build card per screen.
- Styled with the UX/UI Foundation tokens (oud brown, warm sand, Inter), 1440 px frames.
- Filled with example data; people's names are invented.
- Generated from the Cross-Module Registers (routes, endpoints, components, tests) and the Screen-Field Map — rebuilt when they change.

This book is not

- The final design — the designer finalises in Figma.
- A source of wording or rules — those stay in M01-6 and the registers. Texts marked as samples are for M17 to write.

Open points

- **Field Map issues:** all 20 on user screens decided on 29 Sep 2026 (section 5); 0 open.
- **Sample wording** to replace: cookie explanations, security page, quarterly email, maintenance time.
- **Status page** (status.oudhtrade.com): linked from the error pages but not specified yet.

The M01 screen files

- M01 Screens — Admin · M01 Screens — User (desktop, this book) · M01 Screens — User (phone).
- OudhTrade-M01-Screen-Field-Map.xlsx — one row per field, with the issues and their decisions.
- png folder — every picture, named by screen code, for Figma or slides.