

OudhTrade

Admin Design Master

Product owner master of the admin (staff) screen design — approach, flows, lifecycles, permissions, data and decisions

Document details	
Company	MRIDA INFRA AND PLANTATIONS LLP
Product	OudhTrade — oudhtrade.com
Document	Admin Design Master
Scope	Everything in the Admin Design Guide plus status lifecycles, click-by-click flows of the top 5 screens, role × action permissions for all 25 screens, screen → data maps, decisions, open questions and risks
Readers	Product owner (decision owner); shared with the design and development leads on request
Related documents	Admin Design Guide (team version) · Admin UX Design Brief · Admin Screens Tracker · M01-6 §12 · M02-6 §20 · M03-6 §16 · Onboarding DB Review
Owner	Product owner
Decision owner	T. Satish Reddy, CEO & Founder
Status	Draft for review — 26 September 2026
Classification	Confidential — for partners and the OudhTrade team

Contents

How to Use This Master	4
Decisions behind this design (26 September 2026)	4
Where facts come from	4
Part A — Why This Design	5
A1 Why one console and shared patterns	5
A2 Console map — layout and menu	6
A2 Who sees which menu item	7
A3 Building blocks — four layers	8
Part B — Pattern Flowcharts	9
B1 P1 Queue + case review	9
B2 P2 Settings editor	10
B3 P3 List management	11
B4 P4 Look-up	12
B5 Common states and rules	13
Part C — How It Covers All 20 Modules	14
C1 Coverage map (M01–M05)	14
C1 Coverage map (M06–M20)	15
C2 Reuse chart	16
Part D — Adding or Changing an Admin Screen	17
D1 Which pattern?	17
D2 Process from need to release	18
D3 Changing a screen or a shared pattern	19
Part E — Onboarding Journeys	20
E1 Business verification	20
E2 FPO onboarding and member farmers	21
E3 Field agent onboards a farmer	22
E4 Buyer asks to sell — one combined case	23
E5 Settings change — document checklist	24
Part F — One-Page Summary	25
F1 Console, patterns, modules and process	25
G — Status Lifecycles	26
G0 All lifecycles at a glance	26
G1 Verification case	27
G2 Settings version	28
G3 Invitation	29
G4 FPO membership	30
G5 Field agent	31
G6 Role change request	32
H — Click-by-Click Flows of the Top 5 Screens	33
H0 Top 5 at a glance	33
H1 AD-01 Verification review — diagram	34
H1 AD-01 Verification review — states, dialogs, messages, errors	35
H2 AD-19 Invitations admin — diagram	36
H2 AD-19 Invitations admin — states, dialogs, messages, errors	37
H3 AD-20 Field agents — diagram	38
H3 AD-20 Field agents — states, dialogs, messages, errors	39
H4 AD-05 Farm visit review — diagram	40
H4 AD-05 Farm visit review — states, dialogs, messages, errors	41
H5 AD-10 Document checklists (E1) — diagram	42
H5 AD-10 Document checklists — states, dialogs, messages, errors	43

I — Role × Action Permissions.....	44
I0 Summary by screen family.....	44
I1 All 25 screens.....	45
J — Screen → Data Map.....	46
J1 P1 screens (AD-01 to AD-09).....	46
J2 P2 screens (AD-10 to AD-18).....	47
J3 P3 and P4 screens (AD-19 to AD-25).....	48
K — Decisions, Open Questions and Risks.....	49
K1 Decisions made.....	49
K2 Open questions.....	49
K3 Risks.....	50
K4 Assumptions made in this document.....	50

How to Use This Master

This is the **product owner's master** of the admin screen design. Parts A–F are the same pages the team gets in the **Admin Design Guide** (both documents use one diagram set). Sections G–K add the detail the product owner decides on: every status lifecycle, click-by-click flows of the top 5 screens, role × action permissions for all 25 screens, which data each screen touches, and the decisions, open questions and risks.

Part / section	Use it to
A–F (same as the team guide)	Explain and defend the approach: one console, 4 patterns now + 3 future, coverage of all 20 modules, the process, the journeys
G Status lifecycles	Check every state and move before designs and tests are signed off
H Top 5 screen flows	Review AD-01, AD-19, AD-20, AD-05 and AD-10 click by click, with texts and error codes
I Role × action permissions	Approve who may view, act, decide or only add notes on each of the 25 screens
J Screen → data map	See which tables and events each screen touches (for the database review and impact checks)
K Decisions, open questions, risks	Track what is decided, what is still open and what could go wrong

Decisions behind this design (26 September 2026)

- **Two documents, one diagram set:** team Admin Design Guide (~25–30 pages) and this Admin Design Master.
- **Future patterns agreed:** P5 Dashboard, P6 Bulk actions, P7 Content page editor — built on the same console, components and rules. Future module screens are drawn lighter and labelled "planned — confirm when the module is designed".
- **Process:** the product owner approves the need and the pattern → spec in the module UX doc (with Claude) → designer (Figma) → developers (shared components) → QA (roles, approvals, audit).
- **Shared changes:** any change to a shared pattern or component needs product-owner approval and a full impact list from the Admin Screens Tracker.
- **Releases** are planning hints only; the team decides timing.

Where facts come from

Source	Holds
M01-6 §12, M02-6 §20, M03-6 §14, §16, §17, §20	Exact screen texts, messages, error codes and rules
Admin UX Design Brief + Admin Screens Tracker	The 25 screens AD-01 to AD-25, patterns, sketches, design status
M0x-2, M0x-3, M0x-5 · PRD §3.2 · Figma decisions	Rules, staff API, events, tables; staff roles; product-owner decisions

Part A — Why This Design

A1 Why one console and shared patterns

Why: the 25 onboarding staff screens do only four kinds of work. Designing and building each one on its own would repeat the same security, audit and approval logic 25 times.

How to read: left, the cost of 25 one-off screens; right, the same 25 screens as 4 patterns built from 12 shared components.




Figure 1 — 25 screens → 4 patterns + 12 shared components

A2 Console map — layout and menu

Why: every staff screen sits in one shell (M15 Operations and M16 Configuration share one look, decided 26 Sep 2026), so staff always find search, queues and the decision bar in the same place.

How to read: left, the shell parts; right, the five menu groups with the screen IDs under each, coloured by pattern.



Figure 2 — Console shell and the five menu groups

A2 Who sees which menu item

Why: a menu item a role may not use is left out, not shown disabled; opening its address gives STAFF_NOT_PERMITTED.

How to read: a dark cell with a tick means the item is in that role's menu. What the role may do there is in the role × action summary (end of this guide).

Who sees which menu item

OudhTrade • Admin design

Role visibility — a menu item a role may not use is left out, not shown disabled (M01-6 §12, M02-6 §20)

Menu item	Super Admin	Admin	Moderator	Senior flag	Finance	Content Editor	Support
Queues							
AD-01 Verification	✓	✓	✓	✓			
AD-07 Badge applications (tab)	✓	✓	✓	✓			
AD-04 Role changes	✓	✓	✓	✓			
AD-05 Farm visits	✓	✓	✓	✓			
AD-02 Video calls	✓	✓	✓	✓			✓
AD-06 Recovery & reclaim	✓	✓					✓
AD-03 Sanctions	✓	✓		✓			
AD-08 Lab accreditation	✓	✓	✓	✓			
AD-09 Partner programme	✓	✓	✓	✓			
People							
AD-24 Account lookup	✓	✓	✓	✓			✓
AD-25 Support view	✓	✓	✓	✓			✓
AD-19 Invitations	✓	✓					

Menu item	Super Admin	Admin	Moderator	Senior flag	Finance	Content Editor	Support
Farmers & agents							
AD-20 Field agents	✓	✓	✓	✓			
AD-22 Farm-visit queue	✓	✓	✓	✓			
AD-23 Quality re-checks	✓	✓	✓	✓			
AD-21 Delegations	✓	✓	✓	✓			✓
Settings							
AD-18 Changes	✓	✓			✓		
AD-10 Document checklists	✓	✓	✓	✓			
AD-11 Business ID rules	✓	✓	✓	✓			
AD-12 Rejection reasons	✓	✓	✓	✓			
AD-13 Setup card items	✓	✓	✓	✓			
AD-14 Role paths & bands	✓	✓	✓	✓			
AD-15 Badge types	✓	✓	✓	✓			
AD-16 Country table	✓	✓	✓	✓	✓	✓	✓
AD-17 Email domains	✓	✓	✓	✓			
Audit							
Audit log (M01-6 §12.9)	✓	✓	✓	✓	✓		✓

What each role may do on a screen (view, act, decide) is in the role and action summary. Field agents use the agent app, not the console.

Legend:

Shown in the menu for this role

Left out (not shown)

P1 Queue + case review

P2 Settings editor

P3 List management

P4 Look-up

Figure 3 — Role visibility — Super Admin, Admin, Moderator (+ Senior flag), Finance, Content Editor, Support

A3 Building blocks — four layers

Why: designers and developers build from the bottom up: the Design System, then 12 shared admin components, then 4 patterns; a screen only adds what differs.

How to read: each layer uses only the layer below. A new part that is not in layer 2 is a component change (Section D3).




Figure 4 — Design System → shared components → patterns → screens

Part B — Pattern Flowcharts

B1 P1 Queue + case review

Why: nine screens (AD-01 to AD-09) decide cases the same way: shared queue, secure viewer, reason codes, decision bar, message to the user and audit.

How to read: lanes show who acts. Solid arrows are the main path; dashed arrows are questions, holds, escalations and new copies.




Figure 5 — P1 Queue + case review — states and who acts

B2 P2 Settings editor

Why: every setting in every module changes the same way (M01-6 §12.1): draft, preview impact, second person approves, publish or schedule, history, roll back.

How to read: the diamond "High impact?" picks the approver. The right panel lists which settings are high impact and which are other.




Figure 6 — P2 Settings editor — two-level approval

B3 P3 List management

Why: invitations, field agents, delegations, farm-visit tasks and re-checks are lists of people or items with the same add, change and end actions.

How to read: every change goes through the confirm dialog (what happens, who is told, reason); the bulk upload branch applies where the screen has it (AD-19).




Figure 7 — P3 List management — add, change, end, bulk upload

B4 P4 Look-up

Why: staff often only need to find and read an account. Look-up never changes data; it hands off to an action screen.

How to read: a reason is asked before any account opens; "Show" of a full contact exists only in recovery and reclaim cases (60 seconds, logged).




Figure 8 — P4 Look-up — search, reason, read-only summary, hand-off

B5 Common states and rules

Why: these states and rules are designed once and appear on every screen of every pattern, including the future P5–P7.

How to read: grey boxes are states a screen can be in (exact texts from M01-6 §12.1 and M02-6 §20); brown boxes are rules; the red box lists what is never allowed.




Figure 9 — Common states and rules for all patterns

Part C — How It Covers All 20 Modules

C1 Coverage map (M01–M05)

Why: the same seven patterns cover the admin screens of all 20 modules. Today 82 admin screens are counted: 25 in the Admin UX Design Brief, 16 more specified in module UX specs, and 41 planned.

How to read: planned screens (dashed, grey) are "planned — confirm when the module is designed"; future patterns P5–P7 are built on the same console, components and rules.

Coverage map — modules M01–M05							
OudhTrade • Admin design							
Which pattern each admin screen uses. Dashed = planned — confirm when the module is designed							
Module	P1 Queue + case review	P2 Settings editor	P3 List management	P4 Look-up	P5 Dashboard (future)	P6 Bulk actions (future)	P7 Content page editor (future)
M01 Platform Foundation		Settings editor Feature switches Country table AD-16 Reserved names Holiday calendar Rate limits Retention policies Units & factors	Failed jobs Legal hold	Audit log viewer	AI usage & budgets		
M02 Identity & Security	Recovery & reclaim AD-06 Data-requests queue	Throw-away email list AD-17	Invitations AD-19 Delegations AD-21 Staff accounts Partner / AI clients Bulk security action	Account lookup AD-24			
M03 Roles, Profiles & Verification	Verification A AD-01 Video-call ID AD-02 Sanctions AD-03 Role change B AD-04 Farm visit C AD-05 Badge applications AD-07 Lab accreditation AD-08 Partner review AD-09	E1 Checklists AD-10 E2 Business ID AD-11 E3 Reasons AD-12 E4 Setup card AD-13 E5 Paths & bands AD-14 E6 Badge types AD-15	Field agents AD-20 Farm-visit queue AD-22 Quality re-checks AD-23	Support view AD-25			
M04 Taxonomy & Compliance Rules		Categories & attributes Role-to-category table Banned words & claims Grades & units mapping					
M05 Listings	Listing review queue			Listing look-up		Bulk listing actions	

Key: In the 25-screen brief Specified in a UX spec Planned

Figure 10 — Coverage map, modules M01–M05

C1 Coverage map (M06–M20)

M14 user dashboards are not admin screens; M15 is the console shell itself; M20 has test tools only.

Coverage map — modules M06–M20							
OudhTrade · Admin design							
Which pattern each admin screen uses. Dashed = planned — confirm when the module is designed							
Module	P1 Queue + case review	P2 Settings editor	P3 List management	P4 Look-up	P5 Dashboard (future)	P6 Bulk actions (future)	P7 Content page editor (future)
M06 Origin & Trade Documents	Trade document / origin check review						
M07 Search & Discovery		Synonyms Ranking weights			Search quality dashboard		
M08 Requirements & Buy Leads	Requirement post review	Buy-lead allowances					
M09 Messaging & Quotations	Message reports			Conversation look-up (reason)			
M10 Reviews & Trust	Review moderation Disputes	Trust weights					
M11 Monetisation	Campaign review	Plans & prices Ad slots	Subscriptions Invoices Refunds		Revenue dashboards		
M12 Moderation & Compliance Ops	Reports queue Takedowns Enforcement ladder Legal orders	Banned words			Transparency report		
M13 Notifications		Message templates	Sender domains	Delivery log look-up			
M14 Dashboards (user dashboards are not admin)		Dashboard widget settings					
M15 Operations Console (the shell itself)			Staff & partners	Global search	Queue health & KPI dashboard		
M16 Configuration Console		Generic settings editor Changes / approvals AD-18					
M17 Content & Legal							Help centre, guides, legal pages
M18 Analytics & Monitoring					KPI & monitoring dashboards		
M19 Mobile Apps		App version / force update					
M20 Testing & Go-Live	No admin screens — test tools only						

Key: In the 25-screen brief Specified in a UX spec Planned

Figure 11 — Coverage map, modules M06–M20

C2 Reuse chart

Why: 74 of 82 admin screens (90 %) reuse the four patterns that exist now. Only 8 need a future pattern.

How to read: dark = in the 25-screen brief; light = specified in a module UX spec; dashed = planned. Counts come from the coverage map above.




Figure 12 — Admin screens per pattern across all modules

Part D — Adding or Changing an Admin Screen

D1 Which pattern?

Why: most new staff needs fit an existing pattern; a new pattern is the exception and needs the product owner.

How to read: ask questions 1 to 7 in order; the first "Yes" picks the pattern. If none fits, the four criteria on the right decide.




Figure 13 — Decision tree — which pattern for a new admin screen

D2 Process from need to release

Why: one path for every new admin screen: the product owner approves the need and the pattern, the spec comes first, the designer draws only what differs.

How to read: lanes are the people. Release timing is decided by the team; release labels are planning hints only.




Figure 14 — Process swim-lane — product owner, spec writer, designer, developers, QA

D3 Changing a screen or a shared pattern

Why: a change to a shared component or pattern changes every screen that uses it. It needs the product owner's approval with the full impact list from the Admin Screens Tracker.

How to read: top path = one screen only; bottom path = shared change, done in one batch across the brief, tracker and every affected spec, then regression-tested.




Figure 15 — Impact check for changes

Part E — Onboarding Journeys

E1 Business verification

Why: this is the most used staff flow at launch; it shows how AD-01, AD-10 and the automatic-approval audit fit together.

How to read: lanes are the user, the system, the Senior Moderator, the Moderator on AD-01 and Admin. Quoted texts are the user messages (M03-6 §8.2, §17).




Figure 16 — E1 Business verification journey

E2 FPO onboarding and member farmers

Why: FPOs bring many farmers at once; staff screens AD-01, AD-19 and AD-23 keep this safe with the badge, the 50-open limit and 10 % re-checks.

How to read: a farmer may belong to several FPOs; each link is confirmed separately and any one confirmed link gives "Verified farmer" (decided 26 Sep 2026).




Figure 17 — E2 FPO onboarding and member farmers

E3 Field agent onboards a farmer

Why: field agents onboard farmers on a phone, often offline. Staff set agents up on AD-20, review on AD-01, plan visits on AD-22 and review visits on AD-05.

How to read: the agent app screens S13 and S14 are mobile (not the console). Quality re-checks run on AD-23.




Figure 18 — E3 Field agent farmer onboarding

E4 Buyer asks to sell — one combined case

Why: the user sees one case, not two: a Moderator checks documents and identity and recommends; an Admin decides role and verification together.

How to read: "Ask for documents" can happen on AD-01 or AD-04; the case goes to documents_needed and returns to in_review with a new dated time.




Figure 19 — E4 Buyer → seller combined case

E5 Settings change — document checklist

Why: document checklists are high impact: a wrong list blocks sellers of a whole country. The flow shows P2 in real use.

How to read: the Super Admin who approves is never the editor; open cases keep the checklist version they were sent with.




Figure 20 — E5 Settings change on AD-10

Part F — One-Page Summary

F1 Console, patterns, modules and process

Print this page for design reviews: one shell, seven patterns, the modules that use them, the process and the rules on every screen.




Figure 21 — One-page summary poster

G — Status Lifecycles

G0 All lifecycles at a glance

The same one-page summary the team gets. The six state diagrams that follow show every move, who makes it and what the user sees.




Figure 22 — Status lifecycles at a glance

G1 Verification case

Why: the Status chip must support all 8 states (M03-6 §8.2); "documents needed" is the rejected state with the reason per document.

Check: on_hold always looks like "In review" to the user and to Support; expired is never red.




Figure 23 — Verification case states

G2 Settings version

Why: every settings screen in every module follows these moves (M01-6 §12.1). A roll-back is never a shortcut: it is a new draft approved like any change.

Check: the approver is never the editor; a high-impact version needs a Super Admin.




Figure 24 — Settings version states

G3 Invitation

Why: invitations from our team, FPOs and field agents share one lifecycle on AD-19 (M02-5 §3.1 status: sent, opened, used, expired, cancelled, replaced).

Check: "created" is the form or list step before sending; only ready rows of an uploaded list are sent.




Figure 25 — Invitation states

G4 FPO membership

Why: membership decides whether a farmer is "Verified farmer" through an FPO (M03-5 §6.5).

Decided 26 Sep 2026 (UX-1): a farmer may be in several FPOs; each link is confirmed separately; any one confirmed link is enough. Not yet written into M03-2 / M03-5 (see Section K).




Figure 26 — FPO membership states

G5 Field agent

Why: an agent acts for farmers, so suspension and leaving must move farmers to another agent at once (M03-6 §16.16).

Assumption: "applied" and "approved" are the M02 staff-account step and the AD-20 set-up; the table stores active, suspended and left.




Figure 27 — Field agent states

G6 Role change request

Why: role changes are upgrades only and decided by an Admin; the buyer → seller request is one combined case (ST-2, X3).

Check: one open request at a time; the new role reaches the user's token within 15 minutes after approval.




Figure 28 — Role change request states

H — Click-by-Click Flows of the Top 5 Screens

H0 Top 5 at a glance

Each screen below has a click-by-click diagram and a table of every state, dialog, message and error, with the spec section. Texts are quoted from the specs; the spec wins if they differ.




Figure 29 — Top 5 screen flows at a glance

H1 AD-01 Verification review — diagram

Pattern P1 · Moderator (Senior Moderator for escalations and revokes) · menu Queues › Verification.




Figure 30 — AD-01 click by click

H1 AD-01 Verification review — states, dialogs, messages, errors

Element	What staff see or do (texts as in the spec)	Source
Queue	Columns: case number, type, role, country, fast lane, due time (red at 80 %), languages, flags. Tabs: All · Assigned to me · Fast lane · Escalated · Repeat rejections · Enhanced checks · Badge applications · Automatic approvals to audit (only while automatic approval is on)	M03-6 §16.1; UX-3
Row chips	"Fast lane — target {hours} business hours" · "Escalated to a Senior Moderator" · "Senior review — repeat rejection" · "Approved automatically · audit"	M03-6 §16.1
Case view	Profile summary (no contacts), registry result, name-match result with private note, identity result, consents, documents per slot, decisions in the last 90 days, internal notes. Never: full ID numbers; Aadhaar beyond the last 4	M03-6 §16.1
Document viewer	Watermark with reviewer name, time and case number; zoom, rotate, page list; no download unless the role allows it; banner "Every view is logged."	M03-6 §16.1
Translate	Side panel "Machine translation — ID and document numbers removed" · Ask for certified translation (adds a question)	M03-6 §16.1
Photo location	Reason list + note first, then a small map and distance; "This view is recorded with your reason."; no copy or download	M01-6 §12.14
Accept / Reject	Per document; reject needs a reason code (unreadable, cut_off, expired, wrong_document, name_mismatch, missing_pages, authority_missing, wrong_country, registry_inactive, looks_altered, other) with message preview, e.g. "We couldn't read your {document}."	M03-6 §16.2
Ask a question	Question to the user; user sees "We have a question"; the review clock pauses (VER-006)	M03-6 §8.2, §17
Put on hold	Reason required; never shown to the user or Support (user sees "In review — expected by {date}")	M03-6 §8.2
Decide case	Only when every document is decided → verified / rejected; messages "Your business is verified on OudhTrade..." or "Changes needed for your verification: {document} — {reason}..."	M03-6 §16.1, §17
Combined case	"Role request + verification": Recommend approve / Recommend reject with a note instead of Decide; goes to AD-04	M03-6 §16.1, §16.3
Enhanced check	Three parts accepted on their own: address proof, owners 25 %+, bank (when given) → Pass enhanced check; ENH_REVIEW_INCOMPLETE if a part is open	M03-6 §16.14, §20.14
Audit tab	Audit passed · Problem found (note) → Ask a question, Start re-verification or Revoke. Empty: "No automatic approvals to audit."	M03-6 §16.1
Revoke	Senior Moderator only, proven forgery; opens an M12 case; user: "We removed your verification. Reason: {reason}. You can appeal: {link}."	M03-6 §16.1, §17
Errors	STAFF_NOT_SENIOR ("Only a Senior Moderator ...") · "Changed by someone else — please reload." (ROW_CHANGED) · common states	M03-6 §20.14; M01-6 §12.1

H2 AD-19 Invitations admin — diagram

Pattern P3 · Super Admin and Admin · menu People · Invitations.




Figure 31 — AD-19 click by click

H2 AD-19 Invitations admin — states, dialogs, messages, errors

Element	What staff see or do (texts as in the spec)	Source
Tabs	Invitations · Role requests (with count waiting) · FPO limits	M02-6 §20.3
Invitation row	Invitee (name, masked contact) · invited by ("OudhTrade team — {staff name}", "FPO — {name}", "Field agent — {name}") · allowed roles · chip Sent · Opened · Used · Expired · Cancelled · Replaced · sent on · ends on · "Reminded on {date}" · "Resent on {date}"	M02-6 §20.3
New invitation	Invite from: OudhTrade team (any roles) · an FPO (Farmer only; counts toward its limit) · a field agent (Farmer only). Fields: name, mobile or email, roles, language. Done: "Invitation sent to {masked contact}. It ends on {date}."	M02-6 §20.3
Upload a list	CSV (name, mobile, email, roles) → preview "{n} ready · {m} with problems"; row reasons "Not a valid mobile number" · "Already has an account" · "Twice in this list" · "FPO limit reached" → Send {n} invitations	M02-6 §20.3
Resend	Sent or Opened only; same link and end date; once per 24 hours; toast "Invitation resent."	M02-6 §20.3
Cancel	Dialog "Cancel this invitation? The link stops working now. {Invitee} will see "This invitation has ended."" + reason · Cancel invitation · Keep it. An FPO invitation gives its place back	M02-6 §20.3
Replace	New-invitation form filled from the old one + reason; the old one becomes Replaced (landing page shows "replaced")	M02-6 §20.3, §3.1
Role requests	Row with "Due in {h} h" / "Overdue". Approve → "Send {invitee} a new invitation as {role}? Their current invitation will stop working." Refuse → "Reason {invitee} will see" (required)	M02-6 §20.3, §3.3
FPO limits	"{open} of {limit} open" · set by "Default" or staff name and date · Change limit (number + reason; at once, that FPO only)	M02-6 §20.3
Empty	"No invitations match these filters." · "No requests waiting."	M02-6 §20.3
Errors	INVITE_NOT_OPEN · INVITE_RESEND_TOO_SOON · INVITE_LIMIT_REACHED · PHONE_INVALID · EMAIL_INVALID · ACTION_REASON_REQUIRED. Staff may see "Already has an account"; public screens never say it	M02-6 §19.1, §19.10
Audit	Each invitation made, resent, cancelled or replaced; role decisions; limit changes	M02-6 §20.3

H3 AD-20 Field agents — diagram

Pattern P3 · Admin and Super Admin act; Moderators view · menu Farmers & agents · Field agents.




Figure 32 — AD-20 click by click

H3 AD-20 Field agents — states, dialogs, messages, errors

Element	What staff see or do (texts as in the spec)	Source
Tabs	Agents · Waiting for set-up · Farmer requests ("Request another agent")	M03-6 §16.16
Agent row	Name · partner organisation (or "OudhTrade staff") · districts · languages · status (Waiting for approval · Active · Suspended · Left) · farmers · open drafts · quality · last active	M03-6 §16.16
Set up and approve	Partner · districts (at least one; LGD list) · languages · Save → Approve (reason). Toast "{name} is now an active field agent."	M03-6 §16.16
Edit	Same fields; preview "{n} farmers are in districts {name} will no longer cover. Reassign them now?" with Reassign	M03-6 §16.16
Suspend	"Suspend {name}? They can't use the agent app or act for farmers until you lift it. Their farmers appear in the reassign list." + reason	M03-6 §16.16
Lift suspension	Reason; after a quality suspension also the M12 decision number	M03-6 §16.15–16.16
Reassign farmers	One row per farmer and open draft with a suggested agent (same district, shared language, fewest farmers). "Reassign {n} farmers and {m} drafts? The farmers get an SMS with their new agent's name, and their help rights to {old agent} end."	M03-6 §16.16
No agent	"No agent covers {district}" → farmer goes to the farm-visit queue (AD-22) for a staff visit	M03-6 §16.16–16.17
Mark as left	Last day + reason → reassign list opens; the M02 leaver step ends sign-in	M03-6 §16.16; M02-6 §20.5
Farmer requests	Farmer · current agent · reason · date → Reassign or Keep current agent (reason; the farmer is told)	M03-6 §16.16
Empty	"No field agents yet." · "No farmer requests."	M03-6 §16.16
Errors	AGENT_DISTRICT_REQUIRED · AGENT_REASSIGN_TARGET_INVALID · ROW_CHANGED	M03-6 §20.14

H4 AD-05 Farm visit review — diagram

Pattern P1 · Moderator decides; Senior Moderator may mark "found false" · menu Queues › Farm visits.




Figure 33 — AD-05 click by click

H4 AD-05 Farm visit review — states, dialogs, messages, errors

Element	What staff see or do (texts as in the spec)	Source
Where reports come from	S14 on the agent phone ("Photograph the trees and the land. Don't show the farmer's face or home."; farmer confirms by code) or "Record staff visit" on AD-22 (reviewed by another person)	M03-6 §14.2, §16.17
Case view	Original photos and face-blurred public copies side by side · manual pin reason · tree counts and age · farmer confirmation time · agent and quality record · previous visits	M03-6 §16.4
Photo location	Only through the photo location view: reason first, every view logged; Restricted, never public	M01-6 §12.14
Checklist	"No face or home in public photos" (required tick) · GPS plausible · counts plausible — Approve stays off until the required tick	M03-6 §16.4
Approve	Badge "Farm visited · last visited {month year}"; re-visit due every 24 months (AD-22)	M03-6 §16.4, §16.17
Reject	Reason required	M03-6 §16.4
Mark as found false	Senior Moderator only → opens a quality re-check (AD-23) and an M12 case	M03-6 §16.4, §16.15
Errors	STAFF_NOT_SENIOR · QUALITY_SAME_AGENT (on the re-check) · ROW_CHANGED	M03-6 §20.14
Audit	Every photo-location view with the reason; the decision and its reason	M01-6 §12.14

H5 AD-10 Document checklists (E1) — diagram

Pattern P2 · high impact: Admin edits, a Super Admin who is not the editor approves · menu Settings › Document checklists.




Figure 34 — AD-10 click by click

H5 AD-10 Document checklists — states, dialogs, messages, errors

Element	What staff see or do (texts as in the spec)	Source
Filters	Country ("Fallback — countries without a checklist" first) · role category · state or region	M03-6 §16.7
Checklist list	Status chip, version, last published and by whom, "{n} open cases on older versions"; "Uses fallback"	M03-6 §16.7
Checklist table	One row per document type in user order; "Basic set — can't be removed"; last row "Other document" cannot be moved, changed or retired	M03-6 §16.7
Row form	Type · slot · Required / Optional / Conditional · formats (PDF, JPG, PNG, HEIC/HEIF, WEBP) · most pages 1–10 · largest file up to 10 MB · validity (own expiry or {n} months; no "no expiry") · retention class (required) · new personal data → privacy review reference · help text (300) · sample image ("Use a made-up or blurred sample.")	M03-6 §16.7
Add from Other documents	Frequent titles for the country and role (90 days, accepted and rejected) → "Use this title". Report rows show "In draft v{n}" then "Added to checklist v{n}"	M03-6 §16.5, §16.7
Translations	Tab per language, "Done" / "Missing"; "{n} texts are not translated yet" warns but does not block	M03-6 §16.7
Preview impact	Rows added / changed / retired; the "You need" list as users see it; "{n} open cases keep version {v}"; "{n} drafts will gain a required document"; countries using this list as fallback; counts only	M03-6 §16.7
Approval and publish	Send for approval (reason) → Super Admin not the editor approves on AD-18 → Publish now or Schedule; "Published. Version {n} is live."	M01-6 §12.1
After publishing	New drafts and cases use the new version at once; open cases keep theirs (checklist_version)	M03-6 §16.7
Empty	"No checklist for {country} yet. {Country} uses the fallback list with manual review." → Start a checklist for {country}	M03-6 §16.7
Errors	CHECKLIST_BASIC_DOC_REMOVED · CHECKLIST_RETENTION_REQUIRED · CHECKLIST_PRIVACY_REVIEW_REQUIRED · CHECKLIST_VALIDITY_REQUIRED · CHECKLIST_FORMAT_NOT_ALLOWED — each next to its row and field	M03-6 §20.13

I — Role × Action Permissions

IO Summary by screen family

The team summary. The next page gives every one of the 25 screens (and the audit log viewer) for all seven staff roles.

Role × action permissions — summary							
OudhTrade • Admin design							
Grouped by screen family; the full table for all 25 screens is in the Admin Design Master, Section I							
Screen family	Super Admin	Admin	Moderator	Senior Moderator (flag)	Finance	Content Editor	Support (read-only)
Verification, badges, labs, farm visits AD-01 AD-05 AD-07 AD-08	View	View	Review, decide	+ escalated, repeat, revoke, found false, withdraw	—	—	Uses AD-25
Video calls and sanctions AD-02 AD-03	View	Book calls	Book, hold, record calls	Sanctions: results, clear, confirm	—	—	Ask for a call
Role change decision AD-04	Decide	Decide	Recommend on AD-01	As Moderator	—	—	—
Recovery and number reclaim AD-06	Decide	Decide	—	—	—	—	View, note, open ID check
Partner programme AD-09	Decide, remove	Decide, remove	View	View	—	—	—
High-impact settings AD-10 AD-11 AD-15 • AD-14 paths • AD-16 features	Edit; approve others' changes	Edit (draft)	View	View	AD-16 view	AD-16 view	AD-16 view
Other settings AD-12 AD-13 AD-17 • AD-14 bands • AD-16 names	Edit, approve	Edit; approve others' changes	View (AD-17: test)	View	—	—	—
Changes / approvals AD-18	All tabs	All tabs	—	—	Own drafts (AI budgets)	—	—
Invitations and field agents AD-19 AD-20	All actions	All actions	AD-20 view	AD-20 view	—	—	—
Delegations, farm-visit queue, re-checks AD-21 AD-22 AD-23	Revoke; view	Revoke, assign, lift	Assign, offer, record	+ fake confirmation	—	—	AD-21 view
Account lookup and support view AD-24 AD-25	View, M12 actions	View, M12 actions	View	View	—	—	Read-only summary, notes

Key: Not shown View Note only Act Decide / approve

Figure 35 — Role × action permissions — summary

11 All 25 screens

Levels: Not shown (left out of the menu) · View · Note only (Support) · Act (book, assign, edit a draft, recommend) · Decide / approve. Nobody approves their own change; Support never decides.

Role × action permissions — all 25 screens

OudhTrade · Admin design

What each staff role can do on each screen. Menu items a role may not use are left out (Section A2)

Screen	Super Admin	Admin	Moderator	Senior Moderator (flag)	Finance	Content Editor	Support (read-only)
P1 Queue + case review							
AD-01 Verification review	View	View	Review, decide	+ escalated, repeat, revoke	—	—	—
AD-02 Video-call ID checks	View	Book	Book, hold, record	As Moderator	—	—	Ask for a call
AD-03 Sanctions batch and match review	View	View	—	Results, clear, confirm	—	—	—
AD-04 Role change decision	Decide	Decide	Recommend	As Moderator	—	—	—
AD-05 Farm visit review	View	View	Review, decide	+ found false	—	—	—
AD-06 Recovery and number-reclaim review	Decide	Decide	—	—	—	—	View, note, open ID check
AD-07 Staff-awarded badge applications	View holders	View holders	Decide	As Moderator	—	—	—
AD-08 Lab accreditation review	View	View	Decide	+ withdraw	—	—	—
AD-09 Partner programme review	Decide, remove	Decide, remove	View	View	—	—	—
P2 Settings editor							
AD-10 Document checklists (E1)	Edit, approve	Edit	View	View	—	—	—
AD-11 Business ID rules (E2)	Edit, approve	Edit	View	View	—	—	—
AD-12 Rejection reasons (E3)	Edit, approve	Edit, approve	View	View	—	—	—
AD-13 Setup card items (E4)	Edit, approve	Edit, approve	View	View	—	—	—
AD-14 Role change paths and bands (E5)	Edit, approve	Edit, approve bands	View	View	—	—	—
AD-15 Badge types (E6)	Edit, approve	Edit	View	View	—	—	—
AD-16 Country table	Edit, approve	Edit, approve other	View	View	View	View	View
AD-17 Throw-away email domains	Edit, approve	Edit, approve	View, test	View, test	—	—	—
AD-18 Changes / approvals	All tabs	All tabs	—	—	Own drafts	—	—
P3 List management							
AD-19 Invitations admin	All actions	All actions	—	—	—	—	—
AD-20 Field agents	All actions	All actions	View	View	—	—	—
AD-21 Delegations overview	View, revoke	View, revoke	View	View	—	—	View
AD-22 Farm-visit queue by district	View	Assign, offer	Assign, offer	As Moderator	—	—	—
AD-23 Agent and FPO quality re-checks	View	Assign, lift	Assign, record	+ fake confirmation	—	—	—
P4 Look-up (+ Audit log viewer, M01-6 §12.9)							
AD-24 Account lookup	View, actions	View, actions	View	View	—	—	Summary only
AD-25 Support profile and case view	Open	Open	Open	Open	—	—	Read-only, notes
Audit log viewer	All; export	All records	Item history	Item history	Payments	—	Summary

Key: Not shown View Note only Act Decide / approve

Figure 36 — Role × action heat map for all 25 screens

J — Screen → Data Map

J1 P1 screens (AD-01 to AD-09)

Tables from M03-5, M02-5 and M01-5; events from M0x-3 §5; staff API from M0x-3 §4. Every screen writes the audit log.

J1 Screen → data map — P1 Queue + case review (AD-01 to AD-09)

OudhTrade · Admin design

Tables each screen reads (R), writes (W) or both (RW); events it causes and its staff API. Source: M0x-5 tables, M0x-3 §4–5

Screen	M03 profile schema															M02 identity					M01 platform		Events it causes Staff API
	verification_cases	verification_documents	identity_checks	business_registrations	enhanced_checks	beneficial_owners	sanctions_screenings	role_change_requests	role_assignments	badges	badge_types	farm_visits	field_agents	agent_quality_checks	lab_accreditations	partners	profiles	recovery_requests	number_reclaims	accounts	files	audit_log	
AD-01 Verification review	RW	RW	R	R	RW	R				W							R				R	W	verification.decided · profile.verified · badge.changed /v1/admin/verification/cases
AD-02 Video-call ID checks	R		RW														R				R	W	— (result on the identity check) /v1/admin/video-calls
AD-03 Sanctions batch and match review					R	R	RW										R					W	— (confirmed match opens an M12 case) /v1/admin/sanctions-batches · -matches
AD-04 Role change decision	RW	R						RW	W								R				R	W	role.changed · verification.decided /v1/admin/role-changes
AD-05 Farm visit review										W		RW	R	W			R				R	W	badge.changed /v1/admin/farm-visits
AD-06 Recovery and number-reclaim review																		RW	RW	R	R	W	— (security events, not catalogue) /v1/admin/recovery-requests · number-reclaims
AD-07 Staff-awarded badge applications	RW	R								W	R										R	W	badge.changed /v1/admin/verification/cases (badge tab)
AD-08 Lab accreditation review	RW									W					RW						R	W	badge.changed /v1/admin/lab-accreditations
AD-09 Partner programme review										W						RW	R					W	badge.changed /v1/admin/partners

Legend:

R — reads

W — writes

RW — reads and writes

P1 screen

Figure 37 — P1 screens — tables, events, API

J2 P2 screens (AD-10 to AD-18)

All settings are versioned in M01 config_versions / config_entries and published only by ConfigService after approval; publishing emits config.published.

J2 Screen → data map — P2 Settings editor (AD-10 to AD-18)

OudhTrade • Admin design

Tables each screen reads (R), writes (W) or both (RW); events it causes and its staff API. Source: M0x-5 tables, M0x-3 §4-5

Screen	M03 profile schema						M02 Identity		M01 platform			Events it causes Staff API
	document_checklists	country_id_rules	badge_types	badges	verification_cases	business_registrations	profile_drafts	disposable_email_domains	config_versions / entries	countries	audit_log	
AD-10 Document checklists (E1)	RW				R		R		RW		W	config.published /v1/admin/document-checklists (+ validate, impact)
AD-11 Business ID rules (E2)		RW				R			RW		W	config.published /v1/admin/country-id-rules
AD-12 Rejection reasons (E3)					R				RW		W	config.published /v1/admin/profile-settings/{key}
AD-13 Setup card items (E4)							R		RW		W	config.published /v1/admin/profile-settings/{key}
AD-14 Role change paths and bands (E5)									RW		W	config.published /v1/admin/profile-settings/{key}
AD-15 Badge types (E6)			RW	R					RW		W	config.published /v1/admin/badge-types
AD-16 Country table									RW	RW	W	config.published M01 settings service
AD-17 Throw-away email domains								RW	RW		W	config.published /v1/admin/settings/disposable-email-domains
AD-18 Changes / approvals									RW		W	config.published M01 ConfigService (approve, publish)

Legend: R — reads W — writes RW — reads and writes P2 screen

Figure 38 — P2 screens — tables, events, API

J3 P3 and P4 screens (AD-19 to AD-25)

Look-up screens (AD-24, AD-25) read only, except the audit record of each view and, on AD-24, account state actions with an M12 decision number.

J3 Screen → data map — P3 List management and P4 Look-up (AD-19 to AD-25)

OudhTrade • Admin design

Tables each screen reads (R), writes (W) or both (RW); events it causes and its staff API. Source: M0x-5 tables, M0x-3 §4-5

Screen	M02 identity					M03 profile schema										M01 platform			Events it causes Staff API
	invitations	accounts	staff_users	delegations	account_state_history	security_events	field_agents	partners	farm_visits	farm_profiles	fpo_memberships	agent_quality_checks	profiles	verification_cases	role_change_requests	badges	country_districts	audit_log	
AD-19 Invitations admin	RW	R											R					W	account.created (when used) /v1/admin/invitations · fpo-invitation-limits
AD-20 Field agents			R	W			RW	R		R							R	W	delegation.revoked (on reassign) /v1/admin/field-agents
AD-21 Delegations overview		R	R	RW														W	delegation.revoked /v1/admin/delegations
AD-22 Farm-visit queue by district							R		RW	R							R	W	— /v1/admin/farm-visits/due
AD-23 Agent and FPO quality re-checks							W		R		R	RW				W		W	badge.changed (FPO badge suspended) /v1/admin/quality-checks
AD-24 Account lookup		R			RW	R												W	account.state_changed /v1/admin/accounts
AD-25 Support profile and case view													R	R	R	R		W	— (notes only) /v1/admin/profiles/{id}

Legend:

R — reads

W — writes

RW — reads and writes

P3 screen

Figure 39 — P3 and P4 screens — tables, events, API

K — Decisions, Open Questions and Risks

K1 Decisions made

Ref	Decision	Where it shows
AD-0	Specify every screen and rule fully now; releases are planning hints only	All parts
AD-1 – AD-3	Staff and settings screens specified in M01-6 §12, M02-6 §20, M03-6 §16; one common settings pattern for every module	B2, C1
CP-1	Two-level approval: high impact → a Super Admin who is not the editor; other → any other Admin; M01-6 §12.1 is the one source	B2, E5, G2
CP-2	Support helps, never decides; Senior Moderator is a flag, not a role	A2, B4, I
CP-3	Starting values: automatic approval off by default, 10 % audit; OTP cost caps; AI and cloud budgets (all configurable)	E1
ST-2, X3	Buyer → seller is one combined case: Moderator recommends, Admin decides	E4, G6
UX-1	A farmer may be in several FPOs; any one confirmed link gives Verified farmer	E2, G4
UX-2	A Moderator decides staff-awarded badge applications (AD-01 tab); Admin only creates badge types	A2, I
UX-3	One shared queue (fast lane first, then due time); "Assigned to me"; Senior Moderator can assign	B1, H1
UX-4	One console shell for M15 and M16; light mode; compact tables	A2
26 Sep	Future patterns P5 Dashboard, P6 Bulk actions, P7 Content page editor; planned screens drawn lighter	C1, C2, D1
26 Sep	Process owner flow and shared-change rule (product owner + impact list)	D2, D3

K2 Open questions

#	Question	Owner	Status
1	DB-02: passwords, codes and sign-in sessions in Keycloak (our docs) or in our own tables (dev schema)? Affects AD-06 recovery and AD-24 security data	Dev team → product owner	Discuss — waiting for the dev team
2	DB-25: sign-up before the code is confirmed — our flow or a pending_signups table? Depends on DB-02	Dev team → product owner	Discuss
3	Final list of keyboard shortcuts for queues (proposal in the Admin UX Design Brief §3.3)	Designer + tech lead	Open
4	Video-call ID check: video inside the case view or in the supplier's window next to it? (supplier not chosen)	Product owner + tech lead	Open
5	Field agent statuses "applied" and "approved": keep them as M02 staff-account steps (this document's assumption) or add them to field_agents.status?	Product owner	Open
6	Admin screens of M04–M20 are planned only; confirm each when its module review is done (M15 and M16 have their own reviews)	Product owner	Open, per module
7	Suppliers (registry, ID and selfie, bank, forgery, voice-call codes) and counsel items C10 (retention), C15 (sanctions)	Product owner	Open (tracked)

K3 Risks

Risk	What could happen	How this design reduces it
UX-1 to UX-4 not yet in the module specs	Designers or developers follow older M03-2 / M03-5 / M03-6 texts (for example one FPO per farmer)	Marked "pending for next document batch"; apply in one batch before design sign-off
Change to a shared component	One change breaks many screens at once	D3: product-owner approval with the impact list from the tracker; regression test of every affected screen
Approval bottleneck	Few Super Admins, long high-impact list → changes wait	AD-18 "Waiting for my approval" tab; scheduled publishing; count Super Admins before launch
Planned screens do not fit a pattern	Late one-off screens	D1 decision tree and the four criteria for a new pattern
Support scope creep	Support asked to "just fix" an account	Support is read-only in every diagram and in the API; hand-off to action screens (B4)
DB-02 outcome changes identity tables	J3 and AD-06 / AD-24 data maps change	Data maps are kept per screen; update after the dev team answers
Privacy of photo locations and IDs	Staff see more than needed	Reason-first photo location view, masked IDs, watermarked viewer, audit of every view
Colour-only meaning	Colour-blind staff miss a state	Words + icon on every chip; colour-blind-safe pattern colours

K4 Assumptions made in this document

- Screen counts in Part C come from the coverage list in the build spec; each named item is one screen. Items in M04–M20 are planned and may change.
- Field agent "applied" and "approved" states are drawn from the M02 staff account and the AD-20 set-up; the database stores active, suspended and left.
- The data maps list the main tables each screen reads or writes, from M0x-5 and the staff endpoints in M0x-3 §4; helper reads (lookups of names, countries) are left out.
- The Audit log viewer (M01-6 §12.9) is shown in the menu and permission diagrams for completeness; it is not one of the 25 brief screens.