



IETS

Exquisite Products Trading Services

| Who We Are

ETS - Exquisite Products Trading Service is a leading distributor of premium laboratory, hospital consumables, partly pharmaceutical products and medical equipment, dedicated to delivering excellence in healthcare and scientific solutions. Established with a mission to provide high-quality, certified products, ETS has grown into a trusted name in the industry. We proudly serve a diverse clientele, including government hospitals, private healthcare institutions, and research laboratories, empowering them with cutting-edge tools and technologies.

| Our Commitment to Quality

At ETS, quality is at the heart of everything we do. All our products comply with international standards and are certified by regulatory authorities, ensuring safety, reliability, and efficiency. From advanced medical equipment to state-of-the-art laboratory instruments, we are committed to delivering solutions that meet the highest benchmarks of excellence.

| Comprehensive Product Portfolio

We offer an extensive range of laboratory and medical solutions, including:

- Diagnostic Equipment : High-precision analysers and testing kits.
- Laboratory Essentials : Ultra-low freezers, refrigerators, and disposables.
- Blood Bank Automations : Complete solutions for blood banks.
- Blood Bank & Plasma Solutions:Storage, transport, and processing systems.
- Medical Consumables: Reliable, high-quality lab disposables and reagents.
- Temperature Monitoring Systems:Real-time tracking for healthcare logistics.

| Unmatched Professional Services

Our team of highly trained product specialists and engineers is strategically located to provide prompt, expert technical support across the region. Each professional is factory-certified, ensuring seamless installation, maintenance, and repair of our products. Additionally, we offer comprehensive training programs to help clients maximize the utility of our equipment.

| Efficient Distribution Network

ETS stands out with an efficient and robust supply chain that guarantees product availability and timely delivery. Our streamlined logistics and inventory management systems ensure that all products maintain their longest possible shelf life, from manufacturing to end-user delivery.

| Why Choose ETS?

- Trusted Partner: Highly experienced professionals in the industry.
- Certified Excellence: Products approved by global regulatory bodies.
- Unwavering Support: Dedicated technical assistance and training.
- Rapid Delivery: Ensuring critical medical supplies reach clients on time.
- Customer - Centric Approach: Tailored solutions to meet unique client needs.

At ETS - Exquisite Products Trading Service, we don't just supply products we deliver solutions that empower healthcare and scientific advancements.

New Demands Require **New** **Solutions**




Dia-Pro Turkey



OCTO-HAWK

The Across System® octo-hawk offers 100 Across Gel® card areas, 3x24 sample slots, 2x12 RBC areas, 3x96 disposable pipette tips, dual LISS/Bromeline areas, a dilution plate, incubator, centrifuge, optional second centrifuge, and waste container.



ACROSS GEL® FORWARD & REVERSE ABO WITH DVI-/KELL

Able to control the presence of Kell antigen while checking ABO/Rh (D) antigen with Forward and Reverse grouping card.



THE ACROSS SYSTEM® CARD READER

The Across System® Card Reader features a custom OS, touchscreen, and CCD camera for detecting agglutinations over the original card image. It auto-interprets card and test type via barcode, transfers card images with results to the automation system, and supports bidirectional communication.



THE ACROSS SYSTEM® CARD CENTRIFUGE

The Across System® Card Centrifuge holds 24 Across Gel Cards, with acceleration, deceleration and timing optimized for them. It alarms on unbalanced loading, power failure, or completion, displays remaining time and speed, and features removable, replaceable rotor and card slots.



THE ACROSS SYSTEM® CARD INCUBATOR

The Across System® Card Incubator holds 24 Across Gel® Cards across two independent 12- card blocks, pre-adjusted to 37°C with calibrated timing. It displays remaining time and temperature per block, and alarms audibly and visually on power failure or completion.

across

AQUA

STERILE INHALATION WATER



DIN

Fully Designed Under German Standardization

www.diapro.com.tr


DiaPro

STERILE INHALATION WATER

Infections in patients whose treatment continues due to chronic disease affect the quality of life of the person and increase mortality.

While sterile inhalation water provides humidification of the air, it also prevents damage to the mucosal membranes. Especially in patients using nasal cannulas with asthma, COPD, tracheostomy and intubated in the intensive care unit needs oxygen support. Therefore, weekly sterilization of humidifiers and sterility of the water used are important in reducing healthcare-associated infections, morbidity and mortality by preserving mucosal integrity.

Inhalation solutions are for single use only.



Product Code	Description	Content	Sterilization Method	Packaging
635032	Oxygen Humidification Bottle (Volume 350 ml. Contains Sterile Highly Purified Water) with Sterile Adapter	HPW (Highly Purified Water)	 (121°C Terminal Sterilization)	6 pieces/box
635052	Oxygen Humidification Bottle (Volume 500 ml. Contains Sterile Highly Purified Water) with Sterile Adapter	HPW (Highly Purified Water)	 (121°C Terminal Sterilization)	6 pieces/box

İnönü Mah. Gebze Plastikçiler OSB Atatürk Blv. No:25/1
PK 41400 Gebze - Kocaeli / TÜRKİYE
Phone: +90 (262) 751 53 34
Fax : +90 (262) 751 53 37

ETS
Exquisite Products Trading Services

Joshua K. Mathew

جوشوا ك. ماثيو

Sales & Marketing Manager

مدير المبيعات والتسويق

+966 59 559 9948
+966 56 758 5641

 jkmathew@etsksa.com
 www.etsksa.co

B Medical



ULTRA-LOW FREEZER U201

Ultra-Low Freezer with 217 L | 7.66 cu ft storage capacity
Set Temperature: - 82°C
Climate class (ambient temperature range): +10°C to +43°C Alarm limits: - 87°C | - 77°C External dimensions (HxWxD): 1293 x 699 x 1039 mm | 50.91 x 27.52 x 40.91 in



ULTRA-LOW FREEZER U501

Ultra-Low Freezer with 21.26cu ft | 602 L storage capacity
Set Temperature: - 82°C
Climate class (ambient temperature range): +10°C to +43°C
Alarm limits: - 87°C | - 77°C
External dimensions (HxWxD): 1988 x 845 x 1039 mm
78.27 x 33.27 x 40.91 in



VACCINE TRANSPORT BOX RCW4

Vaccine Transport Box with 8L | 0.28 cu ft gross volume.
Vaccine storage capacity: 0.11 cu ft | 3 L
Certifications: E004/002 WHO PQS
External dimensions (HxWxD): 299 x 362 x 283 mm | 11.77 x 14.25 x 11.14 in



VACCINE TRANSPORT BOX RCW25

Vaccine Transport Box with 44 L | 1.55 cu ft gross volume. Vaccine storage capacity: 0.71 cu ft | 20 L
Certifications: E004/005 WHO PQS
External dimensions (HxWxD): 499 x 710 x 550 mm | 19.65 x 27.95 x 21.65 in



REMOTE TEMPERATURE LOGGER

Realtime monitoring of temperature(s), lid openings & GPS position. Includes a SIM chip with prepaid communication for the duration of the warranty period contractually agreed. Crucial for the quality surveillance of the Cold Chain and monitoring of vaccines



LABORATORY FREEZER F130

Laboratory Freezer with 106 L | 3.74 cu ft storage capacity
Set Temperature: - 27°C
Climate class: +10°C to +32°C
Alarm limits: - 27°C | - 37°C
External dimensions (HxWxD): 830 x 595 x 695 mm | 32.68 x 23.43 x 27.36 in



LABORATORY FREEZER F900

Laboratory Freezer with 27.12 cu ft | 768 L storage capacity
 Set Temperature: - 41°C
 Climate class (ambient temperature range): +10°C to +43°C
 Alarm limits: - 32°C | - 46°C
 External dimensions (HxWxD): 1988 x 1139 x 1039 mm | 78.27 x 44.84 x 40.91 in



LABORATORY REFRIGERATOR L55

Laboratory Refrigerator with 45 L | 1.59 cu ft storage capacity
 Set Temperature: +5°C
 Climate class (ambient temperature range): +10°C to +32°C
 Alarm limits: +3°C | +7°C
 External dimensions (HxWxD): 670 x 495 x 575 mm | 26.38 x 19.49 x 22.64 in



LABORATORY REFRIGERATOR ML670SG

Laboratory Refrigerator with 615 L | 21.72 cu ft storage capacity
 Set Temperature: +5°C
 Climate class (ambient temperature range): +10°C to +38°C
 Alarm limits: +1°C | +20°C
 External dimensions (HxWxD): 2050 x 710 x 910 mm | 80.71 x 27.95 x 35.83 in



PHARMACY REFRIGERATOR P380

Laboratory Freezer with 27.12 cu ft | 768 L storage capacity
 Set Temperature: - 41°C
 Climate class (ambient temperature range): +10°C to +43°C
 Alarm limits: - 32°C | - 46°C
 External dimensions (HxWxD): 1988 x 1139 x 1039 mm | 78.27 x 44.84 x 40.91 in



PHARMACY REFRIGERATOR MP670SG

Pharmacy Refrigerator with 615 L | 21.72 cu ft storage capacity
 Set Temperature: +5°C
 Climate class (ambient temperature range): +10°C to +32°C
 Alarm limits: +1°C | +20°C
 External dimensions (HxWxD): 2050 x 710 x 910 mm | 80.71 x 27.95 x 35.83 in



PLASMA CONTACT SHOCK FREEZER CSF61

Plasma Contact Shock Freezer
 Set Temperature: - 50°C
 Climate class (ambient temperature range): +10°C to +38°C
 Alarm limits: +1°C | +20°C
 External dimensions (HxWxD): 1910 x 1080 x 830 mm | 75.20 x 42.52 x 32.68 in



PLASMA STORAGE FREEZER F291

Plasma Storage Freezer with 281 L | 9.923 cu ft storage capacity
 Set Temperature: - 32°C
 Climate class (ambient temperature range): +10°C to +32°C
 Alarm limits: - 27°C | - 37°C
 External dimensions (HxWxD):
 1750 x 603 x 650 mm |
 68.70 x 23.43 x 25.98 in



PLASMA STORAGE FREEZER F401

Plasma Storage Freezer with 13.67 cu ft | 387 L storage capacity
 Set Temperature: - 41°C
 Climate class (ambient temperature range): +10°C to +43°C
 Alarm limits: - 32°C | - 46°C
 External dimensions (HxWxD):
 1988 x 699 x 1039 mm |
 78.27 x 27.52 x 40.91 in



BLOOD BANK CHEST REFRIGERATOR MRB3000SDD

Blood Bank Chest Refrigerator with 278 gross volume.
 Set Temperature: +4°C
 Climate class (ambient temperature range): Hot zone (+43°C)
 External dimensions (HxWxD):
 910 x 1270 x 780 mm



BLOOD BANK REFRIGERATOR B501

Blood Bank Refrigerator with 18.26 cu ft | 517 L storage capacity
 Set Temperature: +4°C
 Climate class (ambient temperature range): +10°C to +43°C
 Alarm limits: +2.5 °C | +5.5 °C
 External dimensions (HxWxD):
 1988 x 845 x 1039 mm |
 78.27 x 33.27 x 40.91 in



BLOOD BANK REFRIGERATOR B901

Blood Bank Refrigerator with 27.30 cu ft | 773 L storage capacity
 Set Temperature: +4°C
 Climate class (ambient temperature range): +10°C to +43°C
 Alarm limits: +2°C | +6°C
 External dimensions (HxWxD):
 1988 x 1139 x 1039 mm |
 78.27 x 44.84 x 40.91 in



BLOOD TRANSPORT BOX MT8

Blood TransportBox with 20 L | 0.71 cu ft gross volume.
 Blood bag capacity (450 ml): 8
 Cold life at +32°C: up to 57 h
 External dimensions (HxWxD):
 437 x 588 x 288 mm |
 17.20 x 23.15 x 11.34 in

| Laboratory Disposables





PS Container for Blood Cells Sediplast with Na Counter Coulter Type | 25 ml Citrate + Labels

Product Code: 107027



Product Code: 244173



Anticoag. KF+NA2 Edta for 2.5 MI Blood

Product Code: 113317



Crystal tip 0.5-10ul Eppendorf Mini Pasteur Pipette 1.5ml

Product Code: 151141



Product Code: 132030



PS Tube, Sterile Swab

Product Code: 111198



PS Blood Grouping Plates

Product Code: 120610



Polypropylene Mailing Box for 4 Slides

Product Code: RST501



Slide Mailer PP

Product Code: 290400



RFTEMP2000A

- Digital Display
- Continuous Monitoring
- Configurable Alarms & Notifications
- Availability 5 - 7 Business Days



RFCO2RHTEMP2000A

- Digital Display
- Continuous Monitoring
- Configurable Alarms & Notifications
- Availability 5 weeks

Laboratory Equipment





THE TUBE SEALER

SureSeal™ SE170 is designed for both single and multi-segment operation.



PRO LINE PLATELET AGITATOR

- › Storage Volume: 5 WBDBags | 7 Apheresis Bags
- › Energy Efficiency: 0.27 kWh/day
- › Weight: 33 lb | 15 kg



PLASMA THAWING SYSTEM

- › Thawing Capacity: 4 Bags
- › Chamber Volume: 4.75 gal | 18 L
- › Weight: 58 lb | 26 kg



THE TUBE SEALER

- › MAX. CAPACITY: 4 x 1,000 ml
- › MAX. RCF: 24,400
- › WEIGHT: approx. 140 kg | 164 kg



ROTO SILENTA 630 RS

- › MAX. CAPACITY: 6 x 2,000 ml
- › MAX. RCF: 6,520
- › WEIGHT: approx. 355 kg



UNIVERSAL 320 | 320 R

- › MAX. CAPACITY: 4x200ml or 6 x 94 ml
- › MAX. RCF: 24,900
- › WEIGHT: approx. 31 kg | 52 kg



EBA 200 | 200 S

- › MAX. CAPACITY: 8 x 15 ml
- › MAX. RCF: 3,461 | 6,153
- › WEIGHT: approx. 9 kg | 11 kg

Laboratory Furniture





Lab Workstation Table

Laboratory Workstation is built to allow you to restructure and reorganize your lab space at any time. Available with levelers or casters for mobility, they can adapt to changes in your laboratory without disruptive and costly remodeling.



Fume Hood Lab Equipment

ASHRAE 110, CE and ISO certified
 › External Size(W*D*H)(mm) 1500 x 880 x 2350 mm
 › Exhaust air volume: 900-1700m³/h
 › Work Surface Height: 850 mm



Bench Mounted Fume Hood

ASHRAE110, CE and ISO certified
 Fume hood can be used universally in the laboratory and ensure optimum protection against hazardous substances, the selection of the appropriate fume hood type depends both on the room conditions of the laboratory and on the type of chemicals used.



PP Fume Hood

CE and ISO certified
 › Safer to use anti-corrosive water tap
 › Microprocessor control system, LED display
 › With memory function in case of power-failure



Floor Mounted Fume Hood

Floor mounted metal fume hoods protect lab staff from noxious fumes when working with acids, dangerous gas, organic solvents, etc. Harmful and unpleasant chemical fumes are removed from the controlled environment to facilitate a safe and pleasant work environment



Laboratory Fume Cupboard

› High-Quality Certified Laboratory Furniture
 Chemical fume hood lab equipment
 › All-steel structure/stainless steel/PP structure/- glass reinforced plastic
 › Type: Floor mounted fume hood/ Walk in fume hood



Al Aqrabiyah, Al Khobar | Dammam,
P.O. 34446, Kingdom of Saudi Arabia

+966 (0)13 8190064 | +966 (0)13 8819992 | +966595599948 | +966501278615 | +971503451489 (UAE)
www.etsksa.com | info@etsksa.com