



97

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- ▲ Touch targets do not have sufficient size or spacing.



These items highlight common accessibility best practices.

ARIA

- ARIA IDs are unique



These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

TABLES AND LISTS

- `<th>` elements and elements with `[role="columnheader" / "rowheader"]` have data cells they describe.



These are opportunities to improve the experience of reading tabular or list data using assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (30)

[Show](#)

NOT APPLICABLE (24)

[Show](#)

Captured at Nov 13, 2025, 2:59 PM GMT+3



Emulated Desktop with Lighthouse 12.6.0



Single page session

Initial page load

Custom throttling

Using Chromium 138.0.0.0 with
devtools

Generated by **Lighthouse** 12.6.0 | [File an issue](#)