Counter overview

Sakura counter operations / 24 October 2026 / actual built game / opt-in candidate




Four supported additions; retained till, coin tray, scanner, gum and oden remain.

1 / 6 | Software Chromium capture; no physical-device or FPS acceptance

Paperwork and tethered pen

Sakura counter operations / 24 October 2026 / actual built game / opt-in candidate



Three stepped trays; pen and tether remain within the measured worktop envelope.

Harbour cat charity box

Sakura counter operations / 24 October 2026 / actual built game / opt-in candidate



Original illustrated acrylic box with coin slot. Environmental dressing only.

Karashi beside the oden


Sakura counter operations / 24 October 2026 / actual built game / opt-in candidate



Eight mustard sachets in a staff-served holder. Live hand contacts remain unverified.

Sakura / the working counter

JW-SAK-OPS-01 / REV B / 24 OCT 2026 / MILLIMETRES / corrected before construction



PLAN CROP / D3500-5400 / counter X11300-12100 / top +780


Protected scanner cord and retained ticket / oden / gum remain clear.

1. WAYBILLS

X11870 D3970 / 225 x 150 x 125 / base +780

Static staff pickup reach 366 / 457 available

Three stepped paper trays; blank operational stationery,



225 x 125

2. PEN

X12020 D3820 / 60 x 130 x 140 / base +780

Static staff pickup reach 312 / 457 available

Pen base on worktop; pen held in base and curved tether



60 x 140

3. CHARITY

X11900 D4480 / 140 x 100 x 160 / base +780

Static staff pickup reach 380 / 457 available

Original cat illustration; scenery only, no donation



140 x 160

4. KARASHI

X11980 D4710 / 120 x 80 x 100 / base +780

Static staff pickup reach 315 / 457 available

Staff-served mustard sachets; rear clip bridges10mm to the



120 x 100

AUDIT / REV A FINDINGS CORRECTED

Original charity / mustard positions failed staff replenishment reach.

Move to staff edge; no customer self-service or live donation interaction.

Rack moved90 east; pen moved clear of rack and original scanner cord.

All four bases meet +780. No floor, collider, aisle, stock or save changes.

Static shoulder approach X12350, height948.41; no live grasp acceptance.

Original product detail, packaging, prices and register retained.


Virtual scene coordination only; not a certified industrial installation.

Plan + local elevations / editable DXF / written dimensions govern / roof chain and frontage are separate work

Sakura / staff stair barrier

JW-SAK-CHAIN-01 / REV A / MILLIMETRES / CAD PROPOSAL ONLY - UNBUILT

PLAN / existing 1000 x 1000 ground landing




Post X5350; centres D12232 / D12908; span676

Bases diameter280 / posts diameter60 / inset140 from clear edges

Base edge X5490 -> first tread X5500:10 clearance

ELEVATION / looking east



Top +890 / chain ends +820 / low +710 / plate +450-650

Chain diameter12 / sag110; sign300 x200 x4

SELF-AUDIT

Bases remain inside D12092-13048; protected855 outer passage retained.

Both bases fit the ground landing; each base stops10 before the first tread.

The barrier is a scenery proposal, not a usable escape route or a compliance statement.

Before construction: draw release, sign hangers and anchors; verify worker sightlines and grade interface.

Existing non-traversable stair remains unchanged. Written coordinates govern; editable DXF included.