

Iventory Management User Manual

MOBISYS

Author: EBM Manufacturing Core Team

Version 1 - 29.06.2016





Document Control

Document Information – Saved under document properties

Document Type	User Manual
Document Name	MAN7 - EBM Inventory Management_MOBISYS Tool_Training
	User Manual_V0
Owner - Prepared by	EBM MAN Core Team
Review – Reviewed by	
Group – Approved by	EBM MAN Project Management
Valid From	18.09.2014
Storage	https://drive.google.com/drive/folders/0B8ML4_Kt9PXkNzZUTk
	<u>hidIBDODA</u>

Revisions & Status

Version	Date	Description of changes	Modifications done by
0.1	18.09.2014	Initial Version	RPI

Referred documents and references

Document / Reference	Storage
EBM Business Blueprint Manufacturing	
MAN7-EBM Inventory Management Mobisys	https://docs.google.com/a/lafargeholcim.com/presentation/d/1-Rqa9CC_pagJsmy1fljqT6dV-CJx_r-PVIXHj-uVNZE/edit?usp=sharing
Manufacturing Inventory Training Materials: form MAN1 to MAN11	https://drive.google.com/a/holcim.com/#folders/0B8ML4_Kt9PXkNzZUTkhidlBDODA

Distribution List

Function / Role	Company



Table of Contents

Introduction

Glossary & Abbreviations

Mobisys Solution

Background

Mobisys MSB (Mobisys Solution Builder)

Mobisys Screen Designer

Overview of the application screen

MOBISYS Processes

Goods Receipt

Goods Receipt external Supplier

Process flow

Goods Receipt Reversal

Process flow

Stock Overview

Process flow

Stock Transfer

Transfer Storage Location to Storage Location

Process flow

Transfer Plant to Plant

Process flow

Goods Issue

Goods Issue for Cost Center

Process flow

Good Issue for Cost Center reversal

Goods Issue for Maintenance Order

Process flow

Good Issue for Maintenance order reversal

Goods Issue for Reservation

Process flow

Good Issue for Reservation reversal

Goods Issue for WBS Element / Project Stock

Process flow GI for WBS Element

Process flow GI for Project Stock

Print Labels

Relabel Materials

Process flow

Labels printed

Print Material Labels

Process flow

Inventory in IM

Load Inventory Document

Process flow

Enter Inventory Counting

Process flow

Show Inventory Progress

Process flow

Finish Inventory Counting

Process flow

Process Performance Indicators



1. Introduction

This is the document that provides all the necessary information to enable the End User to perform their activities of SAP and no SAP systems, related with Inventory Management, on the respective go-life date, in line with the following criteria:

- Speed of execution of tasks
- Quality of data entry
- Compliance with management rules
- Maximum user ease

Throughout this document explains in detail each of the activities necessary to carry out the processes in Inventory Management.

2. Glossary & Abbreviations

The table below lists all the abbreviations used in the document with their complete description.

Abbreviation	Description
CEM	Cement
AFR	Alternative Fuels and Raw Materials
RMX	Ready mix
MIC	Mineral components
EMEA	Europe, Middle East and Africa
EBM	European Business Model
LHARP	LafargeHolcim Accounting and Reporting Principles
LHAC	LafargeHolcim Asset Coding
TIS	Technical Information System
BOM	Bill of Material
MRP	Material Requirements Planning
CKD	Clinker Kiln Dust
MEC	Month End Closing
MM	Material Management
IM	Inventory Management
MOBISYS	Mobile application (Barcoding; Scanner)



3. Mobisys Solution

3.1 Background


Mobisys has been selected as the standard software to support the EBM Barcode Solution in the EMEA Region. The EBM Barcode Solution helps to optimize the inventory management processes in the LafargeHolcim warehouses as follows:

- Improves accuracy and reliability of stock data
- Reduces effort to maintain inventory information in SAP
- Reduces risks of errors
- Improves speed in processing movements and data in storage locations
- Stock management in real time
- It is a tool that allows mobility in the storage locations

3.2 Mobisys MSB (Mobisys Solution Builder)

MSB generates ABAP function modules by the screen-information entered in MSB Screen Builder. The related function modules can be changed and you can include your own individual ABAP coding to realise any logic. With Mobisys MSB you are able to:


- Direct connection of RF-Terminals (Scanner) to SAP
- No additional Server needed
- Development of the mobile solution directly in SAP
- Mobile terminals ful under control of SAP
- Use of different device types in the same project



3.3 Mobisys Screen Designer

With the help of the Mobisys Screen Designer ("MSD") it is possible to create the application masks for the mobile terminals in SAP. The MDS is directly connected to the MSB on the SAP Web application server and the mask layouts are stored directly on the SAP Server and are available for all connected terminals. With this functionality it is possible to change and enhance the EBM Barcode Solution according to our needs at LafargeHolcim.






The EBM Barcode Solution covers all the critical processes in the warehouses, with automatic transfer of data from the barcode readers to SAP MM, PM, PS:

- Goods receipts from vendor
- Goods issues to WO orders, cost centers, projects...
- Transfers of goods between different storage locations
- Physical inventory
- Print out of labels with material information in barcode format
- Relabel the Warehouse



3.4 Overview of the application screen



NOTE: in case that the material number has to be entered manually on the material Screen, the Codification of the Material should follow the same Naming convention that the one used in the barcode, that should be:

Option 1: Materials do not managed by Split valuation (N/R/U)

Material code + Storage location

Example: 30000231G200 (material "30000231" of storage location "G200")

Option 2: Materials managed by Split valuation (N/R/U)

Material code + Split Valuation + Storage location


Example: 30003451NG200 (material "30003451" with Split valuation "N" of storage location "G200")




4. MOBISYS Processes

4.1 Goods Receipt


4.1.1 Goods Receipt external Supplier



4.1.2 Process flow













4.1.3 Goods Receipt Reversal






4.1.4 Process flow






4.1.5 Stock Overview




4.1.6 Process flow






4.2 Stock Transfer

4.2.1 Transfer Storage Location to Storage Location



4.2.2 Process flow








Scan the Material Label


Enter Batch (for Material with Split Valuation)
Enter Vendor (for Vendor consignment stock)

Enter the Quantity and post the document

4.2.3 Transfer Plant to Plant



4.2.4 Process flow







Scan the Material Label


Enter Batch (for Material with Split Valuation) Enter Vendor (for Vendor consignment stock)

Enter the Quantity and **post the document**




4.3 Goods Issue


4.3.1 Goods Issue for Cost Center



4.3.2 Process flow








4.3.3 Good Issue for Cost Center reversal


Process Flow: see 4.2.8 31 Goods Issue for Cost Center

4.3.4 Goods Issue for Maintenance Order






4.3.5 Process flow









Note: Good issues of Consignment Stock for a Maintenance Order

There are some "Pre-Requisites" to can do a good movement of Consignment Stock directly for a PM order. In the PM order the material has informed:

- Special Stock: "3" (consignment)
- Vendor







If these two field are included in the component of the PM order, the good movement of the consignment stock is done following the same steps as a normal good issue stock with reservation, but when the movement it is posted, in SAP is done a movement "261 - K".




4.3.6 Good Issue for Maintenance order reversal


Process Flow: see 4.2.12 33 Goods Issue for Maintenance Order




4.3.7 Goods Issue for Reservation



4.3.8 Process flow








4.3.9 Good Issue for Reservation reversal

Process Flow: see 4.2.15 35 Goods Issue for Reservation



4.3.10 Goods Issue for WBS Element / Project Stock



4.3.11 Process flow GI for WBS Element

See 4.2.12 33 Goods Issue for Maintenance Order.

Instead of scanning the Maintenance Order the WBS-Element must be entered.

4.3.12 Process flow GI for Project Stock


See 4.2.12 33 Goods Issue for Maintenance Order.

After scanning the material number the WBS-Element must be entered.




4.4 Print Labels

4.4.1 Relabel Materials



4.4.2 Process flow



Press "Print" to print the label

Continue with "ESC" to scan the next label

Please, enter Split Criteria


☐ Print old code




4.4.3 Labels printed



4.4.4 Print Material Labels



4.4.5 Process flow







- Scan the material label
- Enter the Split Valuation
- Enter the number of labels (if more than one)
- Chose the Label-Format

Press "Print" to proceed




Press "Enter" to print the material labels



4.5 Inventory in IM

4.5.1 Load Inventory Document

The physical inventory process with the barcode reader can be divided in the following phases:




Before you can start with the Inventory management with MOBISYS (Load Inv. Document), an Inventory Document has to be created in SAP.


The process to create an Inventory Document is described in the Document:

MAN-18 EBM Inventory Management Training User Manual_0_1.docx


Example of Inventory Document in SAP








4.5.2 Process flow






4.5.3 Enter Inventory Counting



4.5.4 Process flow







Mark the requested stock type


Press "Any" or "Guided" to start the counting



Any

If you choose "**Any**" you scan the material labels in an unguided sequence.

Press "Continue" to enter the counting's




Guided

If you choose "Guided" you select the scanning sequence:

- **Uncounted** (only the uncounted items)
- Sort by Material number
- Sort by Material Short Text
- Sort by Storage Bin

Press "Continue" to enter the counting's







Continue now with scanning all the materials on the inventory document and entering their counted quantity.




4.5.5 Show Inventory Progress




4.5.6 Process flow








4.5.7 Finish Inventory Counting






4.5.8 Process flow



The Data are now in SAP and can be checked and processed (recount / posted).





List of Inventory Differences

PhysInvDoc	Item	Material	Batch	Plnt	SLoc	Book quantity	Qty Counted	Difference qty	BUn	Difference amt.	Crcy
100000290	1	30000667		B100	G200	2.000	2.000	0.000	PC	0.00	EUR
100000290	2	30000673		B100	G200	2.000	5.000	3.000	PC	144.27	EUR

Process Performance Indicators

For the PPI indicator point of view the indicator that are more affected are the ones highlight in green of the following lilist of Inventory management indicators

PPI notation	Functional definition	Priority	UoM	Business objective
Non-standard material movements [count]	Number of non-standard material movements The categorization of the goods movement is completed and delivered as per the attached document. This is a combination of the input from the workstreams, a precaution principle was applied and the highest criticality was allocated in case of conflict. It includes as well the movements not identified by the workstreams but existing in the system in configuration and/or used in the movement extraction from 2012 available (to which the highest criticality was applied). Some arbitrage were done after review with the various team members in accordance with the best practices.	1	#	Inventory management exceptions (inventory differences, scrapping, reversals, transfers) should be minimized

Note:

- The Standard movement types (regular business process) are as following: 101, 102, 161, 162, 201, 202, 221, 222, 231, 241, 242, 251, 252, 261, 262, 291, 292, 301, 302, 303, 304, 305, 306, 309, 310, 311, 312, 313, 314, 315, 316, 321, 322, 323, 324, 325, 326, 341, 342, 343, 344, 351, 352, 411, 412, 541, 542, 543, 544, 601, 602,



- 631, 632, 633, 634, 641, 642, 643, 644, 647,648, 653, 654, 655, 656, 703, 704, Z01, Z02
- The Critical movement types (foreseen but monitoring required) are as following : 103, 105, 122, 511, 512, 531, 532, 551, 552, 553, 554, 555, 556, 701, 702
- The Exeptional movement types (not foreseen but configured and not blocked by the system and/or used despite not foreseen) are as following:
 141, 142, 232, 281, 282, 317, 318, 319, 320, 331, 332, 333, 334, 335, 336, 340, 349, 350, 413, 414, 415, 416, 441, 442, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 501, 502, 503, 504, 505, 506, 521, 522, 523, 524, 525, 526, 557, 558, 561, 562, 563, 564, 565, 566, 571, 572, 573, 574, 575, 576, 581, 582, 603, 604, 606, 621, 622, 646, 651, 661, 662, 671, 672, 6A5, 6A6, 6B5, 6B6, 6W5, 6W6, 707, 708, 711, 712, 713, 714, 715, 716, 717, 718, 721, 722, 731, 732

PPI notation	Functional definition	Priority	UoM	Business objective
Slow moving stock (no consumption within last 365 days) [value ratio]	Materials for which no goods movements were posted within the period of analysis This analysis is based on quantity managed material master records that have a positive stock quantity at the moment of analysis and no client or plant deletion indicator set. Slow or non moving stock is defined as materials for which no goods movements were posted within the period of analysis or the latest goods movement is more than 365 days ago.	1	%	Slow / non moving inventory PPI will help identifying inadequate inventory management / materials planning procedures. (eg: materials used in a maintenance process but not decreased from inventory in connection to a work order, materials stored but never used in any process). Slow / non moving inventory may result in write-offs and as a result, capital loss (not driven by the PPI but by LHARP process). Therefore, due to the impact on costs, un necessary funds immobilization, slow moving stock should be limited as much as possible.
MRP usage	Nr of PCS03 &PCS04 in MRP vs total number of PCS03 & PCS04 It measures the ratio of purchase requisitions created through the MRP to the total of created purchase requisitions (for the PCS 03* and 04*).	2	%	
Use of bar coding system	Nr of WH activities w/ bar coding vs total material documents This measures the usage of the Bar Coding system: Goods Issue , Goods Receipt and physical inventory(for the PCS 03* and 04*)	2	%	Optimice the GI posting by using the tool and saving time avoiding manual tasks
Reversal material movements	Number of reversed material documents	2	%	Material movement reversals should be minimized



	In a good process there should not be reversals of goods movements			
Material inactive with pending open items (Count)	Volume of material flagged for deletion or inactive with existing inventory To be detailed: Materials can be flagged for deletion but having existing stock registered and valuated. The stock level is not allowed for transfer, sell, usage in production hence should be disposed.	tbd	#	To be detailed: The aim is to avoid managing inventory level of items that cannot be used for any business purpose and still need to be inventoried, physically handled on a regular basis.





LafargeHolcim - European IT Services S.L.

C/ Albasanz 14 Madrid, Spain info@lafargeholcim.com www.lafargeholcim.com Phone +34 91.410.1412 Fax +34 91.410.1450