

TestLink Test Management Report

Login Page Test — Project Setup and Test Case Documentation

Prepared: 28 September 2026 · Tool: TestLink 1.9.20 (localhost) · Author: James Njange

1. Overview

This report documents the test management work completed in TestLink for the login functionality of the target site, covering checkpoint objectives: applying test management concepts, creating and executing test cases for login, and analyzing/reporting results.

Environment: TestLink instance at <http://localhost/testlink/index.php>.

- Project: Login Page Test (prefix TC)
- Requirement specification: LOGIN-SPEC — Login Functionality Requirements
- Test suite: Login Functionality (3 test cases)
- Test plan: Login Test Plan (active, public), Build 1.0

2. Project Setup

The “Login Page Test” project already existed in TestLink and was reused rather than duplicated. Its Requirements feature, which was switched off, was enabled so requirements could be attached to the project.




Figure 1. Test Project Management — “Login Page Test” project with the Requirement Feature enabled.

3. Requirements

Three requirements were defined under the LOGIN-SPEC specification, each corresponding to one of the login scenarios to be tested:

ID	Description	Status
REQ-LOGIN-001	Login with valid credentials	Draft
REQ-LOGIN-002	Reject invalid credentials with an error message	Draft
REQ-LOGIN-003	Prevent login with empty fields	Draft

Requirement Overview - Number of Requirements: 3

Generated by TestLink on 28/09/2026 14:18:05
☐ Show all versions of each requirement

Requirements

☐ Expand/Collapse Groups ☐ Show all Columns ☐ Reset to Default State ☐ Refresh ☐ Reset Filters ☐ MultSort ☐ ...

Title	Version	Created	Last modified	Frozen	Coverage	Type	Status	# Related Req.
Req. Spec.: Login Functionality Requirements (3 Items)								
REQ-LOGIN-001 : Login with valid credentials	[v1r1]	28/09/2026 14:00:30 ()	28/09/2026 15:00:30 ()	No	0% (0/1)	Use Case	Draft	0
REQ-LOGIN-002 : Reject invalid credentials with an error message	[v1r1]	28/09/2026 14:00:51 ()	28/09/2026 15:00:51 ()	No	0% (0/1)	Use Case	Draft	0
REQ-LOGIN-003 : Prevent login with empty fields	[v1r1]	28/09/2026 14:01:07 ()	28/09/2026 15:01:07 ()	No	0% (0/1)	Use Case	Draft	0

This Overview shows all requirements (last or all versions) and all the related attributes. In addition all defined custom fields for requirements will be shown in a separate column.

Coverage:
 A value of e.g. "40% (8/20)" means that 20 Test Cases have to be created for this Requirement to test it completely. 8 of those have already been created and linked to this Requirement, which makes a coverage of 40 percent.

Figure 2. Requirement Overview showing all three login requirements linked to the project.

4. Test Cases

A “Login Functionality” test suite was created containing three test cases, each covering one requirement above with a defined action, expected result and manual execution type.

ID	Title	Action	Expected Result
TC-1	Login with valid credentials	Enter a valid username and password, then click the login button.	The user successfully logs in.
TC-2	Login with invalid credentials	Enter an incorrect username or password, then click the login button.	An error message indicates the credentials are incorrect and the user is not logged in.
TC-3	Login with empty fields	Leave the username and password fields empty, then click the login button.	The login is rejected and a validation message asks for the required fields.

4.1 TC-1 — Login with valid credentials

Test Case

TC-1 : Login with valid credentials - Version 1

Preconditions

Summary

Action: Enter a valid username and password, then click the login button. Expected result: The user successfully logs in. Covers REQ-LOGIN-001.

Step actions	Expected Results	Execution
1 Enter a valid username and password, then click the login button.	The user successfully logs in.	Manual

Create step Reorder Steps

Status : Draft Importance : Medium Execution type : Manual ☐ Apply To All Steps

Estimated exec. (min) : Save

TC1:

Figure 3. TC-1 detail view showing its step and expected result (covers REQ-LOGIN-001).

4.2 TC-2 — Login with invalid credentials

Test Case

TC-2 : Login with invalid credentials - Version 1

Preconditions

Summary

Step actions	Expected Results	Execution
1 Enter an incorrect username or password, then click the login button.	An error message indicates the credentials are incorrect and the user is not logged in.	Manual

Create step Reorder Steps

Status : Draft Importance : Medium Execution type : Manual ☐ Apply To All Steps

Estimated exec. (min) : Save

TC1:

Figure 4. TC-2 detail view showing its step and expected result (covers REQ-LOGIN-002).

4.3 TC-3 — Login with empty fields



Figure 5. TC-3 detail view showing its step and expected result (covers REQ-LOGIN-003).

5. Test Plan and Assignment

A test plan named “Login Test Plan” was created (active and public), with a build, “Build 1.0”, to track execution against. All three test cases were added to the plan and assigned to user admin (the only account in this TestLink instance).




Figure 6. Test Plan Management showing “Login Test Plan” with 3 test cases and 1 build.




Figure 7. Add/Remove Test Cases screen confirming all three test cases are linked to the plan.




Figure 8. Test Cases Assigned to User admin, all showing status “Not Run” against Build 1.0.

6. Execution Status and Results

Test execution has not yet been performed. Running the test cases requires the URL of the actual login page under test; TestLink itself was the only site provided and does not represent the system being tested. TC-1 additionally requires a set of valid credentials to attempt a successful login, which only the requester can supply.

ID	Title	Status	Notes
TC-1	Login with valid credentials	Not Run	Requires a live login page URL and valid credentials; not yet executed.
TC-2	Login with invalid credentials	Not Run	Requires a live login page URL; not yet executed.
TC-3	Login with empty fields	Not Run	Requires a live login page URL; not yet executed.

Once a target login page and (for TC-1) valid credentials are provided, each test case will be executed via TestLink's Execute Tests screen, results (Pass/Fail/Blocked) will be recorded against Build 1.0, and a results report will be generated from TestLink's Test Reports and Metrics page.

7. Next Steps

- Provide the URL of the login page to be tested.
- Provide valid test credentials for TC-1 (valid login).
- Execute TC-1, TC-2 and TC-3 against Build 1.0 and record Pass/Fail results in TestLink.
- Generate the final test summary report from TestLink's reporting tools and analyze any failures.