# 7c Report

# Source Files:

## Folders:

- <Config>/config.php
- <Config>/database.php
- <Config>/masterkey.txt
- <Forms>/7c\_report\_form.php
- <Forms>/ap\_form.php
- <Forms>/create\_new\_form.php
- <Forms>/view\_records\_form.php
- <Forms>/view\_report\_form.php
- <Reports> This folder hold reports in id folder.

#### Files:

- 1. 7cReport.php
- 2. AP.php
- 3. ViewRecords.php
- 4. ViewReport.php
- 5. Createnew.php
- 6. Functions.php
- 7. Log files.

#### 7cReport.php

- Initial authentication : Check mandatory fields (PrivateKey, Passcode, PhoneNumber).
- Authenticate Lab Pass Key: If It is valid go forward otherwise generate error.
- Authenticate Lab Auth: If Lab ID and IP is valid go forward otherwise generate error.
- Not Empty (PatientName, PhoneNumber, Email) : Check Patient and then add patient.
- Not Empty (PhoneNumber, Email): Check Patient and then add.
- Not Empty (PhoneNumber): Check Patient and then add.
- Not Empty (PatientName, PhoneNumber): Check Patient and then add.
- If upload without email Id then warning generate "Document uploaded with no Email".

### AP.php

- Initial authentication : Check mandatory fields (PrivateKey, Passcode).
- Authentication IP : Check IP if IP is valid then go forward otherwise generate error.
- Authentication File: If uploaded file valid (document will be authenticated only from authenticated IP) then its store <reports> folder in specific ID folder.
- Add Report Name: Adding an entry in report table.

#### ViewRecords.php

- Initial authentication : Check mandatory fields (Phone, Passcode, Master Key).
- Condition: In this system the key for a report is phone + name + email. Any 1 value of these three can be a key.
- phone + name + email: status true and return data.
- phone + email: status true and return data.
- phone + name : status true and return data.
- Only name: status false and generate error.
- Matching combination: It must with all mandatory fields. Only name will not consider.

#### ViewReport.php

- Initial authentication : Check mandatory fields (Phone, Passcode, Master Key).
- Condition: In this system the key for a report is phone + name + email. Any 1 value of these three can be a key.
- phone + name + email: status true and return data.
- phone + email: status true and return data.
- phone + name : status true and return data.
- Only name: status false and generate error.
- Matching combination: It must with all mandatory fields. Only name will not consider.

#### Createnew.php

- Initial authentication : Check mandatory fields (LabName,LabPhone,Contact Person Name,Passcode,MasterKey).
- Check Lab: If lab exist its return false and generate error.
- New Lab Name + Existing Phone + Person Name : return status true.
- Exiting Lab Name + New Phone + Existing Person Name : return status true.
- Exiting Lab Name + Phone + New Person Name : return status false.
- New Lab Name + Phone + Wrong Master Key: return status false.
- If Lab Name or Lab Phone is new with correct masterkey data will be inserted.

#### Functions.php

- This file contains all the functions which we use in this system.
  - AddPatient(\$data)
  - AddReportName(\$report\_name, \$report\_type\_id, \$lab\_id)
  - AddReportType(\$patient\_id, \$document, \$file\_hash)
  - AuthLab(\$data)
  - OheckLab(\$data)
  - CheckLabAuth(\$lab\_id, \$ip):boolean
  - CheckLabPassKey(\$data):boolean
  - OheckPatient(\$p\_name, \$phone, \$email)
  - CheckReportByPatientId(\$patient\_id, \$file\_hash):boolean
  - GetMasterKey()
  - InsertLab(\$data)
  - arr\_print(\$arr)
  - folder\_exist(\$folder)
  - getAllPatients()
  - getReportById(\$p\_id)
  - getRows(\$data):boolean
  - selectPage(\$slug)

## **Log Files**

- This file contains all the action logs with few essential information such as date, status, action etc.
- It will generate every day with the name of date.
- It is text file and will generate automatically whenever any operation will perform in our system.