Sprint Report 3

Vitae | Feb 10th 2026

Actions to stop doing

These are the activities or actions the team determined they should stop doing. This is the answer to the question, "What things should we stop doing?" The items should take the form of a brief description of what the team wants to stop doing, followed by a brief explanation. If there are no items, this section should describe why the team is completely satisfied with their current process. Examples: The team should stop holding daily scrum meetings at 7am in the morning, because nobody can make that meeting time. The team should stop allowing daily scrum meetings to go over 15 minutes, because the meetings are less effective that way.

- Stop treating the Daily Scrum as a problem-solving meeting, because it drags past 15 minutes and pulls the whole team into details that only 1–2 people need. Keep it to “what I did / what I’ll do / what’s blocking me,” then spin off to the other team members.

Actions to start doing

These are the activities or actions the team would like to start doing to improve their development process. This is the answer to the question, "What should we start doing?" The items should take the form of a brief description of what the team wants to start doing, followed by a brief explanation.
Examples: The team should schedule more group work sessions, since these are very effective at getting work done. The team should be more accurate at estimating work tasks, since tasks were consistently under-estimated last sprint.

- Work on creating a style guide for our codebase and refactoring our API calls. This makes it easier for people to understand where the code is for specific features
- Work on Product backlog items if we have extra time

Actions to keep doing

This is the answer to the question, "What is working well that we should continue to do?" The items should take the form of a brief description of what the team wants to start doing, followed by a brief explanation.

- Adding unit testing to completed user stories because it ensures that our changes don’t “break” anything or cause emergent behaviors when merged.
- Keeping CI/CD up to date with tests
- Working on spikes/infrastructure tasks ahead of time
- Daily stand-ups/check-ins at 10 am are good through Discord. This allows us to keep track of everybody’s status, even if no progress is being made on a team member’s end, or if we can’t physically meet.

Work completed/not completed

This is a list of the user stories that were completed during the previous sprint, and a list of the user stories not completed during this sprint (but which were part of this sprint, and were in the sprint plan).

Completed

- Override (3 points): As a user, I can override a canon or resume item's content for a specific resume without changing the original so that I can tailor it for different audiences.
- Restore (4 points): As a user, I can restore a previous version to my working state so that I can reiterate on past resumes.
- Visualize (4 points): As a user, I would like to be able to visualize my career history
- Labelling Version History (1 point): As a user, I would like to be able to see which version I'm currently on and see it while previewing the resume.
- PDF Export (2 points): As a user, I can download a PDF of my resume so that I can upload it to job sites.
- View Templates (4 points): As a user, I can view multiple preset templates to see which ones would best fit the role I'm applying to.
- Use Templates (2 points): As a user, I can use a template for my resume so that I can match the resume's visual style to different industries or preferences.

Not completed

- N/A

Work completion rate

- Total number of user stories: 7
- Total number of tasks: 36
- Total number of estimated ideal work hours: 45.5
- Total number of days during the prior sprint: 14
- Previous sprint user stories/day: 0.4
- Previous ideal work hours/day: 1.8
- Average user stories/day: 0.5
- Average ideal work hours/day: 1.5
- Final burnup chart

Final Burnup Chart



Final Scrum Board