

Server Programming Project 2

Your job is to write a RESTful service in Java for a company to allow them to track timecards for employees. You are required to use the provided Data Layer (see separate documentation). You need to create the Service as per below, including any validation mentioned which **should be in** your Business Layer. You can put other things in your Business Layer if you wish. **You need to use your RIT user ID for the company name whenever it is asked for.** For error output, return an appropriate error message (**not** the String “An appropriate error message.”)

Service Layer:

All methods must return a JSON String which don't have to be **formatted** as in the samples below (in other words, with no carriage returns/line feeds/tabs) but must contain the same information. Some methods take JSON as input, others take Query Parameters or Form Parameters.

All method signatures must match the ones listed.

You may have to use multiple Data Layer methods to accomplish each Service Layer method.

General input validation: Refer to the EER Diagram for the database for datatypes and sizes. Any additional validation/business rules will be listed below in the appropriate method.

1) Root Path for Service Layer: “CompanyServices”

2) The remaining paths will be appended to the above, e.g. localhost:8080/FrenchBP2/webapi/CompanyServices/

3) Path: /company

Verb: DELETE

Produces: application/json

- a. Deletes all Department, Employee and Timecard records in the database for the given company. You will need to pay attention to the Foreign Key Constraints.
- b. Input is your RIT user ID as a String passed as **QueryParam**
 - i. company=company+name
where “company+name” is your RIT user ID

c. Output:

i. Success:

1. A JSON String:

```
{"success": "companyName's information deleted."}
```

2. A JSON String:

```
{"error": "An appropriate error message."}
```

4) Path: /department

Verb: GET

Produces: application/json

- a. Returns the requested Department as a JSON String.
- b. Input as **QueryParams**:

company=company+name&dept_id= id

where “company+name” is your RIT user ID and
“dept_id” is the record id of the department to retrieve.

- c. Output:
 - i. Success:
 - 1. A JSON String:

```
{  
    "dept_id":1,  
    "company":"rituserid",  
    "dept_name":"accounting",  
    "dept_no":"d10",  
    "location":"new york"  
}
```

- 2. A JSON String:

```
{"error": "An appropriate error message."}
```

5) Path: /departments

Verb: GET

Produces: application/json

- a. Returns the requested list of Departments.
- b. Input is your RIT user ID as a String in a **QueryParam**.
 - i. company=company+name
where “company+name” is your RIT user ID
- c. Output:
 - i. Success:
 - 1. A JSON String:

```
[
  {
    "dept_id":1,
    "company":"rituserid",
    "dept_name":"accounting",
    "dept_no":"d10",
    "location":"new York"
  },
  {
    "dept_id":2,
    "company":"rituserid",
    "dept_name":"research",
    "dept_no":"d20",
    "location":"dallas"
  },
  {
    "dept_id":3,
    "company":"rituserid",
    "dept_name":"sales",
    "dept_no":"d30",
    "location":"chicago"  },
  {
    "dept_id":4,
    "company":"rituserid",
    "dept_name":"operations",
    "dept_no":"d40",
    "location":"boston"  }
]
```

2. A JSON String:

```
{"error":"An appropriate error message."}
```

6) Path: /department

Verb: PUT

Consumes: application/json

Produces: application/json

a. Additional Validation:

- i. dept_no must be unique among all companies, Suggestion: include company name as part of id.

- ii. dept_id must be an existing record number for a department
- b. Returns the updated Department as a JSON String.
- c. Input: **JSON String** (Input any values you want to change plus the record id for the Department)

```
{
  "company":"rituserid",
  "dept_id":5,
  "dept_name":"IT",
  "dept_no":"d11",
  "location":"rochester"
}
```

where "company" is your RIT user ID.

- d. Output:
 - i. Success:
 - 1. A JSON String:

```
{
  "success":{
    "dept_id":5,
    "company":"rituserid",
    "dept_name":"IT",
    "dept_no":"d11",
    "location":"rochester"  }
}
```

- 2. A JSON String:

```
{"error":"An appropriate error message."}
```

7) Path: /department

Verb: POST

Produces: application/json

- a. Additional Validation:
 - i. dept_no must be unique among all companies, Suggestion: include company name as part of id.
- b. Returns the new Department as a JSON String.
- c. Input as FormParam:

```
"company" = "rituserid"
"dept_name" = "mystery"
"dept_no" = "d10"
"location" = "buffalo"
```

where “company” is your RIT user ID.

c. Output:

i. Success:

1. A JSON String:

```
{
  "success":{
    "dept_id":1,
    "company":"rituserid",
    "dept_name":"mystery",
    "dept_no":"d10",
    "location":"buffalo"  }
}
```

2. A JSON String:

```
{"error":"An appropriate error message."}
```

8) Path: /department

Verb: DELETE

Produces: application/json

a. Returns the number of rows deleted.

b. Input as **QueryParam:**

```
"company" = "company name"
"dept_id" = id
```

where “company name” is your RIT user ID and
“id” is the record id of the department to delete.

c. Output:

i. Success:

1. A JSON String:

```
{
  "success":"Department 5 from rituserid deleted."
}
```

2. A JSON String:

```
{"error":"An appropriate error message."}
```

9) Path: /employee

Verb: GET

Produces: application/json

- a. Returns the requested Employee as a JSON String.
- b. Input: the record id of the desired Employee as a **QueryParam**
 - i. company=company+name
where "company+name" is your RIT user ID
 - ii. emp_id=#
- c. Output:
 - i. Success:

1. A JSON String:

```
{
  "emp_id":2,
  "emp_name":"jones",
  "emp_no":"e2",
  "hire_date":"1981-04-01",
  "job":"manager",
  "salary":2975.0,
  "dept_id":2,
  "mng_id":1}
```

2. A JSON String:

```
{"error":"An appropriate error message."}
```

10) Path: /employees

Verb: GET

Produces: application/json

- a. Returns the requested list of Employees.
- b. Input is your RIT user ID as a String as a **QueryParam**.

- i. company=company+name
where "company+name" is your RIT user ID

c. Output:

- i. Success:

1. A JSON String:

```
[
  {
    "emp_id":1,
    "emp_name":"king",
    "emp_no":"e1",
    "hire_date":"1981-11-16",
    "job":"president",
    "salary":5000.0,
    "dept_id":1,
    "mng_id":0
  },
  {
    "emp_id":2,
    "emp_name":"jones",
    "emp_no":"e2",
    "hire_date":"1981-04-01",
    "job":"manager",
    "salary":2975.0,
    "dept_id":2,
    "mng_id":1
  },
  {
    "emp_id":3,
    "emp_name":"ford",
    "emp_no":"e3",
    "hire_date":"1981-12-02",
    "job":"analyst",
    "salary":3000.0,
    "dept_id":2,
    "mng_id":2
  },
  {
    "emp_id":4,
    "emp_name":"smith",
    "emp_no":"e4",
    "hire_date":"1980-12-16",
    "job":"clerk",
```

```
    "salary":800.0,
    "dept_id":2,
    "mng_id":2
  },
  {
    "emp_id":5,
    "emp_name":"blake",
    "emp_no":"e5",
    "hire_date":"1981-04-30",
    "job":"manager",
    "salary":2850.0,
    "dept_id":3,
    "mng_id":1  },
  {
    "emp_id":6,
    "emp_name":"allen",
    "emp_no":"e6",
    "hire_date":"1981-02-19",
    "job":"salesman",
    "salary":1600.0,
    "dept_id":3,
    "mng_id":5  },
  {
    "emp_id":7,
    "emp_name":"ward",
    "emp_no":"e7",
    "hire_date":"1981-02-21",
    "job":"salesman",
    "salary":1250.0,
    "dept_id":3,
    "mng_id":5
  },
  {
    "emp_id":8,
    "emp_name":"martin",
    "emp_no":"e8",
    "hire_date":"1981-09-27",
    "job":"salesman",
    "salary":1250.0,
    "dept_id":3,
    "mng_id":5
  },
  {
```



```

        "emp_id":9,
        "emp_name":"clark",
        "emp_no":"e9",
        "hire_date":"1981-06-08",
        "job":"manager",
        "salary":2450.0,
        "dept_id":3,
        "mng_id":1  }
    ]

```

2. A JSON String:

```

{"error":"An appropriate error message."}

```

11) Path: /employee

Verb: POST

Consumes: Form Parameters

Produces: application/json

a. Additional validations:

- i. company – must be your RIT username
- ii. dept_id must exist as a Department in your company
- iii. mng_id must be the record id of an existing Employee in your company.
Use 0 if the first employee or any other employee that doesn't have a manager.
- iv. hire_date must be a valid date equal to the current date or earlier (e.g. current date or in the past)
- v. hire_date must be a Monday, Tuesday, Wednesday, Thursday or a Friday.
It **cannot** be Saturday or Sunday.
- vi. emp_no must be unique amongst all employees in the database, **including** those of other companies. You may wish to include your RIT user ID in the employee number somehow.

b. Returns the new Employee as a JSON String.

c. Input as FormParam:

```

"company"="yourRITid",
"emp_name"="french",
"emp_no"="rituserid-e1b",
"hire_date"="2018-06-16",
"job"="programmer",
"salary"=5000.0,

```

```
"dept_id"=1,  
"mng_id"=2
```

d. Output:

i. Success:

1. A JSON String:

```
{  
  "success":{  
    "emp_id":15,  
    "emp_name":"french",  
    "emp_no":"rituserid-e1b",  
    "hire_date":"2018-06-16",  
    "job":"programmer",  
    "salary":5000.0,  
    "dept_id":1,  
    "mng_id":2  }  
}
```

2. A JSON String:

```
{"error":"An appropriate error message."}
```

12) Path: /employee

Verb: PUT

Consumes: application/json

Produces: application/json

- a. Additional validations same as inserting an Employee plus emp_id must be a valid record id in the database.
- b. Returns the updated Employee as a JSON String.
- c. Input(any values you want to change plus the record id for the Employee) as **JSON string (company+name is your RIT username):**

```
{  
  "company":company+name,  
  "emp_id":15,  
  "emp_name":"french",  
  "emp_no":"rituserid-e1b",  
  "hire_date":"2018-06-16",
```

```

    "job":"programmer",
    "salary":6000.0,
    "dept_id":1,
    "mng_id":2
  }

```

d. Output:

i. Success:

1. A JSON String:

```

{
  "success":{
    "emp_id":15,
    "emp_name":"french",
    "emp_no":"rituserid-e1b",
    "hire_date":"2018-06-16",
    "job":"programmer",
    "salary":6000.0,
    "dept_id":1,
    "mng_id":2  }
}

```

2. A JSON String:

```

{"error":"An appropriate error message."}

```

13) Path: /employee

Verb: DELETE

Produces: application/json

- a. Returns the that the employee deleted.
- b. Input: the record id of the Employee to delete as a **QueryParam**.
 - i. company=company+name
where “company+name” is your RIT user ID
 - ii. emp_id=#

c. Output:

i. Success:

1. A JSON String:

```

{
  "success":"Employee 15 deleted."
}

```

2. A JSON String:

```
{"error":"An appropriate error message."}
```

14) Path: /timecard

Verb: GET

Produces: application/json

- a. Returns the requested Timecard as a JSON String.
- b. Input: the record id of the desired Timecard as a **QueryParam**
 - i. company=company+name
where "company+name" is your RIT user ID
 - ii. timecard_id=#

c. Output:

i. Success:

1. A JSON String:

```
{
  "timecard":{
    "timecard_id":1,
    "start_time":"2018-06-14 11:30:00",
    "end_time":"2018-06-14 15:30:00",
    "emp_id":2
  }
}
```

2. A JSON String:

```
{"error":"An appropriate error message."}
```

15) Path: /timecards

Verb: GET

Produces: application/json

- a. Returns the requested list of Timecards.
- b. Input is the record id of the employee you want to see the Timecards for as a **QueryParam**.
 - i. company=company+name
where "company+name" is your RIT user ID

- ii. emp_id=#
- c. Output:
 - i. Success:
 - 1. A JSON String:

```
[
  {
    "timecard_id":3,
    "start_time":"2018-06-14 11:30:00",
    "end_time":"2018-06-14 15:30:00",
    "emp_id":4
  },
  {
    "timecard_id":4,
    "start_time":"2018-06-13 11:30:00",
    "end_time":"2018-06-13 15:30:00",
    "emp_id":4
  },
  {
    "timecard_id":6,
    "start_time":"2018-06-12 11:30:00",
    "end_time":"2018-06-12 15:30:00",
    "emp_id":4 }
]
```

- 2. A JSON String:

```
{"error":"An appropriate error message."}
```

16) Path: /timecard

Verb: POST

Consumes: form parameters

Produces: application/json

- a. Additional validations:
 - i. company must be your RIT id
 - ii. emp_id must exist as the record id of an Employee in your company.
 - iii. start_time must be a valid date and time equal to the current date or back to the Monday prior to the current date if the current date is not a Monday.

- iv. end_time must be a valid date and time at least 1 hour greater than the start_time and be on the same day as the start_time.
- v. start_time and end_time must be a Monday, Tuesday, Wednesday, Thursday or a Friday. They **cannot** be Saturday or Sunday.
- vi. start_time and end_time must be between the hours (in 24 hour format) of 08:00:00 and 18:00:00 inclusive.
- vii. start_time must not be on the same day as any other start_time for that employee.

- b. Returns the new Timecard as a JSON String.
- c. Input all Timecard values as **FormParams**:

```

"company="your RIT ID",
""emp_id"=1,
"start_time"="2018-06-15 12:30:00",
"end_time"="2018-06-15 15:30:00"

```

- d. Output:

- i. Success:

- 1. A JSON String:

```

{
  "success":{
    "timecard_id":1,
    "start_time":"2018-06-14 11:30:00",
    "end_time":"2018-06-14 15:30:00",
    "emp_id":2
  }
}

```

- 2. A JSON String:

```

{"error":"An appropriate error message."}

```

17) Path: /timecard

Verb: PUT

Consumes: application/json

Produces: application/json

- a. Additional validations same as inserting a Timecard plus timecard_id must be a valid record id in the database.

- b. Returns the updated Timecard as a JSON String.
- c. Input(any values you want to change plus the record id for the Timecard) as **JSON string (company is your RIT username)**:

```
{
  "company":"your RIT ID",
  "timecard_id":2,
  "start_time":"2018-06-14 11:30:00",
  "end_time":"2018-06-14 15:30:00",
  "emp_id":1
}
```

- d. Output:
 - i. Success:
 - 1. A JSON String:

```
{
  "success":{
    "timecard_id":0,
    "start_time":"2018-06-15 12:30:00",
    "end_time":"2018-06-15 15:30:00",
    "emp_id":2
  }
}
```

- 2. A JSON String:

```
{"error":"An appropriate error message."}
```

18) Path: /timecard

Verb: DELETE

Produces: application/json

- a. Returns the number of rows deleted.
- b. Input: the record id of the Timecard to delete as a **QueryParam**.
 - i. company=company+name
where "company+name" is your RIT user ID
 - ii. timecard_id=#
- c. Output:
 - i. Success:

1. A JSON String:

```
{  
  "success": "Timecard 1 deleted."  
}
```

2. A JSON String:

```
{"error": "An appropriate error message."}
```

Deliverables:

Put the following in the dropbox for Project 2 by the due date on the dropbox:

- 1) A zip file of your project folder
- 2) A war file named: **YourLastNameYourFirstInitialP2.war**.

Hints:

- To start wildfly, from a terminal window: `cd /Applications/wildfly/bin`
Then: `sudo ./standalone.sh` (user and password are student)

- 1) In addition to the jar files required by the Data Layer, put any other jar files you needed in your dependencies in your pom.xml.

- 2) To convert from Timestamp to String (for putting in JSON String):

```
DateFormat df = new SimpleDateFormat("yyyy-MM-dd HH:mm:ss");
```

```
String str = df.format(Timestamp ts);
```

- 3) To convert from String to Timestamp (for getting out of JSON String and creating Timecard object):

```
Timestamp start_time = new Timestamp(new SimpleDateFormat("yyyy-MM-dd  
HH:mm:ss").parse(String fromJSON).getTime());
```

- 4) To convert from String to Date (from JSON String to hire date):

```
Date hire_date = new SimpleDateFormat("yyyy-MM-dd").parse(String jsonDate);
```


5) To convert from Date to String:

```
DateFormat df = new SimpleDateFormat("yyyy-MM-dd");  
String dateStr = df.format(Date date);
```

6) To test using Postman:

- a. For DELETE method, make sure any text under raw/body is deleted, all form fields are unchecked and uncheck any header fields and the correct id is set as a parameter.
- b. For POST method, select x-www-form-urlencoded with fields for each item you want to pass in.
- c. For PUT, make sure Content-Type header = application/json

Rubric:

	Possible	Total
Correct WEB-INF structure and WAR file deploys	10	
All Routes and Verbs	65	
All validations – use BL	15	
Output matches	10	
Total:	100	