

Contact : +91 - 9810243870



Building Relations

Eko Pro Engineers Pvt. Ltd.

(EKO TESTING LABS)[®]

Competence | Quality | Service

TEST REPORT

Sample Analysis

Test Report No : EKO/A-501/131225

Issue Date : 18/12/2025

Issued To

: NJY Chhabariya


1, 64, Jagannath Singh, Chhabarita Branch
Post Office, Chhabariya, Meerut, Uttar Pradesh - 250342

Sample Name

: Shilajit

RESULTS

S.No	Parameters	Test Methods	Results	Units
1	Physical Description	EKO/CHEM/SOP/FL-013	Blackish Brown in colour	-
2	Moisture Content	FSSAI Manual 01.56.2022	15.92	%
3	Potassium	API Part 2 nd	50.11	mg/100g
4	Calcium	API Part 2 nd	40.98	mg/100g
5	Magnesium	API Part 2 nd	25.37	mg/100g
Heavy Metals:-				
1	Lead (as Pb)	EKO/CHEM/SOP/FL-005	2.91	mg/kg
2	Arsenic (as As)	EKO/CHEM/SOP/FL-005	0.32	mg/kg
3	Mercury (as Hg)	EKO/CHEM/SOP/FL-005	BLQ (LOQ-0.1)	mg/kg
4	Selenium (as Se)	EKO/CHEM/SOP/FL-005	2.75	mg/kg
5	Iron (as Fe)	EKO/CHEM/SOP/FL-005	269.3	mg/kg
6	Zinc (as Zn)	EKO/CHEM/SOP/FL-005	36.98	mg/kg



Contact : +91 - 9810243870



Building Relations

Eko Pro Engineers Pvt. Ltd.

(EKO TESTING LABS)[®]

Competence | Quality | Service

Test Report No : EKO/A-501/131225

Issue Date : 18/12/2025

7	Manganese (as Mn)	EKO/CHEM/SOP/FL-005	16.88	mg/kg
---	-------------------	---------------------	-------	-------

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test samples will be disposed off after 15 days from the date of issue of test report & 7 days for Perishable Items.
4. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

