

TECHNOVA SOLUTIONS

Standard Warranty Policy Document

TechNova Solutions warrants all hardware products against structural and operational failures under standard operating conditions. This Limited Warranty Policy outlines your rights, coverages, exclusions, and the distinct remedies available to you as our client.

1. Warranty Coverage

This hardware warranty covers internal functional defects, electronic component malfunctions, and sub-assembly failures that impede the intended use of the device. It applies exclusively to the original purchaser of the hardware and is non-transferable unless specified in writing by an authorized TechNova Solutions representative.

2. Warranty Duration

The standard warranty duration depends strictly on the hardware equipment class from the date of initial commercial delivery:

- **Enterprise Hardware & Server Architectures:** 36 Calendar Months (3 Years)
- **Standard Computing Systems & Workstations:** 12 Calendar Months (1 Year)
- **Peripherals, Accessories, & Add-on Cards:** 6 Calendar Months

3. Manufacturing Defects

Manufacturing defects encompass failures attributed directly to errors in raw factory materials, faulty component soldering, or defective workmanship encountered during initial factory assembly. If a system fails to pass standard baseline validation criteria upon unboxing due to structural internal discrepancies, it falls under our direct manufacturing defect resolution path.

4. Warranty Exclusions

This limited policy does not offer protection or compensation for faults caused by variables outside factory control. Exclusions include:

- Superficial or cosmetic damage, including scratches, localized casing cracks, or broken port dividers resulting from daily wear.
- Damage generated by accidents, physical impact, dropping, drops in building voltage, or fluid contact/submersion.

- Hardware utilization outside the designated technical specifications (e.g., intensive industrial operations in non-ventilated rooms, clock-frequency overclocking).
- Natural elements or force majeure events (lightning strikes, thermal spikes, floor flooding).

5. Claim Procedure

To initiate a valid warranty evaluation, please proceed through the following operational administrative protocol:

1. Access the TechNova Solutions Enterprise Service Hub online and navigate to the "Warranty Support" portal.
2. Generate a formal ticket detailing the specific system serial number, system diagnostics output logs, and an explicit breakdown of the error.
3. Await validation from a systems engineer, who will issue a designated Return Merchandise Authorization (RMA) ticket for tracking.

6. The Repair Process

Upon verifying the operational RMA status, the asset proceeds to internal repair operations:

- Certified diagnostic technicians will benchmark the hardware to isolate the fault.
- Defective structural parts will be serviced or swapped out using either completely new components or certified refurbished parts that perform equivalently to factory-new standards.
- Hardware undergo rigorous hardware loop testing prior to distribution release to confirm full restoration.

7. Replacement Policy

A full system or component replacement framework applies under distinct bounds:

If the diagnostic engineers determine the internal system component is fundamentally unfixable, or if the necessary factory parts are no longer in active production, TechNova Solutions will provide an identical system or an alternative system of comparable processing performance.

The remaining balance of the initial warranty window transfers onto the replaced unit; the replacement process does not trigger a brand-new warranty lifecycle.

8. Warranty Void Conditions

This coverage agreement becomes completely null and void if any of the following parameters are identified during technical triage:

- The internal factory tamper-evident sticker or unique component serial tracking arrays have been stripped, altered, or defaced.
- Unauthorized technical modifications, hardware component substitutions, or internal service adjustments have been attempted by non-certified technicians.
- Deployment of incompatible firmware patches or non-authorized low-level software architectures that cause permanent physical circuit overload.

9. Customer Support Channels

For continuing technical queries, claim status monitoring, or systemic asset guidance, reach our technical desk via the following designated avenues:

- **Enterprise Ticketing Hub:** support.technova.solutions
- **Corporate Operations Email:** hardware.support@technova.solutions
- **Standard Availability:** Monday through Friday, 09:00 - 18:00 (Standard Business Hours)