LAB MANUAL

Programming Fundamentals Labs

LAB-03

NAME	Noor Asma
SECTION	BSCS (D)
ROLL NO	48
SUBMITTED TO	Sir Asad Majeeb
DATE	13-10-2026

1 **Task 1** — Variables and user input (age, pay, section) — Page 3

2 **Task 2** — Arithmetic expressions and operator precedence — Page 4

3 **Task 3** — Weight calculation (int, float, double) — Page 5

4 **Task 4** — Type conversion: float to int — Page 6


5 **Task 5** — Type casting with static_cast — Page 7

6 **Task 6** — Math Tutor using random numbers — Page 8

H **Home Task 1** — Sum of two numbers (user input) — Page 9

H **Home Task 2** — Sum and average of five numbers — Page 10

HANDWRITTEN




PROGRAM CODE

```cpp
#include <iostream>
using namespace std;
int main(){
    int age;
    double pay;
    char section;
    cout<<"Enter age, pay, section: ";
    cin>>age>>pay>>section;
    cout<<"Age: "<<age<<endl;
    cout<<"Pay: "<<pay<<endl;
    cout<<"Section: "<<section;
    return 0;
}
```

OUTPUT

```
Enter age, pay, section:
```

HANDWRITTEN



PROGRAM CODE

```cpp
#include <iostream>
using namespace std;

int main()
{
    cout << "1. " << 28 / 4 - 2 << endl;
    cout << "2. " << 6 + 12 * 2 - 8 << endl;
    cout << "3. " << 4 + 8 * 2 << endl;
    cout << "4. " << 6 + 17 % 3 - 2 << endl;
    cout << "5. " << 2 + 22 * (9 - 7) << endl;
    cout << "6. " << (8 + 7) * 2 << endl;
    cout << "7. " << (16 + 7) % 2 - 1 << endl;
    cout << "8. " << 12 / (10 - 6) << endl;
    cout << "9. " << (19 - 3) * (2 + 2) / 4 << endl;


    return 0;
}
```

OUTPUT

```
1. 5
2. 22
3. 20
4. 6
5. 46
6. 30
7. 0
8. 3
9. 16

[Program finished]
```

HANDWRITTEN



PROGRAM CODE

```cpp
#include <iostream>
using namespace std;

int main()
{
    int units = 5;
    float mass = 2.5;
    double weight;

    weight = mass * units;

    cout << "Weight = " << weight << endl;


    return 0;
}
```

OUTPUT

```
Weight = 12.5

[Program finished]
```

HANDWRITTEN



PROGRAM CODE


```cpp
#include <iostream>
using namespace std;
int main(){
    int a,b=2;
    float c= 4.2;
    a=b*c;
    cout<<"b*c="<<b*c<<endl;
    cout<<"a="<<a<<endl;
    return 0;
}
```

OUTPUT

```
b*c=8.4
a=8

[Program finished]
```

HANDWRITTEN



PROGRAM CODE

```cpp
#include <iostream>
using namespace std;

int main()
{
    int qty = 7;
    int salesReps = 2;
    double unitsEach;

    unitsEach = static_cast<double>(qty) / salesReps;

    cout << "Units each = " << unitsEach << endl;


    return 0;
}
```

OUTPUT


```
Units each = 3.5

[Program finished]
```

HANDWRITTEN



HANDWRITTEN (CONTINUED)



PROGRAM CODE

```cpp
#include <iostream>
#include <cstdlib>
using namespace std;
int main()
{
    srand(time(0));
    int num1 = rand() % 900 + 100;
    int num2 = rand() % 900 + 100;


    cout << "  " << num1 << endl;
    cout << "+ " << num2 << endl;
    cout << "-----" << endl;
    cout << "Press Enter to see the answer...
";
    cin.get();

    cout << "  " <<num1+num2;
    return 0;
}
```

OUTPUT

```
  975
+ 773
-----
Press Enter to see the answer...
```

HANDWRITTEN



PROGRAM CODE

```cpp
#include <iostream>
using namespace std;

int main()
{
   double number1, number2, sum;

   cout << "Enter a number: ";
   cin >> number1;

   cout << "Enter another number: ";
   cin >> number2;

   sum = number1 + number2;


   cout << "The sum of the two numbers is " << sum << endl;

   return 0;
}
```

OUTPUT

```
Enter a number:
```

HANDWRITTEN



PROGRAM CODE

```cpp
#include <iostream>
using namespace std;

int main()
{
    int num1 = 28;
    int num2 = 32;
    int num3 = 37;
    int num4 = 24;
    int num5 = 33;

    int sum;
    double average;

    sum = num1 + num2 + num3 + num4 + num5;

    average = sum / 5.0;

    cout << "Sum = " << sum << endl;
    cout << "Average = " << average << endl;

    return 0;
}
```

OUTPUT

```
Sum = 154
Average = 30.8

[Program finished]
```