

```
import pandas as pd
import numpy as np
```

```
df=pd.read_csv("heart.csv")
df.head()
```

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak
0	52	1	0	125	212	0	1	168	0	1.0
1	53	1	0	140	203	1	0	155	1	3.1
2	70	1	0	145	174	0	1	125	1	2.6
3	61	1	0	148	203	0	1	161	0	0.0
4	62	0	0	138	294	1	1	106	0	1.9

	ca	thal	target
0	2	3	0
1	0	3	0
2	0	3	0
3	1	3	0
4	3	2	0

```
df.describe
```

	age	sex	cp	trestbps	chol
0	52	1	0	125	212
1	53	1	0	140	203
2	70	1	0	145	174
3	61	1	0	148	203
4	62	0	0	138	294
...	...	...	...	...	...
1020	59	1	1	140	221
1021	60	1	0	125	258
1022	47	1	0	110	275
1023	50	0	0	110	254
1024	54	1	0	120	188

1.4

	slope	ca	thal	target
0	2	2	3	0
1	0	0	3	0
2	0	0	3	0
3	2	1	3	0
4	1	3	2	0
...	...	...	...	...
1020	2	0	2	1
1021	1	1	3	0
1022	1	1	2	0
1023	2	0	2	1
1024	1	1	3	0

[1025 rows x 14 columns]>

df.isnull().sum()


age 0  
sex 0  
cp 0  
trestbps 0  
chol 0  
fbs 0  
restecg 0  
thalach 0  
exang 0  
oldpeak 0  
slope 0  
ca 0  
thal 0  
target 0  
dtype: int64

df.shape

(1025, 14)

```
from matplotlib import pyplot as plt
xlabel="age"
ylabel="target"
plt.scatter(df.target,df.chol)
```

<matplotlib.collections.PathCollection at 0xd4d3f70>



```
X=df.drop("target", axis=1)
Y=df["target"]

from sklearn.model_selection import train_test_split
x_train, x_test, y_train, y_test = train_test_split(X,Y,
test_size=0.2)

from sklearn.linear_model import LinearRegression
model=LinearRegression()
model.fit(x_train, y_train)

LinearRegression()

model.score(x_test, y_test)

0.4670018345343029
```