
v01




# How I name and file every version of a cut

Nothing to install. Steal all of it.

VERSIONUP

Pr

v02

✕ v1, v2 ... v10

- Edit_v1
- Edit_v10 ?
- Edit_v11
- Edit_v2
- Edit_v3
- Edit_v4

✓ v01, v02 ... v10

- Edit_v01
- Edit_v02
- Edit_v03
- Edit_v04
- Edit_v10
- Edit_v11 latest

# Pad the number.

Otherwise something, somewhere, will sort v10 above v2 and lie to you about what's newest.

VERSIONUP

Pr

v03




# A version replaces.
# An alternative sits beside.

Two different things. Give them two different names.

VERSIONUP

Pr

v04





# Major numbers mark a new round of amends.

Trims are v04, v05, v06. The client’s next round of amends is v2.0.

VERSIONUP

Pr

v05





# The version number goes at the end.

Anything after the number is where the mistakes hide.

VERSIONUP

Pr

v 0 6




# One bin for old versions.

Named the same way on every job you ever do.

VERSIONUP

Pr

v07




# Never delete a version on the day you make it.

Delete on the day you deliver.

VERSIONUP

Pr

v08

23:04

Thursday

**Producer** now

Quick one, can we see the version from Tuesday?

The one before the changes


# The person who needs the version from Tuesday is you, at 11pm.

That's why any of this matters.

VERSIONUP

Pr

v09




# That's the whole system.

I got tired of doing it by hand, so I built a panel that does it for me.

nkcourses.co.uk/versionup

VERSIONUP

Pr