Components and states

Annotations:

Summary -
A global flow rule will always exist. The rule will have its permission set to Allow or Deny. The user cannot create or delete a global flow rule. The user can edit a global flow rule in the 'Action' column from the overflow menu and clicking Allow or Deny flow.

Global rule table annotations -
- Title of the table includes a header and subheader
- The table includes a header with 9 columns with the title of the each as indicated.
  - Column 1 is the Rule order
  - Column 2 is the Permission
  - Column 3 is the Device or device group
  - Column 4 is the IP address
  - Column 5 is the Interface or object groups
  - Column 6 is Direction
  - Column 7 is the Agent
  - Column 8 is the Reapply rule
  - Column 9 is the Action column
- The table includes a single row also with 9 columns.
  - Column 1 contains a default tag in read-only state.
  - Column 2 may indicate either a Deny or Allow tag (depending on which permission the user selects)
  - Column 3 indicates All devices
  - Column 4 indicates All IPs in primary text, with IPv4 and IPv6 in secondary text
  - Column 5 indicates All interfaces
  - Column 6 indicates All directions
  - Column 7 contains SevOne SaaS agent
  - Column 8 is set to No
  - Column 9 contains an overflow menu that allows the user to edit the permission of the rule from Allow to Deny or vice versa.



Global rules
Rules that apply to all existing and future flow devices and interfaces found during discovery.

Rule order	Permission	Device/devic...	IP address	Interface/obj...	Direction	Agent	Reapply rule	Actions
Default	Allow	All devices	All IPs IPv4 and IPv6	All interfaces	All directions	SevOne SaaS agent	No	⋮



Global rules
Rules that apply to all existing and future flow devices and interfaces found during discovery.

Rule order	Permission	Device/devic...	IP address	Interface/obj...	Direction	Agent	Reapply rule	Actions
Default	Allow	All devices	All IPs IPv4 and IPv6	All interfaces	All directions	SevOne SaaS agent	No	⋮



Global rules
Rules that apply to all existing and future flow devices and interfaces found during discovery.

Rule order	Permission	Device/devic...	IP address	Interface/obj...	Direction	Agent	Reapply rule	Actions
Default	Deny	All devices	All IPs IPv4 and IPv6	All interfaces	All directions	SevOne SaaS agent	No	⋮



Global rules
Rules that apply to all existing and future flow devices and interfaces found during discovery.

Rule order	Permission	Device/devic...	IP address	Interface/obj...	Direction	Agent	Reapply rule	Actions
Default	Deny	All devices	All IPs IPv4 and IPv6	All interfaces	All directions	SevOne SaaS agent	No	⋮

Annotations:

Summary -
For a first time user, the manual permissions will be in an empty state as indicated.

Manual permission empty state annotations -
- The top contains a Title, including a header and subheader
- The body contains:
  - An empty state illustration
  - Title text indicating that there are no permissions
  - Subtitle text telling the user how to proceed to add a permission
  - Primary action button prompting the user to add permission.



Manual permissions
Permissions explicitly set to override global rules.

No manual permissions added
To override a global rule for an interface, add a permission.

Annotations:

Summary -
After a user has added one or more permissions, the section will be populated with a data table as indicated. The table will include pagination as indicated at the foot of the table.

Manual permission (has data) annotations -
- The top contains a Title, including a header and subheader
- Next, there is a toolbar section containing a search bar, filter menu, and primary action button
- The table contains a header with 7 columns:
  - Column 1 is a selectable checkbox
  - Column 2 is Interface name
  - Column 3 is the Device associated with the interface
  - Column 4 is number of Flows per second
  - Column 5 is the Agent
  - Column 6 is Last modified
  - Column 7 is the Action column
- Each row in the body of the table represents information on a single interface. Each row also has 7 columns:
  - Column 1 contains a selectable checkbox that the user can click on to select an entire row on the table
  - Column 2 indicates the name of the interface
  - Column 3 indicates the device associated with the interface. The device name is in primary text and the device status is in secondary text. Device status may be Active, Inactive, Partial Error, Full Error.
  - Column 4 indicates the number of flows per second (abbreviated to 'fps'). The fps is indicated as a number in primary text. The secondary text indicates whether the 'fps' is normal, above normal, or below normal.
  - Column 5 is the agent which will be SevOne SaaS agent
  - Column 6 indicated the date and time when the interface was last modified
  - Column 7 is the Action column and will remain empty in the enabled state. (On hover, this column will show a trash icon that allows the user to delete the permission)



Manual permissions
Permissions explicitly set to override existing global rules.

☐	Interface	Device	Flows per second	Agent	Last modified	Action
☐	sim-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	2 hours ago	
☐	dal-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	4 hours ago	

Items per page: 10 | 1–2 of 2 items | 1 of 1 pages



Manual permissions
Permissions explicitly set to override existing global rules.

☐	Interface	Device	Flows per second	Agent	Last modified	Action
☐	sim-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	2 hours ago	
☐	dal-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	4 hours ago	

Items per page: 10 | 1–2 of 2 items | 1 of 1 pages

Annotations:

Summary -
After a user has added one or more permissions, the section will be populated with a data table as indicated. The top level of the row contains information on the Interface. When expanded, additional information on each direction of the interface will be indicated. The table will include pagination as indicated at the foot of the table.

Manual permission (has data, expanded row) annotations -
- The top contains a Title, including a header and subheader
- Next, there is a toolbar section containing a search bar, filter menu, and primary action button
- Each row represents an interface. When expanded, additional information on each direction of the interface will be indicated in a Structured List.
- In the structured list, there are four column headers:
  - Column 1 is the Direction
  - Column 2 is Permission
  - Column 3 is the number of Flows per second
  - Column 4 is the Action column
- In the body of the structured list, there are also four columns:
  - Column 1 will indicate Incoming, Outgoing, or Undirected
  - Column 2 will contain an Allow tag, Deny tag, or Unspecified
  - Column 3 will show the number of flows per second (abbreviated as 'fps' and indicates the flow rate for a specific direction)
  - Column 4 will contain an overflow menu with options to change the permission of a specific direction (either Allow or Deny), or delete a permission.



Manual permissions
Permissions explicitly set to override existing global rules.

☐	Interface	Device	Flows per second	Agent	Last modified	Action
☐	sim-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	2 hours ago	
☐	dal-01	CHI-FW-01 Active	1.1 fps Normal		1 day ago	

Direction	Permission	Flows per sec	Action
Incoming	Deny	1.1 fps	⋮
Outgoing	Deny	1.1 fps	⋮
Undirected	Unspecified	0 fps	⋮

Items per page: 10 | 1–2 of 2 items | 1 of 1 pages



Manual permissions
Permissions explicitly set to override existing global rules.

☐	Interface	Device	Flows per second	Agent	Last modified	Action
☐	sim-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	2 hours ago	
☐	dal-01	CHI-FW-01 Active	1.1 fps Normal		1 day ago	

Direction	Permission	Flows per sec	Action
Incoming	Deny	1.1 fps	⋮
Outgoing	Deny	1.1 fps	⋮
Undirected	Unspecified	0 fps	

Items per page: 10 | 1–2 of 2 items | 1 of 1 pages

Annotations:

Summary -
Manual permissions section showing maximum number of rows per page. Pagination indicates max of 10 rows per page. Additional items will cascade to the next page.

Pagination-
- First section, items per page, indicates number of rows currently in view (max of 10)
- Next item indicates the number of rows in view and the total number of rows (1-10 of 12 items). That is, there are 10 rows in view with a total of 12 rows
- Next section indicates the numbered page currently in view and the total number of pages (1 of 2 pages means currently viewing page 1 out of 2 total pages.



Manual permissions
Permissions explicitly set to override existing global rules.

☐	Interface	Device	Flows per second	Agent	Last modified	Action
☐	sim-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	2 hours ago	
☐	dal-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	4 hours ago	
☐	gio-55	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	12 hours ago	
☐	sim-01	NYC-FW-01 Active	1.1 fps Normal	SevOne SaaS	3 days ago	
☐	dal-01	NYC-FW-01 Active	1.1 fps Normal	SevOne SaaS	3 days ago	
☐	gio-55	LON-FW-01 Active	1.1 fps Normal	SevOne SaaS	5 days ago	
☐	sim-01	SFO-FW-01 Active	1.1 fps Normal	SevOne SaaS	June 4, 2025, 3:07 PM	
☐	dal-01	SFO-FW-01 Active	1.1 fps Normal	SevOne SaaS	Aug 11, 2025, 6:02 AM	
☐	gio-55	DAL-FW-01 Active	1.1 fps Normal	SevOne SaaS	Sept 12, 2025, 9:22 AM	
☐	pol-05	DAL-FW-01 Active	1.1 fps Normal	SevOne SaaS	Sept 21, 2025, 1:48 PM	

Items per page: 10 | 1–10 of 12 items | 1 of 2 pages



Manual permissions
Permissions explicitly set to override existing global rules.

☐	Interface	Device	Flows per second	Agent	Last modified	Action
☐	nom-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	Nov 1, 2025, 1:48 PM	
☐	oxo-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	Dec 1, 2025, 3:22 PM	

Items per page: 2 | 11–12 of 12 items | 2 of 2 pages

Annotations:

Summary -
Manual permissions data table allows for batch actions. Here, the user can select one or more interfaces by clicking on the checkbox in a row. Once selected, the batch action toolbar (in blue) appears at the top of the table.

Batch action data table annotations -
- The top contains a Title, including a header and subheader
- Next, the batch action toolbar (in blue) appears when one or more rows are selected by clicking the checkbox in Column 1. The toolbar includes:
  - On the far left, the number of items selected (i.e. if 3 rows are selected, the toolbar will indicate as such)
  - On the far right, there are two actions (Delete, Cancel).
  - The Delete button allows the user to delete the interface permissions selected
  - The Cancel button deselects all items selected and returns the table to its enabled state.
- The user can select a row by clicking on the checkbox in Column 1 of that row. When selected, the checkbox will be filled and the row will be highlighted.
- The user can select all rows by clicking the checkbox in Column 1 of the table header.
- When one or more rows are selected, the checkbox in Column 1 of the table header will be filled with a (-) icon. The user can deselect all selected rows by clicking on the (-) icon.



Manual permissions
Permissions explicitly set to override existing global rules.

3 items selected | Delete | Cancel

☑	Interface	Device	Flows per second	Agent	Last modified	Action
☑	sim-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	2 hours ago	
☑	dal-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	1 day ago	
☑	gio-55	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	4 days ago	
☐	pol-05	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	Sept 21, 2025, 1:48 PM	

Items per page: 4 | 1–4 of 4 items | 1 of 1 pages

Annotations:

Summary -
Manual permissions data table contains a toolbar with a search, filter, and primary action button. In the filter menu, the user can apply filters to the data table by selecting certain parameters.

Data table filter annotations -
- The top contains a Title, including a header and subheader
- Next, there is a toolbar section containing a search bar, filter menu, and primary action button
- When the user clicks the filter, it opens a menu containing three (3) parameters that the data table can be filtered by.
- The data table can be filter by
  - Direction (Incoming, Outgoing, Undirected)
  - Permission (Allow, Deny, Unspecified)
  - Device status (Active, Inactive, Partial error, Full error)
- Each filter parameter contains a label and checkbox. By clicking the checkbox, the user selects a parameter. The user can select more than one parameter.
- At the foot of the filter menu, the user will click Apply to apply the selected filters to the data table. The Cancel button allows the user to cancel all filter selections and return to the enabled state.



Manual permissions
Permissions explicitly set to override global rules.

Filter

Direction
☐ Incoming
☐ Outgoing
☐ Undirected

Permission
☐ Allow
☐ Deny
☐ Unspecified

Device status
☐ Active
☐ Inactive
☐ Partial error
☐ Full error

Cancel | Apply

Annotations:

Summary -
Manual permissions data table contains a toolbar with a search, filter, and primary action button. In the filter menu, the user can apply filters to the data table by selecting certain parameters.

Data table filters applied annotations -
- The top contains a Title, including a header and subheader
- Next, there is a toolbar section containing a search bar, filter menu, and primary action button
- When the user has applied filter, that information will be displayed to them under the toolbar. The Applied filter contains a label, tags, and a button to clear all filters.
- The label reads 'Filters applied' to tell the user which filters are being applied to the data table.
- The tags show the type of filter and the selection (Device status: Active), meaning the user has filtered for interfaces with active devices. The 'x' inside the tag allows the user to remove that specific filter.
- The Clear all button allows the user to remove all filters applied, which will return the table to its enabled state.
- When a filter is applied, the body of the table will return results that match the filter selected. In this case, the table is returning interfaces with active devices.



Manual permissions
Permissions explicitly set to override existing global rules.

Filters applied: Device status: Active | Clear all

☐	Interface	Device	Flows per second	Agent	Last modified	Action
☐	sim-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	2 hours ago	
☐	dal-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	1 day ago	
☐	gio-55	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	4 days ago	
☐	pol-05	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	Sept 21, 2025, 1:48 PM	

Items per page: 4 | 1–4 of 4 items | 1 of 1 pages

Annotations:

Summary -
Manual permissions data table contains a toolbar with a search, filter, and primary action button. In the filter menu, the user can apply filters to the data table by selecting certain parameters.

Data table filters applied annotations -
- The top contains a Title, including a header and subheader
- Next, there is a toolbar section containing a search bar, filter menu, and primary action button
- When the user has applied filter, that information will be displayed to them under the toolbar. The Applied filter contains a label, tags, and a button to clear all filters.
- The label reads 'Filters applied' to tell the user which filters are being applied to the data table.
- The tags show the type of filter and the selection. In this case, the user has selected multiple filters (Device: Incoming, Permission: Allow, Device status: Inactive). The 'x' inside each of the three tags allows the user to remove each filter separately.
- The Clear all button allows the user to remove all filters applied, which will return the table to its enabled state.
- When a filter is applied, the body of the table will return results that match the filter selected. In this case, the table is returning incoming interfaces set to allow that have inactive devices.
- When there are no interfaces that match the filters applied, the table will return a No results empty state.
- The No results empty state contains an empty state illustration, a title, and subtitle
  - The title reads No results found
  - The subtitle prompts the user to try again



Manual permissions
Permissions explicitly set to override existing global roles.

Filters applied: Direction: Incoming | Permission: Allow | Device status: Inactive | Clear all

☐	Interface	Device	Flows per second	Agent	Last modified	Action

No results found
Try searching another interface or device

Items per page: 0 | 0–0 of 0 items | 1 of 1 pages

Annotations:

Summary -
Manual permissions data table contains a toolbar with a search, filter, and primary action button. In the search bar, the user can type and search the data table by interface name or device name.

Search bar annotations -
- The top contains a Title, including a header and subheader
- Next, there is a toolbar section containing a search bar, filter menu, and primary action button
- In the enabled state, the search bar contains placeholder text prompting the user to search interfaces
- When the user clicks into the search bar, it goes into a focus state and the border is highlighted in white.
- When the user begins to type the table returns results based on the item searched on
- If there are no matches to what the user enters in the search field, the table returns a No results empty state.
- The No results empty state contains an empty state illustration, a title, and subtitle
  - The title reads No results found
  - The subtitle prompts the user to try again



Manual permissions
Permissions explicitly set to override existing global rule.

☐	Interface	Device	Flows per second	Agent	Last modified	Action
☐	sim-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	2 hours ago	
☐	dal-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	1 day ago	
☐	gio-55	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	4 days ago	
☐	pol-05	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	Sept 21, 2025, 1:48 PM	

Items per page: 4 | 1–4 of 4 items | 1 of 1 pages



Manual permissions
Permissions explicitly set to override existing global roles.

sim

☐	Interface	Device	Flows per second	Agent	Last modified	Action
☐	sim-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	2 hours ago	

Items per page: 1 | 1–1 of 1 items | 1 of 1 pages



Manual permissions
Permissions explicitly set to override existing global roles.

xfo

☐	Interface	Device	Flows per second	Agent	Last modified	Action

No results found
Try searching another interface or device

Items per page: 2 | 1–2 of 2 items | 1 of 1 pages

Annotations:

Summary -
The data table column headers are sortable. When a user clicks on a header, that table is sorted by that column in ascending and descending order.

Sort column annotations -
- The top contains a Title, including a header and subheader
- Next, there is a toolbar section containing a search bar, filter menu, and primary action button
- The data table contains 5 columns that are sortable:
  - Interface
  - Device
  - Flows per second
  - Agent
  - Last modified
- For the Interface, Device, Flows per second, and Agent columns, they are sortable in alphabetical order in both ascending and descending order
- For any column that contains both primary and secondary text in its body, the column is sortable by only the primary text. For instance, in the Device column, the column is sortable by the device name (CHI-FW-01) but not the device status (Active).
- For the Last modified column, the dates are sorted by most recent and least recent.
- To sort, the user will click on the header and the results will be displayed to them.



Manual permissions
Permissions explicitly set to override existing global rule.

☐	Interface	Device	Flows per second	Agent	Last modified	Action
☐	sim-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	2 hours ago	
☐	dal-01	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	1 day ago	
☐	gio-55	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	4 days ago	
☐	pol-05	CHI-FW-01 Active	1.1 fps Normal	SevOne SaaS	Sept 21, 2025, 1:48 PM	

Items per page: 4 | 1–4 of 4 items | 1 of 1 pages

Annotations:

Summary -
Add permission tearsheet is displayed when the user clicks on the Add permission action button in the manual permission table. The tearsheet contains a list of interfaces that have not yet been added to the permissions table.

Add permission tearsheet annotations -
- The top contains a Title, including a header and subheader
- The body of the tearsheet is divided into a left and right panel.
- In the left panel:
  - There is a search bar and filter at the top.
  - Next, the number of interfaces and directions are indicated by name and tag
  - In the main content area, interfaces are listed in rows. Each row contains a selectable checkbox, the name of the interface (with the associated device and direction as secondary text), and a toggle for permission that can be toggled to Allow or Deny.
  - The main content area is scrollable.
- In the right panel:
  - There is a header showing the number of selected items
  - When there are no selections on the left panel, the main content area displays an empty state
  - The empty state contains an illustration, a title and description
    - The title reads No selected items
    - The description prompts the user on how to make a selection
  - The main content area is scrollable.
- In the footer, there is a Cancel and Add button. The Cancel button cancels all selections and closes the tearsheet. The Add button remains disabled until a selection is made in the left panel by clicking a checkbox. When selections have been made, the Add button becomes enabled and the user can click the button to complete the task.



Add permission
Select interfaces by clicking the checkbox

Find interfaces
Interfaces 4 | Directions 8

- ☐ sim-01 — Device: NYC-FW-01 — Incoming — Allow
- ☐ sim-01 — Device: NYC-FW-01 — Outgoing — Allow
- ☐ dal-01 — Device: NYC-FW-01 — Incoming — Allow
- ☐ dal-01 — Device: NYC-FW-01 — Outgoing — Allow
- ☐ gio-55 — Device: NYC-FW-01 — Incoming — Allow
- ☐ gio-55 — Device: NYC-FW-01 — Outgoing — Allow
- ☐ pol-05 — Device: NYC-FW-01 — Incoming — Allow
- ☐ pol-05 — Device: NYC-FW-01 — Outgoing — Allow

Selected items 0
No selected items
To select an interface, click on the checkbox

Cancel | Add

Annotations:

Summary -
Add permission tearsheet is displayed when the user clicks on the Add permission action button in the manual permission table. The tearsheet contains a list of interfaces that have not yet been added to the permissions table.

Add permission tearsheet (selected) annotations -
- In the left panel, the main content area lists interfaces that have not yet been added to the permissions table.
- Each row contains a selectable checkbox, the name of the interface (with the associated device and direction as secondary text), and a toggle for permission that can be toggled to Allow or Deny.
- When the checkbox on a row is clicked, the interface is selected
- The main content area is scrollable and the user can scroll up and down.
- When a selection is made, the information is displayed in the right panel. Deselecting the checkbox will remove it from the right panel.
- In the right panel:
  - The header updates to show the number of selected items, when a checkbox is selected or deselected.
  - In the main content area, the interfaces selected are displayed with the interface name, the associated device, the direction, and permission. The permission is updated as the user toggles on and off in the left panel.
- In the footer, when selections have been made, the Add button becomes enabled and the user can click the button to complete the task.



Add permission
Select interfaces to add a permission

Find interfaces
Interfaces 4 | Directions 8

- ☐ sim-01 — Device: NYC-FW-01 — Incoming — Allow
- ☑ sim-01 — Device: NYC-FW-01 — Outgoing — Deny
- ☐ dal-01 — Device: NYC-FW-01 — Incoming — Allow
- ☑ dal-01 — Device: NYC-FW-01 — Outgoing — Deny
- ☐ gio-55 — Device: NYC-FW-01 — Incoming — Allow
- ☐ gio-55 — Device: NYC-FW-01 — Outgoing — Allow
- ☐ pol-05 — Device: NYC-FW-01 — Incoming — Allow
- ☐ pol-05 — Device: NYC-FW-01 — Outgoing — Allow

Selected items 2
sim-01
Device: NYC-FW-01
Outgoing, Deny
dal-01
Device: NYC-FW-01
Outgoing, Deny

Cancel | Add

Annotations:

Summary -
Add permission tearsheet is displayed when the user clicks on the Add permission action button in the manual permission table. The tearsheet contains a list of interfaces that have not yet been added to the permissions table.

Add permission tearsheet (filter open) annotations -
- The top contains a Title, including a header and subheader
- The body of the tearsheet is divided into a left and right panel.
- In the left panel, there is a search bar and filter at the top.
- When opened the filter menu displays content with a label (Direction) and checkboxes (Incoming, Outgoing, Undirected). The bottom of the menu includes a Cancel and Apply button.
- The filter allows the user to filter the list of interfaces in the panel by Direction.
- The user can multi-select which directions to filter the interfaces by. Once selected, the user clicks Apply to apply the filters to the list of interfaces.



Add permission
Select interfaces to add a permission

Filter
Direction
☐ Incoming
☐ Outgoing
☐ Undirected
Cancel | Apply

Selected items 0
No selected items
To select an interface, click on the checkbox

Annotations:

Summary -
Add permission tearsheet is displayed when the user clicks on the Add permission action button in the manual permission table. The tearsheet contains a list of interfaces that have not yet been added to the permissions table.

Add permission tearsheet (filter open) annotations -
- The top contains a Title, including a header and subheader
- The body of the tearsheet is divided into a left and right panel.
- In the left panel, there is a search bar and filter at the top.
- When filters have been applied, the information is displayed under the search bar. The tag shows the filter direction that is being applied with an 'x' to remove the filter. The Clear all button also will remove the filter when clicked on.
- In the main content area of the left panel, the list returns a result based on the filter applied. In this case, the results are returning interfaces with only Incoming direction.
- The number of interfaces and directions are updated to reflect the results returned.



Add permission
Select interfaces to add a permission

Find interfaces
Direction: Incoming | Clear all
Interfaces 4 | Directions 4

- ☐ sim-01 — Device: NYC-FW-01 — Incoming — Allow
- ☐ dal-01 — Device: NYC-FW-01 — Incoming — Allow
- ☐ gio-55 — Device: NYC-FW-01 — Incoming — Allow
- ☐ pol-05 — Device: NYC-FW-01 — Incoming — Allow

Selected items 0
No selected items
To select an interface, click on the checkbox

Cancel | Add

Annotations:

Summary -
Add permission tearsheet is displayed when the user clicks on the Add permission action button in the manual permission table. The tearsheet contains a list of interfaces that have not yet been added to the permissions table.

Add permission tearsheet (filter open) annotations -
- The top contains a Title, including a header and subheader
- The body of the tearsheet is divided into a left and right panel.
- In the left panel, there is a search bar and filter at the top.
- When filters have been applied, the information is displayed under the search bar. The tag shows the filter direction that is being applied with an 'x' to remove the filter. The Clear all button also will remove the filter when clicked on.
- In the main content area of the left panel, the list returns a result based on the filter applied. In this case, the results are returning interfaces that are Undirected.
- The number of interfaces and directions are updated to reflect the results returned.
- When no interfaces match the filters applied, a No results found is returned
- The No results found includes an empty state illustration, with a title and subtitle.



Add permission
Select interfaces to add a permission

Find interfaces
Direction: Undirected | Clear all
Interfaces 0 | Directions 0

No results found
Try searching another interface or device

Selected items 0
No selected items
To select an interface, click on the checkbox

Cancel | Add

Annotations:

Summary -
TBD

Navigation annotations -
- Words go here



Add permission
Select interfaces to add a permission

gio
Interfaces 1 | Directions 2

- ☐ gio-55 — Device: NYC-FW-01 — Incoming — Allow
- ☐ gio-55 — Device: NYC-FW-01 — Outgoing — Allow

Selected items 0
No selected items
To select an interface, click on the checkbox

Cancel | Add



Add permission
Select interfaces to add a permission

xfo
Interfaces 0 | Directions 0

No results found
Try searching another interface or device

Selected items 0
No selected items
To select an interface, click on the checkbox

Cancel | Add



Confirm delete permission
Deleting this permission will revert its settings to the global flow rule and remove it from this table.

Cancel | Delete



Success!
Global rule has been successfully changed.



Success!
A permission has been successfully deleted.



Permissions added
Two permissions have been successfully added.