

AJAX tests for CORS: server streaming Google Protocol Buffers and client servers on different domain sharing resources

chrome

[Mozilla/5.0 (Macintosh; Intel Mac OS X 10_6_8) AppleWebKit/535.7 (KHTML, like Gecko) Chrome/16.0.912.63 Safari/535.7]

```
(1), Completed. passing 8938messages
(1), # RECEIVED: last message=
(1), passed XMLHttpRequest + ArrayBuffer + TypedArray + (w/ delimiters) + utf8 + octet-stream
(2), Completed. passing 42messages
(2), # RECEIVED: last message=title: "YenWorVillageRestaurant" venueName: "YenWorVillageRestaurant" streetAddress: "23CaliforniaAveSW"
dateInDigits: "20111220" category: "liveMusic" geolocation { latitude: "47.58312" longitude: "-122.38644" } neighborhood: "Seattle"
contentProviderLink { url: "http://www.seattleweekly.com/search/index?keywords=Yen2BWor2BVillage2BRestaurant" cpName: "SeattleWeekly"
cpInitials: "SW" linkType: "information" }
(2), passed XMLHttpRequest + (w/ delimiters) + utf8 + octet-stream
(3), Completed. passing 42messages
(3), # RECEIVED: last message=title: "YenWorVillageRestaurant" venueName: "YenWorVillageRestaurant" streetAddress: "23CaliforniaAveSW"
dateInDigits: "20111220" category: "liveMusic" geolocation { latitude: "47.58312" longitude: "-122.38644" } neighborhood: "Seattle"
contentProviderLink { url: "http://www.seattleweekly.com/search/index?keywords=Yen2BWor2BVillage2BRestaurant" cpName: "SeattleWeekly"
cpInitials: "SW" linkType: "information" }
(3), passed XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream
```

safari

[Mozilla/5.0 (Macintosh; Intel Mac OS X 10_6_8) AppleWebKit/534.52.7 (KHTML, like Gecko) Version/5.1.2 Safari/534.52.7]

```
(1), Completed. passing 8938messages
(1), # RECEIVED: last message=
(1), passed XMLHttpRequest + ArrayBuffer + TypedArray + (w/ delimiters) + utf8 + octet-stream
(2), Completed. passing 42messages
(2), # RECEIVED: last message=title: "YenWorVillageRestaurant" venueName: "YenWorVillageRestaurant" streetAddress: "23CaliforniaAveSW" dateInDigits: "20111220" category: "liveMusic"
geolocation { latitude: "47.58312" longitude: "-122.38644" } neighborhood: "Seattle" contentProviderLink { url: "http://www.seattleweekly.com/search/index?keywords=Yen2BWor2BVillage2BRestaurant"
cpName: "SeattleWeekly" cpInitials: "SW" linkType: "information" }
(2), passed XMLHttpRequest + (w/ delimiters) + utf8 + octet-stream
(3), Completed. passing 42messages
(3), # RECEIVED: last message=title: "YenWorVillageRestaurant" venueName: "YenWorVillageRestaurant" streetAddress: "23CaliforniaAveSW" dateInDigits: "20111220" category: "liveMusic"
geolocation { latitude: "47.58312" longitude: "-122.38644" } neighborhood: "Seattle" contentProviderLink { url: "http://www.seattleweekly.com/search/index?keywords=Yen2BWor2BVillage2BRestaurant"
cpName: "SeattleWeekly" cpInitials: "SW" linkType: "information" }
(3), passed XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream
```

mozilla

[Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10.6; en-US; rv:1.9.2.24) Gecko/20111103 Firefox/3.6.24]

```
(1), failed XMLHttpRequest + ArrayBuffer + TypedArray + (w/ delimiters) + utf8 + octet-stream; ERROR:msgUint8Array cannot be undefined
(2), Completed. passing 42messages
(2), # RECEIVED: last message=title: "YenWorVillageRestaurant" venueName: "YenWorVillageRestaurant" streetAddress: "23CaliforniaAveSW" dateInDigits: "20111220"
category: "liveMusic" geolocation { latitude: "47.58312" longitude: "-122.38644" } neighborhood: "Seattle" contentProviderLink { url: "http://www.seattleweekly.com/search
/index?keywords=Yen2BWor2BVillage2BRestaurant" cpName: "SeattleWeekly" cpInitials: "SW" linkType: "information" }
(2), passed XMLHttpRequest + (w/ delimiters) + utf8 + octet-stream
(3), Completed. passing 42messages
(3), # RECEIVED: last message=title: "YenWorVillageRestaurant" venueName: "YenWorVillageRestaurant" streetAddress: "23CaliforniaAveSW" dateInDigits: "20111220"
category: "liveMusic" geolocation { latitude: "47.58312" longitude: "-122.38644" } neighborhood: "Seattle" contentProviderLink { url: "http://www.seattleweekly.com/search
/index?keywords=Yen2BWor2BVillage2BRestaurant" cpName: "SeattleWeekly" cpInitials: "SW" linkType: "information" }
(3), passed XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream
```


AJAX tests for CORS: server streaming Google Protocol Buffers and client servers on different domain sharing resources

IE6

[Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2; SV1; .NET CLR 1.1.4322)]

(2), msg length: 239 offset=8699

(2), Completed. passing 42messages

(2), # RECEIVED: last message=title: "YenWorVillageRestaurant" venueName: "YenWorVillageRestaurant" streetAddress: "23CaliforniaAveSW" dateInDigits:

"20111220" category: "liveMusic" geolocation { latitude: "47.58312" longitude: "-122.38644" } neighborhood: "Seattle" contentProviderLink { url:

"http://www.seattleweekly.com/search/index?keywords=Yen2BWor2BVillage2BRestaurant" cpName: "SeattleWeekly" cpInitials: "SW" linkType: "information" }

(2), **passed** ActiveXObjectRequest + (w/ delimiters) + octet-stream + utf8

uses vbscript

IE7

[Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.2; .NET CLR 1.1.4322)]

(2), msg length: 239 offset=8699

(2), Completed. passing 42messages

(2), # RECEIVED: last message=title: "YenWorVillageRestaurant" venueName: "YenWorVillageRestaurant" streetAddress: "23CaliforniaAveSW" dateInDigits:

"20111220" category: "liveMusic" geolocation { latitude: "47.58312" longitude: "-122.38644" } neighborhood: "Seattle" contentProviderLink { url:

"http://www.seattleweekly.com/search/index?keywords=Yen2BWor2BVillage2BRestaurant" cpName: "SeattleWeekly" cpInitials: "SW" linkType: "information" }

(2), **passed** ActiveXObjectRequest + (w/ delimiters) + octet-stream + utf8

uses vbscript

IE8

[Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.2; Trident/4.0; .NET CLR 1.1.4322)]

(2), msg length: 239 offset=8699

(2), Completed. passing 42messages

(2), # RECEIVED: last message=title: "YenWorVillageRestaurant" venueName: "YenWorVillageRestaurant" streetAddress: "23CaliforniaAveSW" dateInDigits:

"20111220" category: "liveMusic" geolocation { latitude: "47.58312" longitude: "-122.38644" } neighborhood: "Seattle" contentProviderLink { url:

"http://www.seattleweekly.com/search/index?keywords=Yen2BWor2BVillage2BRestaurant" cpName: "SeattleWeekly" cpInitials: "SW" linkType: "information" }

(2), **passed** ActiveXObjectRequest + (w/ delimiters) + octet-stream + utf8

uses vbscript

IE9

[Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)]

(1), have xdomainrequest

(1), about to send to url: http://seattle-events-server.appspot.com/pb/liveMusic/20111220?ct=text%2Fplain&ec=UTF-7

(1), sent request

(1), onprogress: 0

(1), response=Ë 88Keys88KeysDuelingPianoandSportBar 352ndAveS"20111220* liveMusic2 47.599525 -

(1), Completed. passing 42messages

(1), # RECEIVED: last message=title: "YenWorVillageRestaurant" venueName: "YenWorVillageRestaurant" streetAddress: "23CaliforniaAveSW"

dateInDigits: "20111220" category: "liveMusic" geolocation { latitude: "47.58312" longitude: "-122.38644" } neighborhood: "Seattle"

contentProviderLink { url: "http://www.seattleweekly.com/search/index?keywords=Yen2BWor2BVillage2BRestaurant" cpName: "SeattleWeekly"

cpInitials: "SW" linkType: "information" }

(1), **passed** XDomainRequest + (w/ delimiters) + utf7 + text

(2), **failed** ActiveXObjectRequest + (w/ delimiters) + octet-stream + utf8; **ERROR:Access is denied.**

AJAX tests for same domain server streaming Google Protocol Buffers and web site

chrome

[Mozilla/5.0 (Macintosh; Intel Mac OS X 10_6_8) AppleWebKit/535.7 (KHTML, like Gecko) Chrome/16.0.912.63 Safari/535.7]

```
(1), Completed. passing 2085messages
(1), # RECEIVED: last message=
(1), passed XMLHttpRequest + ArrayBuffer + TypedArray + (w/ delimiters) + utf8 + octet-stream
(2), Completed. passing 15messages
(2), # RECEIVED: last message=title: "title's14" venueName: "venue 14" streetAddress: "123 Street A" dateInDigits: "20111220" category:
"liveMusic" geolocation { latitude: "42.1234" longitude: "-122.1234" } neighborhood: "Seattle" contentProviderLink { url: "http://a.s.d.f/" cpName:
"cpn" cpInitials: "cpi" linkType: "information" }
(2), passed XMLHttpRequest + (w/ delimiters) + utf8 + octet-stream
(3), Completed. passing 15messages
(3), # RECEIVED: last message=title: "title's14" venueName: "venue 14" streetAddress: "123 Street A" dateInDigits: "20111220" category:
"liveMusic" geolocation { latitude: "42.1234" longitude: "-122.1234" } neighborhood: "Seattle" contentProviderLink { url: "http://a.s.d.f/" cpName:
"cpn" cpInitials: "cpi" linkType: "information" }
(3), passed XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream
```

safari

[Mozilla/5.0 (Macintosh; Intel Mac OS X 10_6_8) AppleWebKit/534.52.7 (KHTML, like Gecko) Version/5.1.2 Safari/534.52.7]

```
(1), Completed. passing 2085messages
(1), # RECEIVED: last message=
(1), passed XMLHttpRequest + ArrayBuffer + TypedArray + (w/ delimiters) + utf8 + octet-stream
(2), Completed. passing 15messages
(2), # RECEIVED: last message=title: "title's14" venueName: "venue 14" streetAddress: "123 Street A" dateInDigits: "20111220" category: "liveMusic" geolocation { latitude: "42.1234" longi:
122.1234" } neighborhood: "Seattle" contentProviderLink { url: "http://a.s.d.f/" cpName: "cpn" cpInitials: "cpi" linkType: "information" }
(2), passed XMLHttpRequest + (w/ delimiters) + utf8 + octet-stream
(3), Completed. passing 15messages
(3), # RECEIVED: last message=title: "title's14" venueName: "venue 14" streetAddress: "123 Street A" dateInDigits: "20111220" category: "liveMusic" geolocation { latitude: "42.1234" longi:
122.1234" } neighborhood: "Seattle" contentProviderLink { url: "http://a.s.d.f/" cpName: "cpn" cpInitials: "cpi" linkType: "information" }
(3), passed XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream
```

mozilla

[Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10.6; en-US; rv:1.9.2.24) Gecko/20111103 Firefox/3.6.24]

```
(1), failed XMLHttpRequest + ArrayBuffer + TypedArray + (w/ delimiters) + utf8 + octet-stream; ERROR:msgUint8Array cannot be undefined
(2), Completed. passing 15messages
(2), # RECEIVED: last message=title: "title's14" venueName: "venue 14" streetAddress: "123 Street A" dateInDigits: "20111220" category: "liveMusic" geolocation { latitude:
"42.1234" longitude: "-122.1234" } neighborhood: "Seattle" contentProviderLink { url: "http://a.s.d.f/" cpName: "cpn" cpInitials: "cpi" linkType: "information" }
(2), passed XMLHttpRequest + (w/ delimiters) + utf8 + octet-stream
(3), Completed. passing 15messages
(3), # RECEIVED: last message=title: "title's14" venueName: "venue 14" streetAddress: "123 Street A" dateInDigits: "20111220" category: "liveMusic" geolocation { latitude:
"42.1234" longitude: "-122.1234" } neighborhood: "Seattle" contentProviderLink { url: "http://a.s.d.f/" cpName: "cpn" cpInitials: "cpi" linkType: "information" }
(3), passed XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream
```


AJAX tests for same domain server streaming Google Protocol Buffers and web site

IE6

[Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.2; SV1; .NET CLR 1.1.4322)]

- (1), **failed** XMLHttpRequest + ArrayBuffer + TypedArray + (w/ delimiters) + utf8 + octet-stream; **ERROR:'XMLHttpRequest' is undefined**
- (2), **failed** XMLHttpRequest + (w/ delimiters) + utf8 + octet-stream; **ERROR:'XMLHttpRequest' is undefined**
- (3), **failed** XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream; **ERROR:'XMLHttpRequest' is undefined**
- (4), **failed** XMLHttpRequest + (w/ delimiters) + utf7 + text; **ERROR:Could not construct an XMLHttpRequest.**
- (5), msg length: 133 offset=1952
- (5), Completed. passing 15messages
- (5), # RECEIVED: last message=title: "title's14" venueName: "venue 14" streetAddress: "123 Street A" dateInDigits: "20111220" category: "liveMusic" geolocation { latitude: "42.1234" longitude: "-122.1234" } neighborhood: "Seattle" contentProviderLink { url: "http://a.s.d.f" cpName: "cpn" cpInitials: "cpi" linkType: "information" }
- (5), **passed** XMLHttpRequest + (w/ delimiters) + octet-stream + utf8

uses vbscript

IE7

[Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.2; .NET CLR 1.1.4322)]

- (1), **failed** XMLHttpRequest + ArrayBuffer + TypedArray + (w/ delimiters) + utf8 + octet-stream; **ERROR:could not construct XMLHttpRequest**
- (2), **failed** XMLHttpRequest + (w/ delimiters) + utf8 + octet-stream; **ERROR:could not construct XMLHttpRequest**
- (3), **failed** XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream; **ERROR:Could not construct an XMLHttpRequest.**
- (3), **failed** XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream; **ERROR:str cannot be undefined**
- (4), **failed** XMLHttpRequest + (w/ delimiters) + utf7 + text; **ERROR:Could not construct an XMLHttpRequest.**
- (5), msg length: 133 offset=1952
- (5), Completed. passing 15messages
- (5), # RECEIVED: last message=title: "title's14" venueName: "venue 14" streetAddress: "123 Street A" dateInDigits: "20111220" category: "liveMusic" geolocation { latitude: "42.1234" longitude: "-122.1234" } neighborhood: "Seattle" contentProviderLink { url: "http://a.s.d.f" cpName: "cpn" cpInitials: "cpi" linkType: "information" }
- (5), **passed** XMLHttpRequest + (w/ delimiters) + octet-stream + utf8

uses vbscript

IE8

[Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.2; Trident/4.0; .NET CLR 1.1.4322)]

- (1), **failed** XMLHttpRequest + ArrayBuffer + TypedArray + (w/ delimiters) + utf8 + octet-stream; **ERROR:could not construct XMLHttpRequest**
- (2), **failed** XMLHttpRequest + (w/ delimiters) + utf8 + octet-stream; **ERROR:could not construct XMLHttpRequest**
- (3), **failed** XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream; **ERROR:Could not construct an XMLHttpRequest.**
- (3), **failed** XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream; **ERROR:str cannot be undefined**
- (4), have xmlhttprequest
- (4), error: undefined Object doesn't support this action
- (4), **failed** XMLHttpRequest + (w/ delimiters) + utf7 + text; **ERROR:Object doesn't support this action**
- (5), Completed. passing 15messages
- (5), # RECEIVED: last message=title: "title's14" venueName: "venue 14" streetAddress: "123 Street A" dateInDigits: "20111220" category: "liveMusic" geolocation { latitude: "42.1234" longitude: "-122.1234" } neighborhood: "Seattle" contentProviderLink { url: "http://a.s.d.f" cpName: "cpn" cpInitials: "cpi" linkType: "information" }
- (5), **passed** XMLHttpRequest + (w/ delimiters) + octet-stream + utf8

uses vbscript

IE9

[Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)]

- (1), **failed** XMLHttpRequest + ArrayBuffer + TypedArray + (w/ delimiters) + utf8 + octet-stream; **ERROR:could not construct XMLHttpRequest**
- (2), **failed** XMLHttpRequest + (w/ delimiters) + utf8 + octet-stream; **ERROR:could not construct XMLHttpRequest**
- (3), **failed** XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream; **ERROR:Could not construct an XMLHttpRequest.**
- (3), **failed** XMLHttpRequest + synchronous + (no delimiters) + utf8 + octet-stream; **ERROR:str cannot be undefined**
- (4), have xmlhttprequest
- (5), Completed. passing 15messages
- (5), # RECEIVED: last message=title: "title's14" venueName: "venue 14" streetAddress: "123 Street A" dateInDigits: "20111220" category: "liveMusic" geolocation { latitude: "42.1234" longitude: "-122.1234" } neighborhood: "Seattle" contentProviderLink { url: "http://a.s.d.f" cpName: "cpn" cpInitials: "cpi" linkType: "information" }
- (5), **passed** XMLHttpRequest + (w/ delimiters) + octet-stream + utf8