



Trailhead



[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)



Add Styles and Data to a Lightning Web Component

Add Styles and Data to a Lightning Web Component

Learning Objectives

After completing this unit, you'll be able to:

- Use CSS and Lightning Design System with a component.
- Get data from a Salesforce org.
- Deploy your app to an org and test it.

Adapt Your Component

We've almost wrapped up our introduction to Lightning web components, but let's get a taste of how we can control a component's appearance and pull in live data. We can adapt the look and feel to the Lightning environment, and use live data in the org. In this unit, we liven up the appearance of some of the text and draw in a name dynamically from a record in your org.

Use the Bike Selector App files from the previous unit to complete this one.

CSS and Component Styling

The implementation of CSS for Lightning Web Components adheres to [the W3C standard \(https://www.w3.org/standards/webdesign/htmlcss\)](https://www.w3.org/standards/webdesign/htmlcss). You can create a style sheet in the CSS file, and it's automatically applied to the corresponding HTML file.

Lightning Web Components encapsulates components, keeping them separate from the global DOM. We do this through a mechanism called Shadow DOM. Shadow DOM is a common implementation that allows a component's elements to live in a “sub tree” of the DOM (learn more about Shadow DOM in the link provided in the Resources



Hi NELLURI, ask me about products, features, and pricing, or connect to a sale...





```
2 margin: 0;  
3 }  
4 .price{  
5   color: green;  
6   font-weight: bold;  
7 }
```

[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)


Add Styles and Data to a Lightning Web Component

Save and deploy your files.



You can right-click the **detail** folder to deploy only the new file and not wait for the entire project to deploy.

In your org, you might need to refresh the Bike Selector App page to see the changes in case it is cached. Then, when you select a bike, the price is green and bold.



Applying Lightning Design System Styles

Salesforce Lightning Design System (SLDS) is a CSS framework that provides a look and feel that's consistent with Lightning Experience. Lightning web components that live in Lightning Experience or in the Salesforce mobile application can use SLDS without any





```
1 <template>
2   <template lwc:if={product}>
3     <div class="container">
4       <div class="slds-text-heading_small">
5         {product.fields.Name.value}</div>
6       <div class="price">{product.fields.MSRP__c.displayValue}
7     </div>
8     <div class="description">
9       {product.fields.Description__c.value}</div>
10    <img class="product-img" src=
11    {product.fields.Picture_URL__c.value} alt=
12    {product.fields.Name.value}/>
13    <p>
14      <lightning-badge label=
15      {product.fields.Material__c.value}></lightning-badge>
16      <lightning-badge label={product.fields.Level__c.value}>
17    </lightning-badge>
18    </p>
19    <p>
20      <lightning-badge label=
21      {product.fields.Category__c.value}></lightning-badge>
22    </p>
23  </div>
24 </template>
25 </div>
26 </div>
27 </div>
28 </div>
29 </div>
30 </div>
31 </div>
32 </div>
33 </div>
34 </div>
35 </div>
36 </div>
37 </div>
38 </div>
39 </div>
40 </div>
41 </div>
42 </div>
43 </div>
44 </div>
45 </div>
46 </div>
47 </div>
48 </div>
49 </div>
50 </div>
51 </div>
52 </div>
53 </div>
54 </div>
55 </div>
56 </div>
57 </div>
58 </div>
59 </div>
60 </div>
61 </div>
62 </div>
63 </div>
64 </div>
65 </div>
66 </div>
67 </div>
68 </div>
69 </div>
70 </div>
71 </div>
72 </div>
73 </div>
74 </div>
75 </div>
76 </div>
77 </div>
78 </div>
79 </div>
80 </div>
81 </div>
82 </div>
83 </div>
84 </div>
85 </div>
86 </div>
87 </div>
88 </div>
89 </div>
90 </div>
91 </div>
92 </div>
93 </div>
94 </div>
95 </div>
96 </div>
97 </div>
98 </div>
99 </div>
100 </div>
```

Add Styles and Data to a Lightning Web Component

Save and deploy your files.

Now try the component in your org and see the difference (you'll need to refresh the page).





[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\).](#)

Add Styles and Data to a Lightning Web Component



Looks great! Now we have the look and feel ready to go. (We'll leave further markup changes and SLDS styling as an exercise for you after you finish this module. See **Mobile-Friendly Markup** for some ideas, and use this app for experiments!)

So far, we've been using static data pulled from the data component. Let's add one more shiny thing to our page... dynamic data.

Get Salesforce Data

This is a Salesforce app after all, and what you really want is to be able to pull dynamic data from a Salesforce org. Lightning web components use a reactive wire service, which is built on Lightning Data Service. We walk through an example of pulling a name into our app, dynamically.

The Wire Service Brings Data to Your App

The wire service is part of our platform and delivers a stream of data. The `@wire` [copy](#)  decorator, which we mentioned briefly before, implements the wire service for your app. To use the wire service, do the following.

1. Import a wire adapter in the JavaScript file.
2. Decorate a property or function with the `@wire` [copy](#)  decorator.

Here's the syntax.





data from the wire service. If a property is decorated with `@wire` `copy` , the results are returned to the property's data property or error property. If a function is decorated with `@wire` `copy` , the results are returned in an object with a `data` property and an `error` property.

Add Styles and Data to a Lightning Web Component

And here's how to add it to the `selector.js` file in the project we've been working on to pull the current user's name from your org.

```

1  import { LightningElement, wire } from 'lwc';
2  import { getRecord, getFieldValue } from
3  'lightning/uiRecordApi';
4  import Id from '@salesforce/user/Id';
5  import NAME_FIELD from '@salesforce/schema/User.Name';
6  const fields = [NAME_FIELD];
7  export default class Selector extends LightningElement {
8      selectedProductId;
9      handleProductSelected(evt) {
10         this.selectedProductId = evt.detail;
11     }
12     userId = Id;
13     @wire(getRecord, { recordId: '$userId', fields })
14     user;
15     get name() {
16         return getFieldValue(this.user.data, NAME_FIELD);
17     }
18 }

```



- Line 1 imports the `wire` `copy`  service from `lwc` `copy` .
- Line 2 imports the adapterId and adapter-modules for `getRecord` `copy`  and `getFieldValue` `copy`  from `lightning/uiRecordApi` `copy` .
- Line 3 imports the current User Id using the `@salesforce` `copy`  module.
- Line 4 imports the `@salesforce` `copy`  schema for `User.Name` `copy` .
- Line 12 uses the `@wire` `copy`  decorator to use the wire service to call `getRecord` `copy`  passing in the `userId` `copy`  and getting the `fields` `copy` .
- Line 13 sets `user` `copy`  as the receiver for the `@wire` `copy`  call.

You can try this out by also editing the `selector.html` file to include the name. For





```

5      <div class="columns">
6          <main class="main" >
7              <c-list onproductselected={handleProductSelected}></c-
8              list>
9          </main>
10         <aside class="sidebar-second">
11             <c-detail product-id={selectedProductId}></c-detail>
12         </aside>
13     </div>
14 </section>
15 </div>
</template>

```

[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](https://trailhead.salesforce.com/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)

Add Styles and Data to a Lightning Web Component

When you save and deploy the selector component files to your org (make sure that your deployment includes the selector files), you should see the following with your name instead of *Mary Jones*. You might need to refresh the page.

Available Bikes for Mary Jones

DYNAMO X1 	DYNAMO X2 	DYNAMO X3 
DYNAMO X4 	FUSE X1 	ELECTRA X1 
ELECTRA X2 	ELECTRA X3 	ELECTRA X4 

DYNAMO X1
\$7,800
 A durable e-bike with great looks.
 

Carbon
 Racer
 Mountain






app, or check it out in a [mobile preview](#)

(https://developer.salesforce.com/docs/atlas.en-us/mobile-components-basics/mobile-components-basics__mobile-preview-options.htm). Everything

Lightning Web Components Basics: mobile offline on mobile (preview options.htm). Everything
[trailmix, but it's on the 78 trailmix by salesforce-platform-developer](#).

Add Styles and Data to a Lightning Web Component



One of the benefits of using SLDS is that, with only a little effort, you get designs that look and work great on both desktop and mobile. We'd love to go into more detail, but this module already covers a lot of ground. See Resources at the end of this unit to learn more about additional tools and techniques for creating Lightning components that will





If you don't mind us “going meta,” this module is an example of the danger of not ~~Lightning Web Components Basics (/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)~~ didn't look good on mobile devices, we jumped at the chance to make some changes, because we thought it would be just a little bit of work. But even though the app's markup is **Add Styles and Data to a Lightning Web Component** clean and semantically well thought out, we've decided that retrofitting mobile onto it isn't the right thing to do. We want to rework not just the markup, but also the explanations of it, and the hands-on challenges. And, indeed, the very structure and flow of this module! It's more work now, because we didn't do a little work up front.

And, sometimes that's OK! Every technology system implementation involves trade-offs. You need to make the right trade-offs for your teams and projects. Keep this trade-off in mind for your projects. Forewarned is forearmed.

Conclusion

This is only the beginning, and you can do a lot with the Lightning Web Components model. The model includes support for testing, security, Apex integration and more. Keep exploring, try new things, keep building. As the W3C web components standard evolves, so will our model.





[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\).](#)

Add Styles and Data to a Lightning Web Component



Resources

- [Lightning Web Components Developer Guide: Introducing Lightning Web Components \(https://developer.salesforce.com/docs/component-library/documentation/lwc/\)](https://developer.salesforce.com/docs/component-library/documentation/lwc/)
- [Developers: Code Samples and SDKs Trailhead Sample Gallery \(https://developer.salesforce.com/code-samples-and-sdks\)](https://developer.salesforce.com/code-samples-and-sdks)
- [Trailhead: JavaScript Skills for Salesforce Developers \(https://trailhead.salesforce.com/content/learn/modules/javascript-essentials-salesforce-developers\)](https://trailhead.salesforce.com/content/learn/modules/javascript-essentials-salesforce-developers)
- [Lightning Web Components Developer Guide: Create Mobile-Ready Components \(https://developer.salesforce.com/docs/component-library/documentation/en/lwc/lwc.mobile\)](https://developer.salesforce.com/docs/component-library/documentation/en/lwc/lwc.mobile)
- [Lightning Web Components Developer Guide: Style Components with Lightning Design System \(https://developer.salesforce.com/docs/component-library/documentation/en/lwc/lwc.create_components_css_slds\)](https://developer.salesforce.com/docs/component-library/documentation/en/lwc/lwc.create_components_css_slds)
- [Lightning Web Components Developer Guide: Preview Lightning Web Components on Mobile \(https://developer.salesforce.com/docs/component-library/documentation/en/lwc/lwc.mobile_extensions\)](https://developer.salesforce.com/docs/component-library/documentation/en/lwc/lwc.mobile_extensions)





[library/documentation/en/lwc/reference_salesforce_modules\)](https://developer.salesforce.com/docs/atlas.en-us.lwc_reference/lwc_reference_salesforce_modules)

[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](https://trailhead.salesforce.com/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)

GET READY

Add Styles and Data to a Lightning Web Component
You'll be completing this unit in your own hands-on org. Click **Launch** to get started, or click the name of your org to choose a different one.

YOUR CHALLENGE

Import the current user's name into your Lightning app page

Create a Lightning app page that uses the wire service to display the current user's name.

Pework: You need files created in the previous unit to complete this challenge. If you haven't already completed the activities in the previous unit, do that now.

- Create a Lightning app page:
 - Label: copy
 - API Name: copy
- Add the current user's name to the app container:
 - Edit selector.js
 - Edit selector.html

Choose hands-on org

Koushik nelluri Salesforce CRM

Created on 5/9/2026



Launch

Check Challenge to Earn 500 Points





Trails	Maintain Certifications	Events	Sales Enablement
Trailmixes	Verify Certifications	Agentblazers	Trailblazer Store
Lightning Web Components Basics (/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)		Salesforce Developers	Salesforce Help
Superbadges			
Trailhead Academy		Salesforce Admins	
Add Styles and Data to a Lightning Web Component		Code of Conduct	
Career Paths		Report Illegal Content (EU)	

Download Trailhead GO



© 2026 Salesforce, Inc. All rights reserved.

[Privacy Statement](#) [Terms of Use](#) [Use of Cookies](#) [Trust](#) [Accessibility](#) [Cookie Preferences](#)

Engli

Your Privacy Choices

