



Trailhead



[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)



[Deploy Lightning Web Component Files](#)

Deploy Lightning Web Component Files

Learning Objectives

After completing this unit, you'll be able to:

- Configure Lightning web component files for display in an org.
- Deploy your files to an org.
- Verify component behavior in an org environment.

Set Up Lightning Web Component Files for Use in an Org

You're going to create the bike component discussed in the Create Lightning Component unit and push it to your org.



We're not defining any styling of our own, so we don't need a CSS file.

The files you need to push this component to an org:

- bikeCard.html
- bikeCard.js
- bikeCard.js-meta.xml

Here's the steps.

1. Continue in the **bikeCard** project.
2. Under **force-app/main/default**, right-click the **lwc** folder and select **SFDX: Create Lightning Web Component**.




Hi NELLURI, ask me about products, features, and pricing, or connect to a sale...





[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](https://trailhead.salesforce.com/content/learn/modules/lightning-web-components-basics/push-lightning-web-component-files?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)

Deploy Lightning Web Component Files




3. Enter `bikeCard` for the name of the new component.
4. Press **Enter** and then press **Enter** again to accept the default path `force-app/main/default/lwc`.
5. You see the following in VS Code under `\force-app\main\default\lwc\bikeCard`:





[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](#)

Deploy Lightning Web Component Files



Lightning web components follow web standards. The HTML standard recommends that multi-word custom element names contain a hyphen. However, the Salesforce platform doesn't allow hyphens in the component folder or file names. So we use camelCase naming conventions here.

6. Copy and replace the contents for the bikeCard.html, bikeCard.js, and bikeCard.js-meta.xml files.

bikeCard.html

```
1 <template>
2   <div>
3     <div>Name: {name}</div>
4     <div>Description: {description}</div>
5     <lightning-badge label={material}></lightning-badge>
6     <lightning-badge label={category}></lightning-badge>
7     <div>Price: {price}</div>
8     <div><img src={pictureUrl} alt={name}/></div>
9   </div>
10 </template>
```





```
5     category = 'Mountain';
```

```
6     material = 'Steel';
```

```
7     price = '$2,700';
```

[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](https://trailhead.salesforce.com/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)

```
8     imageUrl = 'https://s3-us-west-2.amazonaws.com/dev-or-  
9     devrl-s3-bucket/sample-apps/ebikes/electrax4.jpg';
```

Deploy Lightning Web Component Files

bikeCard.js-meta.xml

```
1  <?xml version="1.0" encoding="UTF-8"?>  
2  <LightningComponentBundle  
3  xmlns="http://soap.sforce.com/2006/04/metadata">  
4      <!-- The apiVersion may need to be increased for the  
5  current release -->  
6      <apiVersion>63.0</apiVersion>  
7      <isExposed>true</isExposed>  
8      <masterLabel>Bike Card</masterLabel>  
9      <targets>  
10         <target>lightning__AppPage</target>  
11         <target>lightning__RecordPage</target>  
12         <target>lightning__HomePage</target>  
        </targets>  
    </LightningComponentBundle>
```




7. Save your files.

The Component Configuration File

The file we haven't covered yet is the component configuration file with the extension `.js-meta.xml` . This file provides metadata for Salesforce, including the design configuration for components intended for use in Lightning App Builder.





[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)

Deploy Lightning Web Component Files

We haven't covered configuration files yet, because we've been playing in LWC.studio. Now that you're going to start using the content within an org, you must include a configuration file.

Notice that the ebikes repo components all have this configuration file. Here's [an example from the ebikes repo \(https://github.com/trailheadapps/ebikes-lwc/blob/master/force-app/main/default/lwc/productCard/productCard.js-meta.xml\)](https://github.com/trailheadapps/ebikes-lwc/blob/master/force-app/main/default/lwc/productCard/productCard.js-meta.xml):

```
1  <?xml version="1.0" encoding="UTF-8" ?>
2  <LightningComponentBundle
3  xmlns="http://soap.sforce.com/2006/04/metadata">
4      <apiVersion>63.0</apiVersion>
5      <isExposed>true</isExposed>
6      <masterLabel>Product Card</masterLabel>
7      <targets>
8          <target>lightning__AppPage</target>
9          <target>lightning__RecordPage</target>
10         <target>lightning__HomePage</target>
11         <target>lightningCommunity__Page</target>
12     </targets>
13     <targetConfigs>
14         <targetConfig targets="lightning__RecordPage">
15             <objects>
```





- `apiVersion` binds the component to a Salesforce API version.
- `isExposed` (`true` or `false`) If `isExposed` is `false`, the component isn't exposed to Lightning App Builder or Experience Builder. (https://trailhead.salesforce.com/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)

To allow the component to be used in Lightning App Builder or Experience Builder, set `isExposed` to `true` and define at least one `<target>`, which is a type of Lightning page.

Optional:

- `targets` specify which types of Lightning pages the component can be added to in the Lightning App Builder.
- `targetConfigs` let you specify behavior specific to each type of Lightning page, including things like which objects support the component.

See the documentation (https://developer.salesforce.com/docs/component-library/documentation/lwc/lwc.reference_configuration_tags) for the full list of supported syntax.

Displaying a Component in an Org

You have two options for displaying a Lightning web component in the UI.

1. Set the component to support various flexipage types (home, record home, and so on) then add it to a flexipage using the Lightning App Builder. This is the simplest approach and the one you follow in this unit.
2. You can also create a tab which points to an Aura component containing your Lightning web component. You can see the required pieces in the repo.
 - [Wrapper Components](https://github.com/trailheadapps/lwc-recipes/tree/master/force-app/main/default/aura) (<https://github.com/trailheadapps/lwc-recipes/tree/master/force-app/main/default/aura>)
 - [Tabs](https://github.com/trailheadapps/lwc-recipes/tree/master/force-app/main/default/tabs) (<https://github.com/trailheadapps/lwc-recipes/tree/master/force-app/main/default/tabs>)
 - [Visibility Settings](https://github.com/trailheadapps/lwc-recipes/blob/master/force-app/main/default/permissionsets/recipes.permissionset-meta.xml) (<https://github.com/trailheadapps/lwc-recipes/blob/master/force-app/main/default/permissionsets/recipes.permissionset-meta.xml>)
 - [Default application configuration file](https://github.com/trailheadapps/lwc-recipes/blob/master/force-app/main/default/applications/LWC_Recipes.app) (https://github.com/trailheadapps/lwc-recipes/blob/master/force-app/main/default/applications/LWC_Recipes.app)





Palette in VS Code. When prompted, accept the Project Default and press **Enter** to accept the default alias. If prompted to allow access, click **Allow**.

2. Right-click on the **force-app/main/default** folder and select **SFDX: Deploy This Lightning Web Components Basics** ([/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer](https://trailhead.salesforce.com/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)).

Deploy Lightning Web Component Files

Allow Ebike Images to Display

The images we are using are hosted on an Amazon AWS site. In order to allow the images to display in our app we need to add the URL to the Trusted URLs list.

1. To open your org, use **SFDX: Open Default Org** from the Command Palette in VS Code.
2. In Setup, enter `trusted urls`  in the Quick Find box and then select **Trusted URLs**.
3. Click **New Trusted URL**.
4. For API Name enter `ebikes` .
5. For URL enter `https://s3-us-west-2.amazonaws.com` .
6. For Description enter `Allow ebike images to display` .
7. Leave **Active** selected.
8. Make sure **img-src (images)** is selected.
9. Click **Save**.

Create a New Page for Your Component

Since we set up our component configuration file to enable the use of the component in Lightning App Builder, use the UI to create an app and add your component to it.

1. To open your org, use **SFDX: Open Default Org** from the Command Palette in VS Code.
2. In Setup, enter `Lightning App Builder`  in the Quick Find box and then select **Lightning App Builder**.
3. Click **New**.
4. Select **App Page** and click **Next**.
5. Give it the label `Bike Card`  and click **Next**.
6. Select **One Region** and click **Done**.
7. In Lightning App Builder, scroll down the Components list until you see your Bike Card component.





5. Click **Save**. You're asked to add your page to navigation menus, but you don't need to. You can still get to your page in this environment.


[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](#)

6. Click **Skip and Save**.

7. Click  to exit the Lightning App Builder.

[Deploy Lightning Web Component Files](#), find and select **Bike Card**.

9. Open it and see your component working in the UI.



There you go, a shiny new bike. You've pushed a component to an org, seen it on the page, and can verify it in the UI.

In the next unit, you build an interactive component with event handling and deploy it to your org for testing.





- [Salesforce Help: Lightning App Builder \(https://help.salesforce.com/s/articleView?id=platform.lightning_app_builder_overview.htm&type=5\)](https://help.salesforce.com/s/articleView?id=platform.lightning_app_builder_overview.htm&type=5)
- [Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](https://trailhead.salesforce.com/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer)
- [Lightning Web Components Dev Guide: Component Configuration Tags \(https://developer.salesforce.com/docs/component-library/documentation/en/lwc/lwc.reference_configuration_tags\)](https://developer.salesforce.com/docs/component-library/documentation/en/lwc/lwc.reference_configuration_tags)
- [Trailhead: Org Development Model \(https://trailhead.salesforce.com/content/learn/modules/org-development-model\)](https://trailhead.salesforce.com/content/learn/modules/org-development-model)

Deploy Lightning Web Component Files

GET READY

You'll be completing this unit in your own hands-on org. Click **Launch** to get started, or click the name of your org to choose a different one.

YOUR CHALLENGE

Create an app page for the bike card component

Deploy your files to your Trailhead Playground or Developer Edition org and then use Lightning App Builder to create an app page.

Prework: If you haven't already completed the activities in the What You Need section of the prior unit, do that now, or this challenge won't pass. Make sure that Dev Hub is enabled in your org and that the org is authorized with Visual Studio Code.

- Create an SFDX project in Visual Studio Code:
 - Template: **Standard**
 - Project name:
- Add a Lightning Web Component to the project:
 - Folder: **lwc**
 - Component name:
- Copy the content for the component files from this unit into your files in Visual Studio Code:
 - bikeCard.html





[Lightning Web Components Basics \(/content/learn/modules/lightning-web-components-basics?trailmix_creator_id=srebello7&trailmix_slug=salesforce-platform-developer\)](#)

Koushik nelluri Salesforce CRM

[Deploy Lightning Web Component Files](#)



Launch

Check Challenge to Earn 500 Points

Learn

Badges
Trails
Trailmixes
Superbadges
Trailhead Academy
Career Paths

Certifications

Certifications
Maintain Certifications
Verify Certifications

Community

Trailblazer Community
Events
Agentblazers
Salesforce Developers
Salesforce Admins
Code of Conduct
Report Illegal Content (EU)

Extras

Trailhead Login
Sales Enablement
Trailblazer Store
Salesforce Help

Download Trailhead GO



© 2026 Salesforce, Inc. All rights reserved.

[Privacy Statement](#) [Terms of Use](#) [Use of Cookies](#) [Trust](#) [Accessibility](#) [Cookie Preferences](#)

Engli

