



THREAT NARRATIVE

Threat Overview

Static analysis found limited high-confidence threat behavior indicators.

- No overview evidence captured.

Capability Summary

- No high-confidence capabilities detected.

Execution Flow Summary

- No clear sequence detected.

Key Functions

- 0x0040369F | role=high-risk function candidate | why=Contains suspicious static indicators and likely contributes to main behavior.

Indicators of Compromise (IoC)

URLs: []
IPs: []
File Paths: ['B']
Mutexes: []
Relevant API Usage: []

Risk Assessment

Level: low
Reason: Only limited or low-confidence static indicators are present.

Caveats

- Static analysis only: these findings indicate possible behavior and do not confirm runtime execution.
- Evidence is heuristic and based on recovered API/data-flow/call-graph artifacts, which may be incomplete.
- No malware-family attribution is made without explicit signature-backed evidence.

EXECUTIVE SUMMARY

- No triage payload was available; this report is based on legacy PE/static sections only.

ANALYSIS SUMMARY

Risk Score: 22 (unknown)

Packer Score: 22 (Low)

Architecture: x86/other

Sections: 5

Import DLLs: 7

High Entropy Sections: 0

FILE / PE METADATA

Field	Value
Path	C:\Users\User\Downloads\npp.8.9.Installer.x64.exe
Size	6862648
Image Base	0x00400000
Entry Point	0x0040369F
Machine	0x014C
Timestamp (raw)	1741475120
Timestamp (ISO)	2025-03-08 23:05:20Z
Subsystem	2
DLL Characteristics	34112

SECTIONS

Name	VA	Raw Size	Virtual Size	Characteristics	Executable	Entropy
.text	0x00401000	26624	26385	1610612768	Y	6.454
.rdata	0x00408000	5120	4952	1073741888	N	5.1
.data	0x0040A000	1536	129912	3221225536	N	4.123
.ndata	0x0042A000	0	122880	3221225600	N	0.0
.rsrc	0x00448000	156160	156120	1073741888	N	5.731

IMPORTS

DLL	Imported APIs
ADVAPI32.dll	RegEnumValueW, RegEnumKeyW, RegQueryValueExW, RegSetValueExW, RegCloseKey, RegDeleteValueW, RegDeleteKeyW, AdjustTokenPrivileges, LookupPrivilegeValueW, OpenProcessToken, RegOpenKeyExW, RegCreateKeyExW
SHELL32.dll	SHGetPathFromIDListW, SHBrowseForFolderW, SHGetFileInfoW, SHFileOperationW, ShellExecuteExW
ole32.dll	CoCreateInstance, OleUninitialize, OleInitialize, IIDFromString, CoTaskMemFree
COMCTL32.dll	ImageList_Destroy, ordinal_17, ImageList_AddMasked, ImageList_Create

DLL	Imported APIs
USER32.dll	MessageBoxIndirectW, GetDlgItemTextW, SetDlgItemTextW, CreatePopupMenu, AppendMenuW, TrackPopupMenu, OpenClipboard, EmptyClipboard, SetClipboardData, CloseClipboard, IsWindowVisible, CallWindowProcW, GetMessagePos, CheckDlgButton, LoadCursorW, SetCursor, GetSysColor, SetWindowPos, GetWindowLongW, IsWindowEnabled, SetClassLongW, GetSystemMenu, EnableMenuItem, GetWindowRect, ScreenToClient, EndDialog, RegisterClassW, SystemParametersInfoW, CharPrevW, GetClassInfoW, DialogBoxParamW, CharNextW, ExitWindowsEx, DestroyWindow, CreateDialogParamW, SetTimer, SetWindowTextW, PostQuitMessage, SetForegroundWindow, ShowWindow, wsprintfW, SendMessageTimeoutW, FindWindowExW, IsWindow, GetDlgItem, SetWindowLongW, LoadImageW, GetDC, ReleaseDC, EnableWindow, InvalidateRect, SendMessageW, DefWindowProcW, BeginPaint, GetClientRect, FillRect, DrawTextW, EndPaint, CharNextA, wsprintfA, DispatchMessageW, CreateWindowExW, PeekMessageW, GetSystemMetrics
GDI32.dll	GetDeviceCaps, SetBkColor, SelectObject, DeleteObject, CreateBrushIndirect, CreateFontIndirectW, SetBkMode, SetTextColor
KERNEL32.dll	RemoveDirectoryW, lstrcpmA, GetTempFileNameW, CreateProcessW, CreateDirectoryW, CreateThread, GlobalLock, GlobalUnlock, GetDiskFreeSpaceW, WideCharToMultiByte, lstrcpnW, lstrlenW, SetErrorMode, GetVersionExW, GetCommandLineW, GetTempPathW, GetWindowsDirectoryW, SetEnvironmentVariableW, CopyFileW, WriteFile, GetCurrentProcess, GetModuleFileNameW, GetLastError, GetFileSize, CreateFileW, GetTickCount, Sleep, SetFileAttributesW, GetFileAttributesW, SetCurrentDirectoryW, MoveFileW, GetFullPathNameW, GetShortPathNameW, SearchPathW, CompareFileTime, SetFileTime, CloseHandle, lstrcpmW, lstrcpmW, ExpandEnvironmentStringsW, GlobalFree, GlobalAlloc, GetModuleHandleW, LoadLibraryExW, FreeLibrary, WritePrivateProfileStringW, GetPrivateProfileStringW, lstrlenA, MultiByteToWideChar, ReadFile, SetFilePointer, FindClose, FindNextFileW, FindFirstFileW, DeleteFileW, MulDiv, lstrcpyA, MoveFileExW, lstrcatW, GetSystemDirectoryW, GetProcAddress, GetModuleHandleA, GetExitCodeProcess, WaitForSingleObject, ExitProcess

EXPORTS

VA	Name
----	------

RESOURCES

Manifest: [{ 'lang': 9, 'sublang': 1, 'encoding': 'utf-8', 'xml': '<?xml version="1.0" encoding="UTF-8" standalone="yes"?><assembly xmlns="urn:schemas-microsoft-com:asm.v1" manifestVersion="1.0"><assemblyIdentity version="1.0.0.0" processorArchitecture="*" name="Nullsoft.NSIS.exehead" type="win32"/><description>Nullsoft Install System v3.11</description><dependency><dependentAssembly><assemblyIdentity type="win32" name="Microsoft.Windows.Common-Controls" version="6.0.0.0" processorArchitecture="*" publicKeyToken="6595b64144ccf1df" language="*" /></dependentAssembly></dependency><trustInfo xmlns="urn:schemas-microsoft-com:asm.v3"><security><requestedPrivileges><requestedExecutionLevel level="requireAdministrator" uiAccess="false"/></requestedPrivileges></security></trustInfo><compatibility xmlns="urn:schemas-microsoft-com:compatibility.v1"><application><supportedOS Id="{8e0f7a12-bfb3-4fe8-b9a5-48fd50a15a9a}"/><supportedOS Id="{1f676c76-80e1-4239-95bb-83d0f6d0da78}"/><supportedOS Id="{4a2f28e3-53b9-4441-ba9c-d69d4a4a6e38}"/><supportedOS Id="{35138b9a-5d96-4fbd-8e2d-a2440225f93a}"/></application></compatibility><application xmlns="urn:schemas-microsoft-com:asm.v3"><windowsSettings><dpiAware xmlns="http://schemas.microsoft.com/SMI/2005/WindowsSettings">true</dpiAware></windowsSettings></application></assembly>', 'summary': { 'dpiAware': ['true'], 'requestedExecutionLevel': 'requireAdministrator', 'requestedExecutionLevelDesc': 'Always prompts for admin (requires elevation)', 'uiAccess': 'false', 'compat': ['{8e0f7a12-bfb3-4fe8-b9a5-48fd50a15a9a}', '{1f676c76-80e1-4239-95bb-83d0f6d0da78}', '{4a2f28e3-53b9-4441-ba9c-d69d4a4a6e38}', '{35138b9a-5d96-4fbd-8e2d-a2440225f93a}'], 'compat_names': ['Windows 10', 'Windows 8.1', 'Windows 8', 'Windows 7']}] } Version Info: { 'FileVersionMS': 524297, 'FileVersionLS': 0, 'ProductVersionMS': 524297, 'ProductVersionLS': 0, 'FileVersion': '8.9.0.0', 'ProductVersion': '8.9.0.0' }
--

RISK FINDINGS

VA	Name	Score	Reason
----	------	-------	--------

PACKER / OBFUSCATION

Score: 22 Reasons: ['large overlay detected', 'suspicious section names present']
--

Hints: ['No strong packing indicators found; static analysis should be reliable.']

OEP DISASSEMBLY PREVIEW

No OEP disassembly preview available.

STRINGS (SAMPLE)

VA	RVA	File Offset	Encoding	Text
0x004012A7	4775	1703	ascii	s495
0x004015FA	5626	2554	ascii	taj\ V
0x00401655	5717	2645	ascii	>FFf;
0x0040171D	5917	2845	ascii	v'f9
0x00401845	6213	3141	ascii	ur9]
0x0040184A	6218	3146	ascii	uOVh
0x00401BD2	7122	4050	ascii	tDH;
0x00401E8F	7823	4751	ascii	jHjZV
0x0040215C	8540	5468	ascii	t99]
0x00402411	9233	6161	ascii	PSWV
0x00402582	9602	6530	ascii	WQSPV
0x004025F9	9721	6649	ascii	QWPV
0x0040260B	9739	6667	ascii	SQWPV
0x0040269B	9883	6811	ascii	8u+j!
0x00402B2D	11053	7981	ascii	t"9]
0x00402F11	12049	8977	ascii	t#SSS
0x0040304F	12367	9295	ascii	PjdQ
0x0040309F	12447	9375	ascii	vX95h
0x00403105	12549	9477	ascii	SVW3
0x0040320D	12813	9741	ascii	Instuj
0x00403216	12822	9750	ascii	softua
0x0040321F	12831	9759	ascii	NulluX
0x0040343F	13375	10303	ascii	u]9u
0x004035C9	13769	10697	ascii	t!VU
0x0040363A	13882	10810	ascii	_^[
0x004036A5	13989	10917	ascii	UVWj_3
0x004036CF	14031	10959	ascii	D\$4P
0x00403708	14088	11016	ascii	L\$bf-S
0x0040385B	14427	11355	ascii	j Zf;
0x00403863	14435	11363	ascii	AAf9
0x00403939	14649	11577	ascii	t\$j"^

VA	RVA	File Offset	Encoding	Text
0x0040394A	14666	11594	ascii	f91u
0x004039AB	14763	11691	ascii	u6Vh
0x00403B81	15233	12161	ascii	f9I\$
0x00403BF9	15353	12281	ascii	[t\$h
0x00403C29	15401	12329	ascii	D\$ Pj(
0x00403C41	15425	12353	ascii	D\$(Ph
0x00403C54	15444	12372	ascii	D\$,UPU
0x00403C84	15492	12420	ascii	Vj%UUU
0x00403DDF	15839	12767	ascii	WSWh
0x00403E0A	15882	12810	ascii	f9=P/B
0x00403E96	16022	12950	ascii	tWf="
0x00403F66	16230	13158	ascii	WPWj0
0x00403F79	16249	13177	ascii	D\$\$+D\$
0x00403F84	16260	13188	ascii	D\$,+D\$\$P
0x00403F91	16273	13201	ascii	t\$,h
0x00403FD1	16337	13265	ascii	50/B
0x00404026	16422	13350	ascii	ih\A@
0x0040407C	16508	13436	ascii	_^[
0x00404084	16516	13444	ascii	SUVW
0x00404138	16696	13624	ascii	_^[
0x0040414D	16717	13645	ascii	50/B
0x00404168	16744	13672	ascii	t\$\$;
0x00404181	16769	13697	ascii	l\$\$3
0x0040418D	16781	13709	ascii	UUUUW
0x00404193	16787	13715	ascii	50/B
0x004041B3	16819	13747	ascii	50/B
0x00404276	17014	13942	ascii	u49-
0x004042AD	17069	13997	ascii	t\$0Sh
0x004042C3	17091	14019	ascii	t\$0S
0x004042DA	17114	14042	ascii	l\$\$;
0x0040441D	17437	14365	ascii	D\$0t
0x004044B1	17585	14513	ascii	5L/B
0x004044D7	17623	14551	ascii	EP/B
0x004045AB	17835	14763	ascii	t\$ U
0x00404605	17925	14853	ascii	9-POB
0x0040462A	17962	14890	ascii	_^[
0x00404682	18050	14978	ascii	5L/B

VA	RVA	File Offset	Encoding	Text
0x004047FE	18430	15358	ascii	FPQQ
0x0040489A	18586	15514	ascii	w8j#
0x00404900	18688	15616	ascii	PShC
0x00404920	18720	15648	ascii	PSh5
0x00404A03	18947	15875	ascii	QShK
0x00404CA2	19618	16546	ascii	u Pj
0x00404E14	19988	16916	ascii	t0Pj
0x00404E7A	20090	17018	ascii	9=@/B
0x00404E88	20104	17032	ascii	=@/B
0x00404F90	20368	17296	ascii	PWVh
0x0040513B	20795	17723	ascii	WWWWjn
0x00405192	20882	17810	ascii	54/B
0x004051E3	20963	17891	ascii	PWhC
0x004051EF	20975	17903	ascii	SPhQ
0x00405283	21123	18051	ascii	PWh2
0x004052CE	21198	18126	ascii	PWh2
0x0040538D	21389	18317	ascii	us9E
0x00405414	21524	18452	ascii	p\Wh
0x0040547A	21626	18554	ascii	WWhG
0x0040548F	21647	18575	ascii	WPhP
0x004054AA	21674	18602	ascii	j [S
0x004054B3	21683	18611	ascii	SWh
0x00405509	21769	18697	ascii	=4/B
0x0040550F	21775	18703	ascii	=H/B
0x00405549	21833	18761	ascii	5H/B
0x00405571	21873	18801	ascii	WQhN
0x00405629	22057	18985	ascii	PWh?
0x004056E8	22248	19176	ascii	uYh
0x0040572C	22316	19244	ascii	9=</B
0x00405738	22328	19256	ascii	=</B
0x00405750	22352	19280	ascii	5D/B
0x0040576C	22380	19308	ascii	SVW3
0x004057D8	22488	19416	ascii	uDWWWh
0x00405965	22885	19813	ascii	PSha
0x00405979	22905	19833	ascii	PPh6
0x00405A66	23142	20070	ascii	Ph4X@
0x00405AB8	23224	20152	ascii	t&jx

VA	RVA	File Offset	Encoding	Text
0x00405B3D	23357	20285	ascii	PVSW
0x00405B71	23409	20337	ascii	SQPh
0x00405BD0	23504	20432	ascii	6PjB
0x00405C07	23559	20487	ascii	FFC;]
0x00405CD5	23765	20693	ascii	hX_B
0x00405E6E	24174	21102	ascii	=XOB
0x00405F57	24407	21335	ascii	tK9u
0x00405FDE	24542	21470	ascii	f;L\$
0x00406088	24712	21640	ascii	\u f9O
0x00406093	24723	21651	ascii	^j\PN
0x00406134	24884	21812	ascii	QSVW
0x00406204	25092	22020	ascii	Wjd_
0x00406242	25154	22082	ascii	fl>_^
0x00406312	25362	22290	ascii	WWWS
0x0040631A	25370	22298	ascii	@_^[]
0x00406475	25717	22645	ascii	PPPU
0x00406497	25751	22679	ascii	_^[
0x00406658	26200	23128	ascii	j9[u
0x00406665	26213	23141	ascii	90u'AAf
0x0040667C	26236	23164	ascii	Xj7[
0x0040673B	26427	23355	ascii	SUVW
0x004067E1	26593	23521	ascii	L\$(9-
0x0040680A	26634	23562	ascii	APh
0x00406858	26712	23640	ascii	l\$(9l\$(tr
0x004068D3	26835	23763	ascii	f9.t
0x00406931	26929	23857	ascii	+D\$(PV
0x00406974	26996	23924	ascii	_^[[t
0x004069D9	27097	24025	ascii	v%Ph
0x00406BC4	27588	24516	ascii	Vu-3
0x00406C54	27732	24660	ascii	SVWj"
0x00406CF2	27890	24818	ascii	<6;}
0x004082A8	33448	28328	ascii	UXTHEME
0x004082B0	33456	28336	ascii	USERENV
0x004082B8	33464	28344	ascii	SETUPAPI
0x004082C1	33473	28353	ascii	APPHELP
0x004082C9	33481	28361	ascii	PROPSYS
0x004082D1	33489	28369	ascii	DWMAPI

VA	RVA	File Offset	Encoding	Text
0x004082D8	33496	28376	ascii	CRYPTBASE
0x004082E2	33506	28386	ascii	OLEACC
0x004082E9	33513	28393	ascii	CLBCATQ
0x004082F1	33521	28401	ascii	NTMARTA
0x00408328	33576	28456	ascii	RichEd32
0x00408334	33588	28468	ascii	RichEd20
0x00408846	34886	29766	ascii	RegEnumValueW
0x00408856	34902	29782	ascii	RegEnumKeyW
0x00408864	34916	29796	ascii	RegQueryValueExW
0x00408878	34936	29816	ascii	RegSetValueExW
0x0040888A	34954	29834	ascii	RegCloseKey
0x00408898	34968	29848	ascii	RegDeleteValueW
0x004088AA	34986	29866	ascii	RegDeleteKeyW
0x004088BA	35002	29882	ascii	AdjustTokenPrivileges
0x004088D2	35026	29906	ascii	LookupPrivilegeValueW
0x004088EA	35050	29930	ascii	OpenProcessToken
0x004088FE	35070	29950	ascii	RegOpenKeyExW
0x0040890E	35086	29966	ascii	RegCreateKeyExW
0x0040891E	35102	29982	ascii	ADVAPI32.dll
0x0040892E	35118	29998	ascii	SHFileOperationW
0x00408942	35138	30018	ascii	SHGetFileInfoW
0x00408954	35156	30036	ascii	SHBrowseForFolderW
0x0040896A	35178	30058	ascii	SHGetPathFromIDListW
0x00408982	35202	30082	ascii	ShellExecuteExW
0x00408992	35218	30098	ascii	SHELL32.dll
0x004089A0	35232	30112	ascii	CoTaskMemFree
0x004089B0	35248	30128	ascii	IIDFromString
0x004089C0	35264	30144	ascii	CoCreateInstance
0x004089D4	35284	30164	ascii	OleUninitialize
0x004089E6	35302	30182	ascii	OleInitialize
0x004089F4	35316	30196	ascii	ole32.dll
0x00408A00	35328	30208	ascii	ImageList_Destroy
0x00408A14	35348	30228	ascii	ImageList_AddMasked
0x00408A2A	35370	30250	ascii	ImageList_Create
0x00408A3C	35388	30268	ascii	COMCTL32.dll
0x00408A4C	35404	30284	ascii	EndPoint
0x00408A58	35416	30296	ascii	DrawTextW

VA	RVA	File Offset	Encoding	Text
0x00408A64	35428	30308	ascii	FillRect
0x00408A70	35440	30320	ascii	GetClientRect
0x00408A80	35456	30336	ascii	BeginPaint
0x00408A8E	35470	30350	ascii	DefWindowProcW
0x00408AA0	35488	30368	ascii	SendMessageW
0x00408AB0	35504	30384	ascii	InvalidateRect
0x00408AC2	35522	30402	ascii	EnableWindow
0x00408AD2	35538	30418	ascii	ReleaseDC
0x00408ADE	35550	30430	ascii	GetDC
0x00408AE6	35558	30438	ascii	LoadImageW
0x00408AF4	35572	30452	ascii	SetWindowLongW
0x00408B06	35590	30470	ascii	GetDlgItem
0x00408B14	35604	30484	ascii	IsWindow
0x00408B20	35616	30496	ascii	FindWindowExW
0x00408B30	35632	30512	ascii	SendMessageTimeoutW
0x00408B46	35654	30534	ascii	wsprintfW
0x00408B52	35666	30546	ascii	ShowWindow
0x00408B60	35680	30560	ascii	SetForegroundWindow
0x00408B76	35702	30582	ascii	PostQuitMessage
0x00408B88	35720	30600	ascii	SetWindowTextW
0x00408B9A	35738	30618	ascii	SetTimer

NOTES

- triage module not available

XREF SUMMARY

Top called functions: [{ 'dst': '0x00402DD2', 'count': 62}, { 'dst': '0x004066DC', 'count': 33}, { 'dst': '0x00402DB0', 'count': 32}, { 'dst': '0x00406719', 'count': 29}, { 'dst': '0x004066F2', 'count': 19}, { 'dst': '0x00405761', 'count': 15}, { 'dst': '0x00406AD0', 'count': 15}, { 'dst': '0x00408258', 'count': 14}, { 'dst': '0x0040465B', 'count': 13}, { 'dst': '0x00406623', 'count': 12}, { 'dst': '0x0040140B', 'count': 12}, { 'dst': '0x004066F8', 'count': 11}, { 'dst': '0x0040823C', 'count': 11}, { 'dst': '0x00408228', 'count': 11}, { 'dst': '0x0040663C', 'count': 9}, { 'dst': '0x00406A39', 'count': 9}, { 'dst': '0x00408110', 'count': 9}, { 'dst': '0x004080FC', 'count': 8}, { 'dst': '0x0040810C', 'count': 8}, { 'dst': '0x00408134', 'count': 8}]

Suspicious API references: []

Strings with references: []

Unresolved indirect calls: 125

Limitations: First-pass textual xref extraction; indirect control-flow may be unresolved.

FUNCTION INTELLIGENCE SUMMARY

Top Risky Functions

Start	Indicators	Suspicious APIs	Inbound Xrefs
-------	------------	-----------------	---------------

Start	Indicators	Suspicious APIs	Inbound Xrefs
0x0040369F			0

Functions with suspicious APIs: []
Functions with interesting strings: []
Analyst renamed functions: []
Commented/bookmarked functions: []

BEHAVIORAL FUNCTION SUMMARIES (HEURISTIC)

0x0040369F — Behavior unclear from current static evidence.

Confidence: low
Possible capability tags: []

- No strong static evidence extracted for this function.

Caveats: ['Heuristic behavioral summary derived from static disassembly/xref evidence only.', 'Not a decompiler output; does not prove runtime execution path or intent.', 'Low confidence due to limited observable evidence.']

CALL GRAPH INTELLIGENCE (HEURISTIC)

Entry-point reachable functions: 1
Isolated/unreferenced functions: 1
Note: Call graph is static and heuristic; unresolved/low-confidence edges are explicitly marked.

Top Hub Functions

Address	Inbound	Outbound	Suspicious
0x0040369F	0	0	False

Suspicious Call Chains

- No suspicious chains identified.

Suspicious API Bridge Functions

- No bridge functions identified.

Isolated/Unreferenced Functions

['0x0040369F']

CFG INTELLIGENCE (HEURISTIC)

0x0040369F

Basic blocks: 265
Branches: 316
Branch density: 1.192
Unresolved edges: 1
High branch density: False

- Loops/back-edges (possible): [{ 'src': '0x00403792', 'dst': '0x00403792'}, { 'src': '0x00403863', 'dst': '0x00403863'}, { 'src': '0x00403951', 'dst': '0x0040385B'}, { 'src': '0x00403A60', 'dst': '0x00403A53'}, { 'src': '0x00403B67', 'dst': '0x00403B14'}, { 'src': '0x00403B7B', 'dst': '0x00403B0B'}, { 'src': '0x00403BDA', 'dst': '0x00403B14'}, { 'src': '0x00403C12', 'dst': '0x00403BE8'}, { 'src': '0x00403D11', 'dst': '0x00403D07'}, { 'src': '0x00403D2C', 'dst': '0x00403D2C'}, { 'src': '0x00403D60', 'dst': '0x00403D55'}, { 'src': '0x00403D68', 'dst': '0x00403D65'}, { 'src': '0x0040405B', 'dst': '0x00403FB5'}, { 'src': '0x00404067', 'dst': '0x00403FB5'}, { 'src': '0x004040C8', 'dst': '0x004040B8'}, { 'src': '0x004040EE', 'dst': '0x00404098'}, { 'src': '0x004040F5', 'dst': '0x00404098'}, { 'src': '0x0040412F', 'dst': '0x0040411F'}, { 'src': '0x004042A0', 'dst': '0x0040428C'}, { 'src': '0x004044B6', 'dst': '0x00404392'}]
- Unreachable blocks (possible): ['0x00403CFE', '0x00403D07', '0x00403D11', '0x00403D15', '0x00403D19', '0x00403D2B', '0x00403D2C', '0x00403D44', '0x00403D45', '0x00403D4E', '0x00403D55', '0x00403D5E', '0x00403D60', '0x00403D64', '0x00403D65', '0x00403D68', '0x00403D6C', '0x00403D7B', '0x00403D7E', '0x00403D8C']
- Unresolved edges present in CFG.

ANALYST NOTES

report generation Works

ANALYST WORKSPACE ARTIFACTS

Renamed Functions: {}
Comments: {}
Labels: {}
Bookmarks: []

CONCLUSIONS

- No triage payload available; conclusions are limited to structural PE metadata.

RECOMMENDATIONS

- Run full triage module to enrich report with evidence-linked findings.