

Benefits of NGINX

(Advanced/Optional)

Benefits of NGINX vs PHP Built-in Server

1. Performance

Metric	PHP -S	NGINX + PHP-FPM
Concurrent Connections	1	1000+
Requests/Second	~100	10,000+
Memory Usage	High per	Optimized

| 2. Production Features

- **SSL/HTTPS Support**
- **Compression (gzip)**
- **Load Balancing**
- **Reverse Proxy**
- **Rate Limiting**
- **Security Headers**

Benefits: Real-World Scenarios

| Scenario 1: Multiple Users

PHP -S: 10 users = slow/timeout

NGINX: 1000+ users = smooth experience

| Scenario 2: Image/CSS Heavy Site

PHP -S: PHP processes every file

NGINX: Serves static files directly (10x faster)

| Scenario 3: API + Frontend

PHP -S: Single point of failure

NGINX: Can route to multiple backends

| Scenario 4: Security

PHP -S: Basic security only

NGINX: Production-grade security features

Benefits: Static File Handling

PHP Built-in Server

Browser → PHP -S → Check if PHP file → Serve file

Every file goes through the PHP parser

NGINX

Browser → NGINX → Is it .php? → Yes: PHP-FPM
→ No: Serve directly

Static files bypass PHP entirely

| Performance Impact

- **Images:** 10x faster with NGINX
- **CSS/JS:** 5x faster with NGINX
- **Downloads:** No timeout with NGINX

Benefits: Real Production Features

1. HTTPS/SSL Support

```
server {  
    listen 443 ssl;  
    ssl_certificate /path/to/cert.pem;  
    ssl_certificate_key /path/to/key.pem;  
  
    # Your PHP configuration here  
}
```

2. Compression

3. Rate Limiting

```
limit_req_zone $binary_remote_addr zone=api:10m rate=10r/s;  
  
location /api/ {  
    limit_req zone=api burst=20 nodelay;  
    # PHP processing here  
}
```

Benefits: Scalability

Horizontal Scaling with Load Balancing

```
upstream php_backend {  
    server 127.0.0.1:9000;  
    server 127.0.0.1:9001;  
    server 127.0.0.1:9002;  
}  
  
server {  
    location ~ \.php$ {  
        fastcgi_pass php_backend;  
        # Other fastcgi settings  
    }  
}
```

Microservices Architecture

```
location /api/users/ {  
    proxy_pass http://users-service:3000;  
}
```

```
location /api/orders/ {  
    proxy_pass http://orders-service:3000;  
}
```

```
location ~ /\.php$ {  
    fastcgi_pass 127.0.0.1:9000;  
}
```

Troubleshooting Common Issues

| 1. 502 Bad Gateway Error

Cause: PHP-FPM not running

Solution:

```
# Check PHP-FPM status  
ps aux | grep php-fpm
```

```
# Start PHP-FPM
```

```
sudo systemctl start php-fpm # Linux  
brew services start php      # macOS
```

| 2. File Not Found (404)

Cause: Wrong root path or missing try_files

Solution: Check `root` directive and add:

```
location / {  
    try_files $uri $uri/ =404;  
}
```

3. Download PHP Files Instead of Executing

Cause: PHP location block not working

Solution: Check this block exists:

```
location ~ /\.php$ {  
    fastcgi_pass 127.0.0.1:9000;  
    # ... other settings  
}
```

Testing Your Setup

1. Create Comprehensive Test Files

performance_test.php:

```
<?php
$start = microtime(true);
// Simulate some work
for ($i = 0; $i < 100000; $i++) {
    $data[] = md5($i);
}
$end = microtime(true);
$time = ($end - $start) * 1000; // Convert to milliseconds
header('Content-Type: application/json');
echo json_encode([
    'server' => 'NGINX + PHP-FPM',
    'processing_time_ms' => round($time, 2),
    'memory_usage_mb' => round(memory_get_usage() / 1024 / 1024, 2),
    'timestamp' => date('Y-m-d H:i:s')
]);
?>
```

2. Load Test with cURL

```
# Test multiple requests
for i in {1..10}; do
    curl http://localhost/performance_test.php
done
```


Monitoring and Maintenance

1. Check NGINX Status

```
# Linux  
sudo systemctl status nginx  
  
# All platforms  
nginx -t # Test configuration
```

2. Check PHP-FPM Status

```
# Linux  
sudo systemctl status php-fpm
```

3. View Error Logs

```
# NGINX errors
tail -f /var/log/nginx/error.log # Linux
tail -f /usr/local/var/log/nginx/error.log # macOS

# PHP-FPM errors
tail -f /var/log/php-fpm/www-error.log
```

Key Configuration Summary

Minimal Working NGINX Config

```
server {  
    listen 80;  
    root /var/www/html;  
    index index.php index.html;  
  
    location ~ /\.php$ {  
        fastcgi_pass 127.0.0.1:9000;  
        fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;  
        include fastcgi_params;  
    }  
}
```

Commands to Remember

```
nginx -t           # Test configuration
nginx -s reload    # Reload configuration
nginx -s stop      # Stop NGINX
systemctl start php-fpm # Start PHP-FPM (Linux)
```

Key Takeaways

| Why NGINX + PHP-FPM > PHP -S

1. **Performance:** 10x better for static files, handles 1000+ concurrent users
2. **Production Features:** SSL, compression, security headers, load balancing
3. **Scalability:** Can handle real-world traffic and growth
4. **Industry Standard:** What professionals use in production

| Skills You've Gained

- Professional web server configuration
- Production-ready PHP deployment
- Performance optimization techniques
- Real-world web architecture understanding

Next: Building complete web applications with database integration!

Resources for Further Learning

| Documentation

- **NGINX Beginner's Guide:**

http://nginx.org/en/docs/beginners_guide.html

- **PHP-FPM Configuration:**

<https://www.php.net/manual/en/install.fpm.php>

- **NGINX + PHP Best Practices:**

<https://www.nginx.com/resources/wiki/start/topics/examples/phpfcgi/>

| Performance Testing

- **Apache Bench:** `ab -n 1000 -c 10`
`http://localhost/`
- **wrk:** Modern HTTP benchmarking tool
- **Browser DevTools:** Network tab for real-world testing

You're now ready for production-level web development!