

# Endogenous vs. Exogenous Stablecoin Shocks: On-Chain Flow Detects DeFi-Native Crises 116 Hours Early and Maps Which Shocks Need Which Surveillance Layer

A Provenance-Gated Analysis of On-Chain Curve Flow

Anonymous Author(s)

## Abstract

**Four independent methods—Forbes–Rigobon structural breaks, an online Hidden Markov Model, TVP-VAR spillover attribution, and on-chain flow-labeling—converge on the same finding:** endogenous (pool-imbalance) stablecoin shocks activate cross-pool contagion coupling; exogenous (bank-run, exchange-credit) shocks do not, despite identical Tier-A data availability. Empirical contagion studies routinely conflate genuine *contagion*, a crisis-driven shift in linkage, with constant *interdependence*. Using Tier-A on-chain Curve TokenExchange flow across five stablecoin stress episodes, we show the distinction is empirically sharp and *mechanism-specific*. For the June 2023 USDT/Curve episode, an *endogenous* pool-imbalance shock, cross-pool flow coupling rises from near-zero in calm ( $\hat{\rho} = 0.09$ ) to  $\hat{\rho} = 0.53$  during the acute window (Fisher  $z = +2.82$ ,  $p = 0.035$ ), whereas none of the four *exogenous* episodes shows this activation despite identical data, so the null is mechanism-specific, not a data gap. Our machine-learning result follows the same split: an unsupervised online Hidden Markov Model, run causally on Tier-A on-chain state, detects the endogenous Terra/LUNA collapse at AUROC 0.95 versus 0.50 on Tier-B market data, raising the alarm 116 hours earlier, while exchange-borne shocks are detectable only on the market layer—the two evidence layers are complementary. The same split governs structure: on-chain arbitrage is stabilizing in calm markets but flips to amplifying under endogenous stress, and price discovery is on-chain for DeFi-native shocks (the Curve pool deviates 37× more than Binance) but CEX-led for bank-run shocks. The operational implication is concrete: DeFi stress surveillance needs *separate monitoring architectures* for endogenous versus exchange-originating shocks, and a provenance-aware three-gate pipeline underpins every claim. The detection boundary follows mechanism, not data availability.

## CCS Concepts

• **Applied computing** → Economics; • **Computing methodologies** → Machine learning.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

ICAIF '26, Milan, Italy

© 2026 Copyright held by the owner/author(s). Publication rights licensed to ACM.  
ACM ISBN 978-x-xxxx-xxxx-x/YYYY/MM  
<https://doi.org/10.1145/nnnnnnnn.nnnnnnnn>

## Keywords

stablecoin, AMM, Curve Finance, DeFi stress, provenance, claim gate, contagion networks, online detection, hidden Markov model

## ACM Reference Format:

Anonymous Author(s). 2026. Endogenous vs. Exogenous Stablecoin Shocks: On-Chain Flow Detects DeFi-Native Crises 116 Hours Early and Maps Which Shocks Need Which Surveillance Layer: A Provenance-Gated Analysis of On-Chain Curve Flow. In *Proceedings of ACM International Conference on AI in Finance (ICAIF '26)*. ACM, New York, NY, USA, 8 pages. <https://doi.org/10.1145/nnnnnnnn.nnnnnnnn>

## 1 Introduction

On 15 June 2023, the Curve Finance stablecoin pool recorded a 12.5% deviation of USDT from its one-dollar peg while Binance simultaneously showed 0.34%. The pool was 37× **more sensitive** to the stress than the exchange (a peak on-chain/CEX deviation ratio of 0.1249/0.00336). A risk manager monitoring only exchange prices would have seen almost nothing. Thirteen months earlier, during the Terra/LUNA algorithmic collapse, on-chain pool-state data would have raised the alarm 116 hours before exchange-based signals detected the crisis. These two numbers, 37× more amplitude on USDT/Curve and a 116-hour detection lead on Terra/LUNA, define the surveillance gap this paper measures.

**What is at stake.** A *stablecoin* is a cryptocurrency engineered to hold a fixed value—almost always one US dollar—either by holding cash-like reserves (as USDC and USDT claim to) or by an algorithm that expands and contracts supply (the design that failed for UST/Terra). They are the dollar settlement layer of decentralised finance, turning over trillions of dollars a year, so a coin that “breaks the buck” can cascade through lending protocols, exchanges, and trading pools. We observe that stress through two evidence layers of very different reliability, and we keep them strictly separate throughout: *Tier-A* is execution-grade, directly observed on-chain swap data (every trade, with an exact timestamp and amount); *Tier-B* is market-price context from exchanges, useful but lower-fidelity. Every claim in this paper is capped at the reliability tier of its weakest input.

Four distinct stablecoin systems experienced significant stress across these episodes. The algorithmic UST/Terra collapsed in May 2022. FTX’s implosion triggered exchange runs in November 2022. USDC briefly de-pegged following Silicon Valley Bank’s failure in March 2023. And Curve Finance pools became severely imbalanced in June 2023. *Curve Finance* is an *automated market maker* (AMM), a decentralised exchange whose prices are set not by matching buyers and sellers, but by a mathematical formula (StableSwap [4]) applied to the ratio of token reserves held in a liquidity pool. When one stablecoin in the pool is in excess demand, the pool’s balance tilts,

its price deviates from the reference exchange, and arbitrageurs flow in or out to restore parity, generating the on-chain flow signals we study. Each episode prompted real-time claims of *contagion*, stress spreading from one venue or asset to another.

Most empirical analyses of these events rely on price data alone and treat all data sources as equally reliable. This paper addresses both limitations by introducing a provenance-aware framework that makes data quality an explicit input to every empirical claim, and then holding every result, including a supervised prediction benchmark, to the same evidentiary gate. That discipline is what lets us separate the findings that survive from the one that does not. The same gate certifies three structural results on Tier-A on-chain flow and rejects a predictive lift that fails to replicate out-of-event.

**The surveillance gap.** A price-based DeFi stress monitor observes only stablecoin basis widening, an aggregate market outcome, and is blind to the flow-level mechanism beneath it. Curve Finance TokenExchange logs, by contrast, record every swap with an exact block timestamp and exact token amount, freely available and updated every 12 seconds. This is a direct observation of the trading flow that *produces* the price move, not a derived signal. Our analysis shows that the cross-pool flow coupling during the June 2023 USDT/Curve episode is strong but *contemporaneous* with the price stress rather than leading it (Sections 5 and 8); the 116-hour early detection above is delivered by a different instrument, the online HMM run on on-chain pool *state* (Section 7), not by the flow coupling. The contribution is therefore a mechanism-level decomposition of how stress moves through the AMM layer, not an early-warning claim for the coupling itself. No existing stablecoin contagion study uses TokenExchange flow as its primary evidence layer.

**Thesis.** On-chain flow detects endogenous DeFi-native stress that price-only monitors miss, and a provenance gate tells us which of those claims to trust.

#### Contributions.

- **A provenance-gated claim pipeline (lead contribution).** A three-gate pipeline (data-quality tier  $\rightarrow$  feature tier  $\rightarrow$  statistical significance) and a claim-level taxonomy (A/A DEX-flow, A/A settlement, A/B directional, B/B contextual) caps every cross-venue claim at its lowest tier and blocks fixture data from reaching any conclusion—a replicable framework for auditing model claims before they inform surveillance and risk systems.
- **Regime-switching contagion.** USDT/Curve cross-pool coupling rises from  $\hat{\rho} = 0.09$  (calm) to 0.53 (panic), Fisher  $z = 2.82$ , resting on three *converging* methods (Forbes–Rigobon with 96.5% of bootstraps positive; an online HMM detecting the regime at AUROC 0.93; a TVP-VAR placing  $\geq 91\%$  of spillover post-onset), present only for the endogenous shock despite all five events carrying Tier-A A/A pairs.
- **Arbitrage sign-flip.** On-chain arbitrage flips from stabilizing to amplifying under stress ( $z = +3.84$  USDT/Curve,  $+3.69$  BUSD,  $-2.80$  FTX).
- **On-chain price discovery.** The Curve pool leads the exchange and deviates  $37\times$  more for DeFi-native stress.
- **Which layer detects first, and an honest null.** An unsupervised online detector run causally on Tier-A

on-chain state recovers endogenous stress the Tier-B market layer registers at chance (Terra/LUNA causal AUROC 0.95 vs 0.50, 116h earlier), while market data is required for exchange-borne shocks—the layers are complementary. Supervised cross-event prediction fails under concept shift (leave-one-event-out mean AUROC  $\approx 0.60$ , off-diagonal transfer at chance 0.50).

**Implications for DeFi risk practitioners.** Risk managers on CEX-only feeds would be structurally blind to pool-imbalance shocks. Terra/LUNA went undetected 116 hours longer than on-chain monitoring would have allowed. Endogenous shocks require on-chain detection, exogenous shocks require market signals, and both layers are necessary; we distil this into operational rules in the conclusion.


**Scope.** This paper’s unit of contribution is **contagion-vs.-interdependence econometrics and on-chain regime detection**. It is distinct from execution-aware benchmarking (where the object of study is profitable executability of apparent arbitrage) and from graph-neural-network contagion prediction (where the object is forecasting which venues spread stress). These are orthogonal research questions that happen to share overlapping episodes.

## 2 Related Work

**Stablecoin stress and AMM microstructure.** Prior work studies stablecoin stability through runs, reserve adequacy, and safe-asset economics [3, 8, 12], and AMM microstructure through loss-versus-rebalancing and constant-function pricing [2, 13]. These studies establish the economic mechanisms but rely on market-price data. They do not exploit on-chain flow logs as a *direct, execution-grade* observation of the trading that produces the price move. Egorov [4] describes Curve’s StableSwap invariant that governs pool pricing. We treat the resulting TokenExchange logs as tick-data econometrics [1], execution-grade evidence that market proxies can only approximate, and apply them to the contagion question these studies raise but do not settle.

**On-chain contagion measurement.** Forbes and Rigobon [7] distinguish *contagion* (a genuine crisis-induced rise in cross-market linkage) from *interdependence* (stable background correlation amplified by higher crisis variance), and provide a heteroskedasticity-corrected Fisher  $z$ -to- $z$  two-sample test (see Section 5.1). A significant positive  $z_{\text{Fisher}}$  means linkage *genuinely increased*. We make this operational on Tier-A on-chain flow, explicitly gating claims by data provenance rather than conflating execution-grade logs with market proxies. Recent ICAIF work applies graph neural networks to on-chain link prediction in Uniswap v3 [15] and agent-based models to crypto market manipulation [9], but targets prediction and manipulation rather than the contagion-versus-interdependence distinction we make execution-grade here.

**Methodological rigour in financial AI.** Recent ICAIF work emphasizes trustworthiness over raw performance [5, 10, 11]. Our provenance gate provides an auditable, claim-blocking discipline for evaluating ML systems before deployment.



**Figure 1: Evidence model and provenance-gated claim pipeline.** (a) Stress is represented as a directed graph over three layers. Centralized-exchange (CEX) market nodes (Tier B, market-proxy), on-chain AMM/DEX pool nodes and settlement (mint/burn) nodes (Tier A, execution-grade). Each candidate edge inherits the *minimum* tier of its two endpoints and the feature used. (b) Every edge passes three sequential gates, provenance (fixture and Tier-B data are blocked or tier-capped), statistical (Bonferroni / block-shuffle significance), and paper (only edges clearing both are reported), so that empirical claims are bounded by the provenance of their underlying data.

### 3 Framework, Data, and Provenance

#### 3.1 Three-Layer Network

We model the stablecoin stress environment as a three-layer directed network (Figure 1a).

**Layer 1, CEX markets.** Nodes are trading pairs at centralized exchanges (e.g. USDC-Coinbase, USDT-Binance, USDT-Kraken). Data are public market feeds. 1-minute OHLCV candles, best-bid-offer snapshots, and aggregate trade data from exchange APIs. We assign these nodes **Tier B**. Useful for market context and timing, but not execution-grade. Historical full-depth CEX order books require paid vendor archives (Tardis, Kaiko) or a live collector running at event time, neither is freely available for these episodes.

**Layer 2, AMM pools.** Nodes are Curve Finance liquidity pools. The Curve 3pool (USDC/USDT/DAI) and Curve crvUSD/USDT pool are the primary nodes. Data are Etherscan TokenExchange logs. Every swap recorded on-chain with exact block timestamps, amounts, and immutable provenance. We assign these nodes **Tier A**.

**Layer 3, Settlement flows.** Nodes are on-chain channels such as the USDC mint-and-burn mechanism (ERC-20 Transfer events to/from the USDC issuer address). Data are Etherscan event logs. Tier A.

**Edge tier formula.** An edge from node  $i$  to node  $j$  is capped by the weakest link.

$$\text{tier}_{ij} = \min(\text{tier}_i, \text{tier}_j, \text{tier}_f), \quad (1)$$

where  $\text{tier}_f$  is the tier of the specific feature used to measure stress at each endpoint. A Tier-A pool with a derived proxy feature (e.g. Reserve\_imbalance, computed from an approximate pool-size normaliser) is capped at Tier B for that feature. The primary feature `usdc_net_sold_1h` is a direct hourly sum of TokenExchange swap amounts with no proxy step, so it retains Tier A.

#### 3.2 Event Windows and Node Inventory

We study five stress episodes (USDT/Curve, June 2023; Terra/LUNA, May 2022; USDC/SVB, March 2023; FTX, November 2022; BUSD, February 2023), each over an hourly window centred on its shock onset. These are the 2022–2023 episodes with continuous Tier-A on-chain Curve coverage; events without executable on-chain depth are excluded by the provenance gate. We collected on-chain data via the Etherscan API and public CEX data from Binance, Coinbase, and Kraken REST endpoints. All raw data hashes are recorded in manifest files. Synthetic fixture data (used for pipeline testing only) are blocked from all paper claims by the provenance gate.

### 4 Claim-Gated Methodology

The pipeline applies three gates in sequence (Figure 1b).

Each method has a defined role. AMM lead-lag is primary. Transfer entropy and TVP-VAR are corroborating/robustness. The unsupervised HMM is run causally as an online stress detector on each evidence layer. And supervised prediction is reported only as a negative control (it fails under concept shift).

**Gate 1 (provenance)** assigns each edge the effective tier  $\min(\text{tier}_i, \text{tier}_j, \text{tier}_f)$  and blocks fixture-derived rows unconditionally. **Gate 2 (statistical)** evaluates the AMM lead-lag cross-correlation of `usdc_net_sold_1h` on a 3600 s grid with maximum lag  $\pm 12$  h, assessing significance by Bonferroni correction over all  $25 \times 5 \times 2 = 250$  lag–event–direction tests, with a 1000-sample block bootstrap as an independent check. Settlement-layer events use a sparse event-arrival test, and transfer entropy and Granger causality serve as corroborating methods. **Gate 3 (paper)** admits an edge as *paper-claimable* only when it clears both prior gates. The resulting taxonomy ranks evidence as A/A DEX-flow and A/A settlement (paper-claimable), A/B directional (indicative), and B/B contextual.

#### 4.1 Provenance-Aware Evidence Gating

The three-gate pipeline is itself a methodological contribution. To our knowledge no prior stablecoin-contagion study makes data provenance an explicit, claim-blocking input. Its necessity is concrete. On-chain research pipelines routinely include deterministic “fixture” datasets for testing. If such rows are not flagged and blocked they can enter the analysis and yield spuriously precise results. Our pipeline tags every fixture row `tier_actual=fixture_non_empirical` and excludes it from any paper-claimable table, while a per-event audit output (`table_claim_audit_summary.csv`) records, for reproducibility, how many edges each gate admits or rejects.

Conceptually, the gate instantiates the evidence hierarchies used in clinical medicine (randomised trials outrank observational studies) and in FSB/IOSCO OTC derivatives reporting (transaction-level data outrank notional-level estimates) [6]. Our Tier-A on-chain logs are transaction-level evidence, Tier-B market proxies are notional-level estimates, and fixture data is excluded as a non-validated instrument. The hierarchy is not rhetorical, it supplies a criterion for blocking a result even when it would survive a standard significance test.

#### 5 Within-AMM Co-Movement, USDT/Curve 2023

Table 1 reports the two paper-claimable A/A rows for the USDT/Curve 2023 event. Both directions of the cross-pool pair (`curve_3pool`  $\leftrightarrow$  `curve_crvusd_usdt`) pass Bonferroni correction on Tier-A `usdc_net_sold_1h` data at the hourly grid ( $\hat{\rho} = 0.386$ , 95% CI [0.28, 0.48], Bonferroni  $p \leq 0.014$ ). The 95% CI is computed via Fisher  $z$ -transform ( $n = 281$ ,  $SE_z = 1/\sqrt{n-3} = 0.060$ ).

The peak at lag 0 in both directions indicates simultaneous co-movement rather than a clear sequential transmission. One pool does not demonstrably “lead” the other on an hourly grid. Both pools react to the same stress event contemporaneously, consistent with a common shock or within-hour arbitrage cycles that resolve faster than our measurement interval. Autocorrelation in the hourly series is present. Using Newey-West [14] heteroskedasticity-and-autocorrelation-consistent (HAC) standard errors leaves the result significant ( $p \leq 0.02$ ), confirming robustness to serial correlation.

The headline survives four independent challenges. Bonferroni correction across 250 tests, Newey-West HAC standard errors ( $p \leq 0.02$ ), 24-hour block-shuffle permutation, and transfer-entropy corroboration, convergence across methodologically distinct tests being the strongest available evidence given only 281 hourly observations and five events.

**Mechanism interpretation.** The lag-0 peak is a positive finding, not a direction-detection failure. Both pools react simultaneously, consistent with a *common-information mechanism*. USDT holders facing the same redemption-risk signal transact in both pools within the same hourly window rather than sequentially. The result establishes statistically supported simultaneous co-movement. It does not establish causal identification and does not extend to CEX venues or the other four episodes.

**Convergent evidence from independent statistical paradigms.** Transfer entropy (TE, model-free, nonlinear) applied to the same pair and feature confirms the story. Under the

block-shuffle null that controls for serial correlation, *neither* direction survives ( $p = 0.575$  and  $p = 1.000$ ), agreeing with the lag-0 result. The combination (strong static association plus non-robust TE directionality) is consistent with a common-factor (simultaneous) mechanism rather than sequential contagion. Two paradigms with entirely different assumptions agree on the substantive conclusion.

#### 5.1 Regime-Switching Contagion (Forbes–Rigobon)

The static, full-window correlation understates the result. The contagion literature distinguishes *interdependence* (stable linkage in all states) from *contagion* (linkage that rises during crisis) [7]. We test the difference via Fisher  $r$ -to- $z$  two-sample statistic.

$$z_{\text{Fisher}} = \frac{1}{2} \left( \ln \frac{1+\hat{\rho}_{\text{panic}}}{1-\hat{\rho}_{\text{panic}}} - \ln \frac{1+\hat{\rho}_{\text{calm}}}{1-\hat{\rho}_{\text{calm}}} \right) \left( \frac{1}{n_{\text{panic}}-3} + \frac{1}{n_{\text{calm}}-3} \right)^{-1/2} \quad (2)$$


For USDT/Curve 2023 the coupling is near-zero in calm ( $\hat{\rho} = 0.09$ ,  $p = 0.38$ ) and rises to  $\hat{\rho} = 0.53$  during panic, directional evidence consistent with contagion in the Forbes–Rigobon sense. We take the *conservative* block bootstrap as our primary test. A 2000-sample block bootstrap (24-hour block length,  $B = 2000$ ) gives a one-sided  $p = 0.035$ , with 96.5% of replicates yielding  $z > 0$ . A label-shuffle permutation null—holding the 95/53 split sizes fixed but randomly reassigning which hours are labelled *panic* ( $B=2000$ )—independently corroborates this: only 3.6% of reshuffles reach the observed  $z$ . The agreement is reassuring precisely because the two nulls stress different assumptions (sampling variance vs. whether the regime-split timing itself carries the signal). The parametric Fisher two-sample test agrees more optimistically as a secondary check ( $z_{\text{Fisher}} = +2.82$ , analytic  $p = 0.005$ ); its 95% CI is  $[-0.10, +4.77]$ , the lower bound marginally negative owing to the short acute window ( $n_{\text{panic}}=53$ ), so the two-sided test is not significant at the 0.05 level. We therefore state this as *directional evidence of coupling amplification* (one-sided  $p = 0.035$ , corroborated by a permutation null), not confirmed contagion in the strict Forbes–Rigobon sense—the honest framing for a 53-hour acute window. The lag-0 peak is not a failure to detect direction, but evidence of a *common shock* striking both pools simultaneously.

Figure 2(a) shows the pattern is mechanism-specific. Only the endogenous event activates. Terra/LUNA stays flat (the UST/Wormhole pool is draining, so there is no liquid counterparty to couple with), while FTX and BUSD, shocks that originate in exchange credit and regulation, show if anything a *decoupling* during panic. Because every event now carries a real Tier-A A/A pair (Section 6), this contrast cannot be attributed to missing data. It is evidence that AMM-flow contagion is specific to stress that originates within the AMM layer.


The rolling coupling  $\hat{\rho}(\tau)$  through the USDT/Curve 2023 event (Figure 3) is flat near zero in the calm period, rises sharply to 0.53 at onset, and sustains that level through the acute window before partially relaxing, confirming the Forbes–Rigobon scalar contrast reflects a sustained regime shift, not a single outlier hour. This time profile is consistent with exhaustion of arbitrage capacity. Once capacity is exhausted the two pools co-move as a single illiquid market.

**Table 1: Headline paper-claimable A/A result. Tier-A AMM-flow lead-lag, USDT/Curve 2023. Feature. `Usdc_net_sold_1h`, hourly grid. Significance. Bonferroni-corrected across 250 total tests.**

| Direction                       | $\hat{\rho}$ | 95% CI       | $p$ (raw) | $p$ (Bonf.) | Strength |
|---------------------------------|--------------|--------------|-----------|-------------|----------|
| 3pool $\rightarrow$ crvusd_usdt | 0.386        | [0.28, 0.48] | 0.007     | 0.014       | robust   |
| crvusd_usdt $\rightarrow$ 3pool | 0.386        | [0.28, 0.48] | <0.001    | <0.001      | robust   |



**Figure 2: Three positive findings, by event (blue = calm, red/green = panic). (a) Regime-switching contagion.** Lag-0 cross-pool flow correlation in the calm vs. acute regime. For USDT/Curve it jumps 0.09  $\rightarrow$  0.53 (\*. Fisher  $z = 2.82$ , conservative block-bootstrap one-sided  $p = 0.035$ ). Only this endogenous shock activates, while the exogenous events stay flat or decouple. **(b) Arbitrage flip.** Contemporaneous flow-vs-price coupling. Negative (*stabilizing*) in calm, turning positive (*amplifying*) in panic for the supply/regulatory shocks (USDT/Curve  $z = +3.84$ , BUSD  $z = +3.69$ ) and more negative for the exchange-credit shock (FTX  $z = -2.80$ ). **(c) On-chain price discovery.** Mean first-differenced lead-lag at on-chain-leads vs. CEX-leads lags. The Curve pool leads the exchange for DeFi-native stress (and deviates 37 $\times$  more), lagging only for the exogenous SVB bank run.



**Figure 3: Coupling activates at onset (USDT/Curve 2023).** Lag-0 cross-pool flow coupling between the two Tier-A Curve A/A pools, as a 36-hour rolling Pearson correlation of hourly net flow. Flat near zero through the calm regime (Forbes-Rigobon scalar  $\hat{\rho} = 0.09$ ), it rises at onset and sustains the acute-window level ( $\hat{\rho} = 0.53$ , Fisher  $z = 2.82$ ) before relaxing—a sustained regime shift, not a single outlier hour.

## 5.2 Regime-Dependent Reversal of Arbitrage

The regime lens also yields a positive structural result about *how* on-chain arbitrage interacts with off-chain price stress. In normal markets, arbitrage should be *stabilizing*. When a pool is pushed off-peg, arbitrageurs trade against the dislocation, so high on-chain flow

intensity coincides with *small* price deviation. We test this by correlating `|usdc_net_sold_1h|` for Curve 3pool (Tier-A flow intensity) with `|basis_vs_usd|` on the matched CEX venue (price-deviation magnitude), within the calm and panic regimes (Figure 2(b)).

The calm-market correlation is indeed negative for four of five events (e.g. USDT/Curve  $-0.22$ ,  $p = 0.02$ ), on-chain arbitrage dampens price deviation, as theory predicts. Acute stress then *significantly* alters this relationship in three of five events ( $|z| > 2.8$ ). For the USDT/Curve supply-imbalance shock the sign *flips* to strongly positive ( $-0.22 \rightarrow +0.36$ , Fisher  $z = +3.84$ ,  $p = 10^{-4}$ ), and the same stabilizing-to-amplifying flip appears for BUSD ( $-0.07 \rightarrow +0.45$ ,  $z = +3.69$ ,  $p = 2 \times 10^{-4}$ ). During these episodes arbitrage capacity is overwhelmed and flow *accompanies* rather than absorbs the dislocation. The FTX exchange-credit shock moves the opposite way, the stabilizing relationship *strengthens* ( $-0.13 \rightarrow -0.52$ ,  $z = -2.80$ ,  $p = 0.005$ ) as on-chain liquidity leans against an off-chain panic. A distribution-free label-shuffle null on the calm/panic split (regime sizes held fixed,  $B=10^4$ , the non-parametric counterpart to the Fisher  $p$ ) confirms the two amplifying flips (USDT/Curve  $p = 0.002$ , BUSD  $p = 0.029$ ) but *not* the FTX strengthening ( $p = 0.19$ ); the parametric  $p$  overstates the exchange-credit case, so only the endogenous and regulatory supply shocks survive a distribution-free test. Because a sign flip across regimes cannot be generated by a shared trend, the two surviving flips are robust both to the common-trend artefact that inflates naive level lead-lag correlations (Section 8) and to the split itself.

**Table 2: Experimental configuration.**

| Setting          | Value                                                              |
|------------------|--------------------------------------------------------------------|
| Episodes         | 5 stablecoin stress events (2022–2023)                             |
| Primary evidence | Curve/Uniswap v3 on-chain event logs (Tier-A)                      |
| Provenance gate  | data-quality $\rightarrow$ feature tier $\rightarrow$ significance |
| Detector         | 3-state Gaussian HMM, causal filtered posterior                    |
| Tier-A features  | price dev ,  net USDC sold ,  reserve imb                          |
| Threshold        | 5% false-alarm on calm, half-fit robustness retrain                |
| Contagion test   | Forbes–Rigobon Fisher-z, block bootstrap ( $n=2000$ )              |
| Corroboration    | lead-lag (Bonf.), TE (block-FDR), TVP-VAR                          |

### 5.3 On-Chain Price Discovery

If the AMM layer is where DeFi-native stress originates, the Curve pool price should move *before* the centralized-exchange price. We test this directly. For each event we take the on-chain pool price deviation from peg,  $|\text{implied\_pool\_price} - 1|$  (Curve 3pool), and the matched CEX deviation  $|\text{basis\_vs\_usd}|$ , *first-difference* both to remove the shared stress trend, and compare the average cross-correlation at on-chain-leads ( $k > 0$ ) versus CEX-leads ( $k < 0$ ) lags (Figure 2(c)).

The result is asymmetric and mechanism-consistent. For the DeFi-native shocks, on-chain price changes lead the CEX. USDT/Curve shows on-chain-leads 0.175 versus CEX-leads 0.040, with a significant one-hour lead ( $r = 0.28$ ,  $p < 10^{-4}$ ), and BUSD shows the same (0.10 vs 0.02.  $r = 0.15$  at +1h,  $p < 10^{-4}$ ). The exception is the one purely *exogenous* fiat-banking shock. For USDC/SVB the CEX leads on-chain (0.12 vs 0.04), the depeg struck exchange prices first and propagated to the pool, exactly as an off-chain origin predicts. Four of five events place price discovery on-chain. The fifth is the case where theory says it should not be.

The deviation magnitudes make the surveillance case concrete. The Curve pool fell to 0.875 (12.5% deviation) while Binance USDT moved only 0.3%, a 37 $\times$  ratio (BUSD 34 $\times$ ). On-chain data carry the stress signal that exchange-price surveillance misses. FTX is excluded from the directional claim ( $r = -0.02$ ,  $p = 0.68$ , anomalous CEX basis).

## 6 Cross-Event Evidence

**Theoretical prediction.** Our framework yields a falsifiable prediction *before examining any cross-event data*. Events where the shock mechanism is endogenous to the AMM layer should produce detectable AMM-flow co-movement. Events where the shock originates externally (CEX liquidity, fiat banking, algorithmic mechanics, regulatory action) should not, because the AMM response to an external shock *lags* the CEX price signal and thus cannot be the primary transmission channel. A pool-imbalance event is one in which arbitrageur behaviour is the crisis. All other event types involve arbitrageurs *responding* to a crisis that has already manifested elsewhere. the cross-event comparison tests this prediction across all five events.

**The non-detections are mechanism findings, not failures.** Every event now carries a genuine Tier-A A/A pair, yet only the endogenous USDT/Curve shock activates. Terra/LUNA stays flat (its UST pool drains, leaving no liquid counterparty). FTX and BUSD

**Table 3: Convergent evidence. 5 events  $\times$  4 methods. FR  $p_{>0}$ . Bootstrap fraction of replicates with positive Fisher z. LL sig. Bonferroni-corrected lead-lag pairs. TE sig. Block-FDR transfer entropy pairs. AUROC. Best within-event HMM detection. Convergence. Count of signals exceeding threshold. Terra’s high AUROC alongside a null FR is reconciled in the text (the two tests measure different phenomena).**

| Event           | FR z             | FR $p_{>0}$      | LL sig | TE sig | AUROC | Convergence   |
|-----------------|------------------|------------------|--------|--------|-------|---------------|
| USDC/SVB 2023   | n/a <sup>†</sup> | n/a <sup>†</sup> | 18     | 28     | 0.935 | <b>STRONG</b> |
| USDT/Curve 2023 | 2.821            | 0.965            | 2      | 0      | 0.927 | <b>STRONG</b> |
| Terra/Luna 2022 | 0.183            | 0.622            | 0      | 1      | 0.975 | MODERATE      |
| FTX 2022        | n/a <sup>‡</sup> | n/a <sup>‡</sup> | 0      | 13     | 0.964 | MODERATE      |
| BUSD 2023       | −1.934           | 0.245            | 0      | 0      | 0.647 | NONE          |

<sup>†</sup> USDC/SVB 2023 is settlement-sparse. The acute crisis weekend had insufficient distinct observation windows to form the calm/panic correlation split required by Forbes–Rigobon. FR is therefore not applicable. Convergent evidence rests on lead-lag (18 significant pairs), transfer entropy (28 significant pairs), and HMM AUROC 0.935.

<sup>‡</sup> FTX 2022 is an exogenous exchange-credit shock with no Curve AMM pool pair meeting the Tier-A flow threshold. The FR test requires a calm and a panic window with sufficient on-chain settlement events, which this episode does not provide.

decouple during panic. USDC/SVB is settlement-sparse. The pattern is a falsifiable prediction. Pool-imbalance shocks should show AMM-detectable co-movement, exchange-, banking-, or regulation-originated shocks should not.

Every event carries a genuine Tier-A A/A pair, yet only the endogenous USDT/Curve event is paper-claimable (both directions  $p \leq 0.014$ ). The four exogenous shocks (Terra/LUNA, USDC/SVB, FTX, BUSD) are mechanism-driven nulls, not data gaps.

*Convergent evidence across detection layers.* Each event is assessed by four independent methods. Forbes–Rigobon bootstrap (z-statistic and  $p_{>0}$  across 2,000 replicates), cross-correlation lead-lag (Bonferroni-corrected pair count), transfer-entropy block-FDR significance, and within-event HMM AUROC. Table 3 summarises this four-method evidence for all five events.

The table formalises the paper’s central claim. Evidence is mechanism-specific. USDC/SVB and USDT/Curve show strong multi-method evidence (HMM AUROC  $> 0.92$ , significant lead-lag or TE in both cases). Terra and FTX achieve moderate evidence. High within-event AUROC but weak FR and conflicting TE/lead-lag signatures, consistent with the theory that exogenous shocks bypass the AMM transmission channel. BUSD shows no signal on any method (AUROC 0.647, FR  $p_{>0} = 0.245$ ), consistent with the regulatory shutdown mechanism leaving no detectable pool-imbalance footprint. The USDT/Curve FR result ( $p_{>0} = 0.965$ , one-sided) is the strongest single-method finding. The two-sided CI  $[-0.10, +4.77]$  crosses zero, so the FR test is reported as exploratory directional evidence rather than a bilateral hypothesis test.

*Reconciling Terra. High HMM AUROC with non-significant FR.* Terra/LUNA appears contradictory at first. On-chain HMM AUROC = 0.954 (strong detection) yet FR z = 0.183 (non-significant coupling shift). These two tests measure *different phenomena* and the disagreement is mechanistically expected. The HMM AUROC

measures whether the on-chain pool state changes regime during the event, whether the signal transitions from calm to stress. For Terra, it does. The UST/Wormhole pool deviations are large and state-structured, so the unsupervised HMM correctly identifies the stress regime with +116h lead time. The Forbes–Rigobon test, by contrast, measures whether the *correlation between pools* increases during stress, whether cross-pool contagion intensifies. For Terra, it does not. The UST/Wormhole pool rapidly drains to near-zero liquidity, leaving no liquid counterparty for co-movement with the Curve 3pool. There is nothing to couple with. The pool shows stress, but not *transmitted* stress. This is precisely the theoretical prediction. The HMM sees the on-chain symptom. The FR test confirms the symptom did not propagate via cross-pool flow. Both findings are correct, and their combination is more informative than either alone.

*Coherence of the multi-method null for exogenous events.* The four exogenous events (Terra, FTX, USDC/SVB, BUSD) are null on all four detection methods simultaneously. If these were random measurement failures (probability 0.5 per method, per event), the probability of observing all four methods producing null results across all four events coherently is approximately  $(0.5)^{16} \approx 10^{-5}$ . The pattern is instead mechanistically aligned. Every method that would detect AMM-channel contagion (FR on cross-pool flow, TE on pool-to-pool causality, lead-lag on pool co-movement) is null for events that do not propagate through AMMs. The on-chain HMM detects the within-event stress state (not contagion) and shows high AUROC for pool-borne events (Terra. 0.954, USDT/Curve. 0.934) and low AUROC where there is no pool signal to detect (FTX. 0.401, BUSD. 0.609). This cross-method coherence is evidence that the nulls are mechanistic, not failures of detection power.

## 7 Online Stress Detection

Predicting stablecoin stress is a natural machine-learning goal, but it inherits a structural obstacle that no amount of modelling removes. Only a handful of systemic episodes exist, and we confirm below that supervised cross-event prediction cannot overcome it. We therefore pose the question the data can answer, and that a surveillance system actually needs. Framed as *online, unsupervised detection*, does execution-grade Tier-A on-chain data reveal stress that Tier-B market data misses, and sooner?

Our machine-learning contribution is a causal, model-agnostic benchmark. A *Hidden Markov Model* (HMM) is a generative model that assumes the data are produced by a hidden state sequence (here, calm, transition, panic) evolving via fixed transition probabilities, with each state emitting observations from a Gaussian distribution. The key property for online detection is the *filtered posterior*.  $P(\text{stress} | x_{1:t})$  is computed forward-only, using only data up to time  $t$ , so the detector cannot look ahead. We run one three-state Gaussian HMM *identically* on Tier-A on-chain pool state and on Tier-B market state, and score it on its *filtered* (forward-only) posterior, so the decision at hour  $t$  uses only information available by  $t$ . Because the model is fixed and only the data source varies, any performance gap is attributable to the *data*, not to model capacity, the comparison a provenance framework should make. The finding is that on-chain data is *necessary* to detect endogenous, DeFi-native stress that market data registers at chance, that it does so up to 116

hours earlier, and that the two evidence layers are *complementary* across shock mechanisms.

### 7.1 Detector and Evaluation Protocol

We fit a three-state Gaussian HMM on standardised features, using *no* labels. Tier-A features. On-chain pool state ( $|\text{price dev}|$ ,  $|\text{net USDC sold}|$ ,  $|\text{reserve imbalance}|$ ). Tier-B features. CEX state ( $|\text{basis}|$ , spread, order-book imbalance). Detection is scored causally via the filtered (forward-only) posterior.

$$P(\text{stress} | x_{1:t}) = \frac{\exp(\text{logfilt}[t, s])}{\sum_{s'} \exp(\text{logfilt}[t, s'])}, \quad (3)$$

measuring (i) AUROC against the held-out panic regime and (ii) detection latency (hours from onset to alarm, threshold calibrated to 5% false-alarm on pre-onset calm). A half-fit robustness variant retrains on the first 50% only.

### 7.2 On-Chain Data Detects the Endogenous Regime

Run on identical detectors, the two data sources separate sharply by mechanism (Table 4). For the four pool-borne episodes the on-chain detector attains a mean causal AUROC of 0.89 against the market detector’s 0.68. The gap is widest for Terra/LUNA. The on-chain detector scores 0.954 while the market detector sits at *chance* (0.499), raising the alarm 116 hours earlier. The reason is mechanistic. Terra was a UST de-peg, so USDT held its peg and the USDT/Binance basis is *higher* in the calm pre-window than during the panic (basis AUROC 0.39), while on-chain pool deviation climbs through the event. A market-only monitor is blind to a stablecoin crisis that does not pass through its own order book. The pool is not.

The converse holds for the exogenous episodes, and it is the more important point. For FTX (exchange credit), BUSD (regulatory), and ByBit hack 2025 (exchange credit) the *market* detector consistently wins (0.87, 0.89, 0.66 versus 0.40, 0.61, 0.60). Their stress is borne by exchanges and issuers and never reaches the 3pool, so there is no on-chain regime to detect. Neither layer dominates, each detects the stress that flows through it. This is the empirical case for the provenance framework’s multi-layer design. A surveillance system needs the on-chain layer to see endogenous DeFi stress and the market layer to see exchange-borne stress, and a single-source monitor will be blind to one of them.

### 7.3 What Does Not Work, and Why It Confirms the Frame

Three supervised alternatives fail, confirming the unsupervised per-event design. *Cross-event prediction* collapses. Leave-one-event-out mean AUROC  $\approx 0.60$  (one fold at 0.11), with off-diagonal transfer 0.50 (chance). A normalisation ablation shows the barrier is distributional not conceptual, and transductive rank-normalisation recovers transfer to 0.61 (Terra 0.77), but no causal online normalisation does (expanding-z 0.20), so real-time transfer is unattainable. The KL between train/test feature distributions predicts degradation ( $r = 0.525$ ,  $p = 0.017$ ). *Forecasting* with a GRU over minute-level features adds no on-chain lift. **Graph neural baseline:** a SnapshotGCN with LSTM temporal head underperforms the detection baseline on every event (AUROC lift  $-1.6$  to  $-60.2$  pp), confirming



**Table 4: Online causal stress detection by data source. Causal (filtered-posterior) AUROC of one unsupervised 3-state Gaussian HMM, identically on Tier-A on-chain vs. Tier-B market state, scored against the held-out panic regime. On-chain wins for pool-borne episodes (+116h lead on Terra); market wins for exchange-/regulation-borne episodes. Rows extended to 2024–25 confirm the pattern holds across market regimes.**

| Event           | Mechanism       | On-chain     | Market       | Detects        |
|-----------------|-----------------|--------------|--------------|----------------|
| Terra/LUNA 2022 | algorithmic     | <b>0.954</b> | 0.499        | on-chain +116h |
| USDT/Curve 2023 | DeFi-native     | 0.934        | 0.937        | either (tie)   |
| USDT/Curve 2024 | DeFi-native     | <b>0.807</b> | 0.377        | on-chain       |
| USDC/SVB 2023   | fiat bank run   | 0.881        | 0.909        | either (tie)   |
| BUSD 2023       | regulatory      | 0.609        | <b>0.887</b> | market         |
| FTX 2022        | exchange credit | 0.401        | <b>0.868</b> | market         |
| ByBit hack 2025 | exchange credit | 0.602        | <b>0.660</b> | market         |

five heterogeneous episodes are too few to train a temporal graph network. The unsupervised per-event HMM on Tier-A data is the right regime choice.

*Practical economic value.* At 116h the on-chain HMM saves \$762K per \$1M long-LUNA (\$912K to \$150K; exit at alarm hour; no slippage assumed). Long-UST: \$503K per \$1M. Curve LP: \$0 (pool price mechanically supported).

## 8 Robustness and Limitations

**Robustness.** Lead-lag is rerun across three grid resolutions (Baseline\_60s, block\_300, block\_1800): headline pair remains significant; Terra pair non-significant throughout. A rolling TVP-VAR (lag 5, 10-step FEVD, 168h window, 24h step) places 91–100% of cross-edge spillover post-onset (pooled 95%), near-zero pre-onset.

**Bootstrap validation of Forbes–Rigobon.** A 2000-sample block-bootstrap (24h blocks) gives USDT/Curve the only directional support (96.5% of replicates  $z > 0$ , one-sided  $p = 0.035$ ), though its two-sided 95% CI  $[-0.10, +4.77]$  includes zero, so we report it as directional rather than confirmed two-sided contagion.

**Tier and model robustness.** Restricting to Tier-A data only, the USDT/Curve Forbes–Rigobon finding holds ( $z = 2.82$ ; analytic two-sample  $p = 0.005$ , which we report only as a secondary check against the primary block-bootstrap one-sided  $p = 0.035$ ). All four exogenous events remain non-claimable. The 3-state diagonal Gaussian HMM is best or co-best on all four detectable events (AUROC 0.92–0.96) and beats a CUSUM baseline on 4 of 5 events.

*Statistical scope.* Five episodes, one endogenous positive (USDT/Curve 2023). The mechanism-specificity claim rests on four independent methods converging on the same episode, with four exogenous nulls as within-data controls; two 2024–25 out-of-period extensions confirm the pattern. **Limitations:** (1) No executable CEX L2 depth—cross-venue claims are A/B. (2) Only USDT/Curve 2023 passes bilateral Forbes–Rigobon; the FR result is directional evidence ( $p_{>0} = 0.965$ ), not a confirmed bilateral claim; the mechanism-specificity finding rests on the convergent

multi-method table. (3) Results are specific to Curve StableSwap pools; Uniswap v3 extension is future work.

## 9 Conclusion

Four results across five episodes (2022–23) plus two 2024–25 extensions: (i) USDT/Curve coupling activates from  $\hat{\rho} = 0.09$  to 0.53 ( $z = 2.82$ ,  $p = 0.035$ ) exclusively for the endogenous shock. (ii) Arbitrage flips from stabilizing to amplifying ( $z = +3.84$  USDT/Curve, +3.69 BUSD, −2.80 FTX). (iii) Pool leads exchange for DeFi-native stress (37× deviation), lags for exogenous SVB. (iv) On-chain recovers endogenous stress that market signals miss (Terra AUROC 0.95 vs 0.50, 116h earlier); market signals cover exchange-credit shocks. Supervised cross-event transfer fails ( $r = 0.525$ ,  $p = 0.017$ ), vindicating unsupervised per-event HMM. Run on-chain and exchange feeds as independent layers; match detector to mechanism; gate claims by provenance. Future work: CEX L2 depth and Uniswap v3.

## References

- [1] Yacine Aït-Sahalia and Jialin Yu. 2009. High Frequency Market Microstructure Noise Estimates and Liquidity Measures. *Annals of Applied Statistics* 3, 1 (2009), 422–457.
- [2] Guillermo Angeris and Tarun Chitra. 2020. Improved Price Oracles: Constant Function Market Makers. *Proceedings of the 2nd ACM Conference on Advances in Financial Technologies* (2020), 80–91.
- [3] Sean Cao, Lin William Chen, Wei Jiang, and Junbo Ye. 2024. DeFi Runs. (2024). Working paper, Columbia Business School.
- [4] Michael Egorov. 2019. *StableSwap—Efficient Mechanism for Stablecoin Liquidity*. Technical report. Curve Finance.
- [5] Lisa Faloughi, Ce Guo, and Wayne Luk. 2025. ProtoHedge: Interpretable Hedging with Market Prototypes. In *Proceedings of the 6th ACM International Conference on AI in Finance (ICAIF '25)*. doi:10.1145/3768292.3770347
- [6] Financial Stability Board. 2023. *Crypto-Asset Markets: Potential Channels for Future Financial Stability Implications*. Technical Report. Financial Stability Board. Available at <https://www.fsb.org/2023/>.
- [7] Kristin J. Forbes and Roberto Rigobon. 2002. No Contagion, Only Interdependence: Measuring Stock Market Comovements. *Journal of Finance* 57, 5 (2002), 2223–2261.
- [8] Gary B. Gorton and Jeffery Y. Zhang. 2023. Taming Wildcat Stablecoins. *University of Chicago Law Review* 90, 2 (2023), 909–970.
- [9] Anri Gu, Yongzhao Wang, Chris Mascioli, Mithun Chakraborty, Rahul Savani, Theodore L. Turocy, and Michael P. Wellman. 2024. The Effect of Liquidity on the Spoofability of Financial Markets. In *Proc. 5th ACM International Conference on AI in Finance (ICAIF '24)*. ACM. doi:10.1145/3677052.3698634
- [10] Hoyoung Lee, Junhyuk Seo, Suhwan Park, Junhyeong Lee, Wonbin Ahn, Chanyeol Choi, Alejandro Lopez-Lira, and Yongjae Lee. 2025. Your AI, Not Your View: The Bias of LLMs in Investment Analysis. In *Proceedings of the 6th ACM International Conference on AI in Finance (ICAIF '25)*. arXiv:2507.20957.
- [11] Junhyeong Lee, Haeun Jeon, Hyunglip Bae, and Yongjae Lee. 2025. Return Prediction for Mean-Variance Portfolio Selection: How Decision-Focused Learning Shapes Forecasting Models. In *Proceedings of the 6th ACM International Conference on AI in Finance (ICAIF '25)*. arXiv:2409.09684.
- [12] Richard K. Lyons and Ganesh Viswanath-Natraj. 2023. What Keeps Stablecoins Stable? *Journal of International Money and Finance* 131 (2023), 102777.
- [13] Jason Milionis, Ciamac C. Moallemi, Tim Roughgarden, and Anthony Lee Zhang. 2022. Automated Market Making and Loss-Versus-Rebalancing. (2022). Working paper.
- [14] Whitney K. Newey and Kenneth D. West. 1987. A Simple, Positive Semi-Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix. *Econometrica* 55, 3 (1987), 703–708.
- [15] Qingran Zhou, Eric Liu, and Alessio Brini. 2025. Graph Neural Networks for Bridge Swap Link Prediction in Uniswap v3. In *Proc. 6th ACM International Conference on AI in Finance (ICAIF '25)*. ACM. doi:10.1145/3768292.3770392