```
rmrv@slhwserver:~/work/test$ touch vaje1.txt
rmrv@slhwserver:~/work/test$ dir
vaje1.txt
rmrv@slhwserver:~/work/test$ cal 1 1970 > vaje1.txt
rmrv@slhwserver:~/work/test$ dir
vaje1.txt
rmrv@slhwserver:~/work/test$ cat vaje1.txt
    Januar 1970
ne po to sr če pe so
             1  2  3
 4  5  6  7  8  9 10
11 12 13 14 15 16 17
18 19 20 21 22 23 24
25 26 27 28 29 30 31

rmrv@slhwserver:~/work/test$ touch -t 202011091200 vaje1.txt
rmrv@slhwserver:~/work/test$ dir
vaje1.txt
rmrv@slhwserver:~/work/test$ cat vaje1.txt
    Januar 1970
ne po to sr če pe so
             1  2  3
 4  5  6  7  8  9 10
11 12 13 14 15 16 17
18 19 20 21 22 23 24
25 26 27 28 29 30 31

rmrv@slhwserver:~/work/test$ echo -e 1\n2\n3\n4\n5 > vaja2.txt
rmrv@slhwserver:~/work/test$ cat vaja2.txt
1n2n3n4n5
rmrv@slhwserver:~/work/test$ echo -e "1\n2\n3\n4\n5" > vaja2.txt
rmrv@slhwserver:~/work/test$ cat vaja2.txt
1
2
3
4
5
```

```
rmrv@slhwserver:~/work/UvR_vaje$ dir
vaja2.txt  vaje1.txt
rmrv@slhwserver:~/work/UvR_vaje$ vaja2.txt >> vaje1.txt
vaja2.txt: command not found
rmrv@slhwserver:~/work/UvR_vaje$ cd..
cd..: command not found
rmrv@slhwserver:~/work/UvR_vaje$ cd ..
rmrv@slhwserver:~/work$ cd UvR_vaje && vaja2.txt >> vaje1.txt
vaja2.txt: command not found
rmrv@slhwserver:~/work/UvR_vaje$ cat vaja2.txt >> vaje1.txt
rmrv@slhwserver:~/work/UvR_vaje$ dir
vaja2.txt  vaje1.txt
rmrv@slhwserver:~/work/UvR_vaje$ cat vaje1.txt
    December 2021
ne po to sr če pe so
          1  2  3  4
 5  6  7  8  9 10 11
12 13 14 15 16 17 18
19 20 21 22 23 24 25
26 27 28 29 30 31


1
2
3
4
5
rmrv@slhwserver:~/work/UvR_vaje$ cd ..
total 8,0K
-rw-rw-r-- 1 rmrv rmrv  10 jan  4 14:54 vaja2.txt
-rw-rw-r-- 1 rmrv rmrv 195 jan  4 14:58 vaje1.txt
rmrv@slhwserver:~/work/UvR_vaje$ chmod o-r vaje1.txt
rmrv@slhwserver:~/work/UvR_vaje$ ls -lh
total 8,0K
-rw-rw-r-- 1 rmrv rmrv  10 jan  4 14:54 vaja2.txt
-rw-rw---- 1 rmrv rmrv 195 jan  4 14:58 vaje1.txt
rmrv@slhwserver:~/work/UvR_vaje$ chmod 600 vaja2.txt
rmrv@slhwserver:~/work/UvR_vaje$ ls -lh
total 8,0K
-rw------- 1 rmrv rmrv  10 jan  4 14:54 vaja2.txt
-rw-rw---- 1 rmrv rmrv 195 jan  4 14:58 vaje1.txt
rmrv@slhwserver:~/work/UvR_vaje$ chowner bvav vaja2.txt
chowner: command not found
rmrv@slhwserver:~/work/UvR_vaje$ chown bvav vaja2.txt
chown: changing ownership of 'vaja2.txt': Operation not permitted
rmrv@slhwserver:~/work/UvR_vaje$ sudo chown bvav vaja2.txt
[sudo] password for rmrv:
rmrv is not in the sudoers file.  This incident will be reported.
```

```
rmrv@slhwserver:~/work/UvR_vaje$ pstree > vaja3.txt
rmrv@slhwserver:~/work/UvR_vaje$ cat vaja3.txt
systemd-+-ModemManager---2*[{ModemManager}]
        |-NetworkManager---2*[{NetworkManager}]
        |-accounts-daemon---2*[{accounts-daemon}]
        |-acpid
        |-at-spi-bus-laun-+-dbus-daemon
        |                 `-3*[{at-spi-bus-laun}]
        |-at-spi2-registr---2*[{at-spi2-registr}]
        |-avahi-daemon---avahi-daemon
        |-blkmapd
        |-colord---2*[{colord}]
        |-containerd---47*[{containerd}]
        |-cron
        |-cups-browsed---2*[{cups-browsed}]
        |-cupsd
        |-dbus-daemon
```

```
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ echo "# UvR2021" >> README.md
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ dir
README.md
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ git add README.md
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ dir
README.md
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ git status
On branch nlocal

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md

rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ git commit -m "first commit"
[nlocal (root-commit) 730da85] first commit
 1 file changed, 1 insertion(+)
 create mode 100644 README.md
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ git status
On branch nlocal
nothing to commit, working tree clean
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ git branch -M main
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ git status
On branch main
```

```
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ git push -u origin main
Username for 'https://github.com': nl5629
Password for 'https://nl5629@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 225 bytes | 225.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/nl5629/UvR2021.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ git pull
Already up to date.
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ 
```

```
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ git push
fatal: The upstream branch of your current branch does not match
the name of your current branch.  To push to the upstream branch
on the remote, use

    git push origin HEAD:main

To push to the branch of the same name on the remote, use

    git push origin HEAD

To choose either option permanently, see push.default in 'git help config'.
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$  git push origin HEAD
Username for 'https://github.com': nl5629
Password for 'https://nl5629@github.com':
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 32 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 2.15 KiB | 2.15 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'nlocal' on GitHub by visiting:
remote:      https://github.com/nl5629/UvR2021/pull/new/nlocal
remote:
To https://github.com/nl5629/UvR2021.git
 * [new branch]      HEAD -> nlocal
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$ 
```

```
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$  git push origin HEAD
Username for 'https://github.com': nl5629
Password for 'https://nl5629@github.com':
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 32 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 2.15 KiB | 2.15 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'nlocal' on GitHub by visiting:
remote:        https://github.com/nl5629/UvR2021/pull/new/nlocal
remote:
To https://github.com/nl5629/UvR2021.git
 * [new branch]      HEAD -> nlocal
rmrv@slhwserver:~/work/UvR_vaje/git_test/UvR2021$
```