

## AFFINE MMSE PREDICTORS

We want to find A and b to minimize

$$\mathsf{E} |Ax + b - y|^2.$$

*Proof.* We can express  $\mathbf{E}(|Ax+b-y|^2)$  as  $\mathbf{E}((Ax+b-y)^{\top}(Ax+b-y))$ 

The gradients with respect to b are

so  $2A \mathbf{E}(x) + 2b - 2 \mathbf{E}(y)$ . The gradients with respect to A are

so  $2 \mathbf{E}(xx^{\top})A^{\top} + 2 \mathbf{E}(x)b^{\top} - 2 \mathbf{E}(xy^{\top})$ . We want A and b solutions to

$$A \mathbf{E}(x) + b - \mathbf{E}(y) = 0$$
$$\mathbf{E}(xx^{\top})A^{\top} + \mathbf{E}(x)b^{\top} - \mathbf{E}(xy^{\top}) = 0$$

so first get  $b = \mathbf{E}(y) - A \mathbf{E}(x)$ . Then express

$$\begin{split} \mathbf{E}(xx^\top)A^\top + \mathbf{E}(x)(\mathbf{E}(y) - A\,\mathbf{E}(x))^\top - \mathbf{E}(xy^\top) &= 0. \\ \mathbf{E}(xx^\top)A^\top + \mathbf{E}(x)\,\mathbf{E}(y)^\top - \mathbf{E}(x)\,\mathbf{E}(x)^\top A^\top - \mathbf{E}(xy^\top) &= 0. \\ (\mathbf{E}(xx^\top) - \mathbf{E}(x)\,\mathbf{E}(x)^\top)A^\top &= \mathbf{E}(xy^\top) - \mathbf{E}(x)\,\mathbf{E}(y)^\top. \\ \mathbf{cov}(x,x)A^\top &= \mathbf{cov}(x,y). \end{split}$$

So  $A^{\top} = \mathbf{cov}(x, x)^{-1} \mathbf{cov}(x, y)$  means  $A = \mathbf{cov}(y, x) \mathbf{cov}(x, x)^{-1}$  is a solution. Then  $b = \mathbf{E}(y) - \mathbf{cov}(y, x) \mathbf{cov}(x, x)^{-1} \mathbf{E}(x)$ . So to summarize, the estimator  $\phi(x) = Ax + b$  is

$$cov(y, x) (cov x, x)^{-1} x + E(y) - cov(y, x) cov(x, x)^{-1} E(x)$$

or

$$E(y) + cov(y, x) (cov x, x)^{-1} (x - E(x))$$

