

RELATIONS

Why

How can we relate the elements of two sets?

Definition

A relation between two nonempty sets is a subset of their cross product. A relation on a single set is a subset of the cross product of it with itself.

The *domain* of a relation is the set of all elements which appear as the first coordinate of some ordered pair of the relation. The *range* of a relation is the set of all elements which appear as the second coordinate of some ordered pair of the relation.

Notation

Let A and B be two nonempty sets. A relation on A and B is a subset of $A \times B$. Let C be a nonempty set. A relation on a C is a subset of $C \times C$.

Let $a \in A$ and $b \in B$. The ordered pair (a, b) may or may not be in a relation on A and B. Also notice that if $A \neq B$, then (b, a) is not a member of the product $A \times B$, and therefore not in any relation on A and B. If A = B, however, it may be that (b, a) is in the relation.

Notation

Let A and B be nonempty sets with $a \in A$ and $b \in B$. Since relations are sets, we can use upper case Latin letters. Let Rbe a relation on A and B. We denote that $(a, b) \in R$ by aRb, read aloud as "a in relation R to b."

When A = B, we tend to use other symbols instead of letters. For example, \sim , =, <, \leq , \prec , and \preceq .

Properties

Often relations are defined over a single set, and there are a few useful properties to distinguish.

A relation is *reflexive* if every element is related to itself. A relation is *symmetric* if two objects are related regardless of their order. A relation is *antisymmetric* antisymmetric if two different objects are related only in one order, and never both. A relation is *transitive* if a first element is related to a second element and the second element is related to the third element, then the first and third element are related.

Notation

Let R be a relation on a non-empty set A. R is reflexive if

$$(a,a) \in R$$

for all $a \in A$. R is transitive if

$$(a,b) \in R \land (b,c) \in R \longrightarrow (a,c) \in R$$

for all $a, b, c \in A$. R is symmetric if

$$(a,b) \in R \longrightarrow (b,a) \in R$$

for all $a, b \in A$. R is anti-symmetric if

$$(a,b) \in R \longrightarrow (b,a) \notin R$$

for all $a, b \in A$.

