Why

Definition

conditional density

Notation

Let $f : \mathbf{R}^d \to \mathbf{R}$ a density. For $i, j = 1, \ldots, d$ and $i \neq j$, let $f_{i|j} : \mathbf{R}^2 \to \mathbf{R}$ satisfy

$$f_{ij}(\xi, \gamma) = f_{i|j}(\xi, \gamma) f_j(\gamma)$$

for $\xi, \gamma \in \mathbf{R}$.


Conditional Densities
Conditional Event Probability
Marginal Densities
Multivariate Real Densities
Probability Densities
N-Dimensional Space
Real Integrals
Distance
Nonnegative Integrals
Simple Integrals
Measurable Functions
Space Distance
Event Probabilities
Measures
Plane Distance
Probability Events
Probability Distributions
Extended Real Numbers
Interval Length
Probability Outcomes
Real Limits
Intervals
Real Line
Real Plane
Real Space
Probability
Common Sense
Real Summation
Real Sequences
Real Order
Geometry
Direct Products
Real Numbers
Rational Numbers
Natural Summation
Integer Arithmetic
Sequences
Subset Algebras
Family Operations
Natural Multiplicative Identity
Natural Additive Identity
Set Operations
Cardinality
Algebras
Identity Elements
Arithmetic
Families
Operations
Natural Exponents
Integer Products
Functions
Natural Products
Integer Sums
Natural Sums
Integer Numbers
Equivalence Relations
Recursion Theorem
Simple Functions
Relations
Peano Axioms
Subset Systems
Cartesian Products
Characteristic Functions
Natural Induction
Partitions
Ordered Pairs
Set Powers
Natural Numbers
Unordered Triples
Intersection of Empty Set
Successor Sets
Set Symmetric Difference
Set Intersections
Pair Unions
Pair Intersections
Set Complements
Set Unions
Empty Set
Set Differences
Unordered Pairs
Set Specification
Set Inclusion
Standardized Accounts
Accounts
Deductions
Quantified Statements
Logical Statements
Statements
Identities
Sets
Names
Letters
Objects