



Screenshot de la carpeta local con carpeta .git



Screenshot del git log en repositorio local.



Screenshot de tablero funcionando.



Screenshot de historial de commits con git log.

```
PS C:\Users\nilara\Taller2> git log c1cedaf
commit c1cedaf50bc0b32a3bf304b3fd61271c6a1a58e8
Author: nlarav-uniandes <n.larav@uniandes.edu.co>
Date: Sun Aug 9 12:31:21 2026 -0500

    nueva funcion para cargar datos

commit 7072e9e22f18505079eb1544b2b639e3f734edc6
Author: nlarav-uniandes <n.larav@uniandes.edu.co>
Date: Sun Aug 9 12:30:30 2026 -0500

    mi primer commit
PS C:\Users\nilara\Taller2>
```

Screenshot de nueva rama.

```

mi primer commit
PS C:\Users\nilara\Taller2> git log --oneline --decorate 93e8a8f
93e8a8f (nicolas-viz) ajuste en rama nicolas-viz
c1cedaf nueva funcion para cargar datos
7072e9e mi primer commit
PS C:\Users\nilara\Taller2> |

```

Screenshot con cambios en de la rama auxiliar y HEAD apuntando a las dos ramas (main y auxiliar).

```

PS C:\Users\nilara> cd C:\Users\nilara\Taller2
PS C:\Users\nilara\Taller2> git reset --hard 93e8a8f
HEAD is now at 93e8a8f ajuste en rama nicolas-viz
PS C:\Users\nilara\Taller2> git log --oneline --decorate
93e8a8f (HEAD -> main, nicolas-viz) ajuste en rama nicolas-viz
c1cedaf nueva funcion para cargar datos
7072e9e mi primer commit
PS C:\Users\nilara\Taller2>

```

Screenshot con rama main asociada a repositorio remoto.

```

PS C:\Users\nilara\Taller2> git log --oneline --decorate
3d710d4 (HEAD -> main, origin/main, origin/HEAD) ajuste de subtitulo en tablero
93e8a8f (nicolas-viz) ajuste en rama nicolas-viz
c1cedaf nueva funcion para cargar datos
7072e9e mi primer commit
PS C:\Users\nilara\Taller2>

```



Screenshot con rama main asociada a repositorio remoto con cambio realizado.

```

PS C:\Users\nilara\Taller2> git log --oneline --decorate
3d710d4 (HEAD -> main, origin/main, origin/HEAD) ajuste de subtitulo en tablero
93e8a8f (nicolas-viz) ajuste en rama nicolas-viz
c1cedaf nueva funcion para cargar datos
7072e9e mi primer commit
PS C:\Users\nilara\Taller2>

```

Screenshot de Pull request en Github.



Screenshot de rama main con Pull request aceptado con cambios de compañero.

```
PS C:\Users\nilara> cd C:\Users\nilara\Taller2
PS C:\Users\nilara\Taller2> git pull origin main
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 1), reused 3 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 1.94 KiB | 62.00 KiB/s, done.
From https://github.com/nlarav-uniandes/taller2_git
* branch      main      -> FETCH_HEAD
   3d710d4..9ab1856  main      -> origin/main
Updating 3d710d4..9ab1856
Fast-forward
 app.py | 1 +
 1 file changed, 1 insertion(+)
PS C:\Users\nilara\Taller2> git log --oneline --decorate
9ab1856 (HEAD -> main, origin/main, origin/HEAD) Merge pull request #2 from nlarav-uniandes/copilot/apoyo-taller-2-j-mauro-r
88d302f Add comment at the top of app.py
3d710d4 ajuste de subtitulo en tablero
93e8a8f (nicolas-viz) ajuste en rama nicolas-viz
c1cedaf nueva funcion para cargar datos
7072e9e mi primer commit
PS C:\Users\nilara\Taller2>
```