

ADC (VAL0) - Channels 8 to 15




ADC (VAL0) - Channels 16 to 23




ADC (VAL0) - Channels 24 to 31



ADC (VAL0) - Channels 32 to 39



ADC (VAL0) - Channels 40 to 47



ADC (VAL0) - Channels 48 to 55




ADC (VAL0) - Channels 56 to 63




ADC (VAL0) - Channels 64 to 71



ADC (VAL0) - Channels 72 to 79



ADC (VAL0) - Channels 80 to 87



ADC (VAL0) - Channels 88 to 95




ADC (VAL0) - Channels 96 to 103



ADC (VAL0) - Channels 104 to 111



ADC (VAL0) - Channels 112 to 119




ADC (VAL0) - Channels 120 to 127



ADC (VAL0) - Channels 128 to 135




ADC (VAL0) - Channels 136 to 143



ADC (VAL0) - Channels 144 to 151



ToT (VAL1) - Channels 0 to 7



ToT (VAL1) - Channels 8 to 15




ToT (VAL1) - Channels 16 to 23




ToT (VAL1) - Channels 24 to 31



ToT (VAL1) - Channels 32 to 39



ToT (VAL1) - Channels 40 to 47



ToT (VAL1) - Channels 48 to 55




ToT (VAL1) - Channels 56 to 63



ToT (VAL1) - Channels 64 to 71



ToT (VAL1) - Channels 72 to 79



ToT (VAL1) - Channels 80 to 87



ToT (VAL1) - Channels 88 to 95




ToT (VAL1) - Channels 96 to 103



ToT (VAL1) - Channels 104 to 111




ToT (VAL1) - Channels 112 to 119



ToT (VAL1) - Channels 120 to 127



The figure displays a plot of the expectation value of the Pauli matrix σ_y over time for six channels. The x-axis is labeled 'Time' and ranges from 0 to 150. The y-axis is labeled ' σ_y ' and ranges from -1 to 1. A legend in the top right corner identifies the channels: Ch 128 (blue), Ch 129 (orange), Ch 130 (green), Ch 131 (red), Ch 128 (purple), and Ch 129 (brown). All six channels show a constant value of 0 for the entire duration of the simulation.




ToT (VAL1) - Channels 136 to 143



ToT (VAL1) - Channels 144 to 151



ToA (VAL2) - Channels 0 to 7



ToA (VAL2) - Channels 8 to 15




ToA (VAL2) - Channels 16 to 23




ToA (VAL2) - Channels 24 to 31



ToA (VAL2) - Channels 32 to 39



ToA (VAL2) - Channels 40 to 47



ToA (VAL2) - Channels 48 to 55




ToA (VAL2) - Channels 56 to 63



ToA (VAL2) - Channels 64 to 71



ToA (VAL2) - Channels 72 to 79



ToA (VAL2) - Channels 88 to 95



ToA (VAL2) - Channels 96 to 103



ToA (VAL2) - Channels 104 to 111



ToA (VAL2) - Channels 112 to 119











ToA (VAL2) - Channels 120 to 127



ToA (VAL2) - Channels 128 to 135





	Ch 136		Ch 140
	Ch 137		Ch 141
	Ch 138		Ch 142
	Ch 139		Ch 143

The graph displays the time evolution of the expectation value of the Pauli matrix σ_y for seven different channels, labeled Ch 144 through Ch 150. The x-axis represents time, ranging from 0 to 150, with major ticks every 25 units. The y-axis represents the expectation value, ranging from -1 to 1, with major ticks at -1, 0, and 1. A horizontal dashed line is drawn at $y=0$. All seven channels start at $y=0$ and remain at $y=0$ throughout the time evolution, indicating that the expectation value of σ_y is constant for all channels.



Injection Scan Results

Script: 205_Injection v1.0

Date: 2025-12-12 00:37:45

Configuration:

- Total ASICs: 2
- Injection DAC: 250
- Machine Gun: 10
- Scan Pack: 2
- Scan Channels: 10
- 2.5V Injection: True
- High Range Injection: False

Analog Settings:

- RF: 0x-1
- CF: 0x-1
- CC: 0x-1
- CF Comp: 0x-1

Output Files:

- 205_Injection_asic2_injdac250_mg10_pack2_chn10_val0.csv
- 205_Injection_asic2_injdac250_mg10_pack2_chn10_val1.csv
- 205_Injection_asic2_injdac250_mg10_pack2_chn10_val2.csv