


## ADC (VAL0) - Channels 0 to 7



# ADC (VAL0) - Channels 8 to 15




# ADC (VAL0) - Channels 16 to 23




# ADC (VAL0) - Channels 24 to 31



# ADC (VAL0) - Channels 32 to 39



# ADC (VAL0) - Channels 40 to 47



# ADC (VAL0) - Channels 48 to 55




# ADC (VAL0) - Channels 56 to 63




# ADC (VAL0) - Channels 64 to 71



# ADC (VAL0) - Channels 72 to 79



ADC (VAL0) - Channels 80 to 87



# ADC (VAL0) - Channels 88 to 95




# ADC (VAL0) - Channels 96 to 103




# ADC (VAL0) - Channels 104 to 111




# ADC (VAL0) - Channels 112 to 119




# ADC (VAL0) - Channels 120 to 127



ADC (VAL0) - Channels 128 to 135




# ADC (VAL0) - Channels 136 to 143



# ADC (VAL0) - Channels 144 to 151



# ToT (VAL1) - Channels 0 to 7



ToT (VAL1) - Channels 8 to 15




ToT (VAL1) - Channels 16 to 23




ToT (VAL1) - Channels 24 to 31



# ToT (VAL1) - Channels 32 to 39



# ToT (VAL1) - Channels 40 to 47



# ToT (VAL1) - Channels 48 to 55




# ToT (VAL1) - Channels 56 to 63




# ToT (VAL1) - Channels 64 to 71



# ToT (VAL1) - Channels 72 to 79



# ToT (VAL1) - Channels 80 to 87



# ToT (VAL1) - Channels 88 to 95




# ToT (VAL1) - Channels 96 to 103




# ToT (VAL1) - Channels 104 to 111



# ToT (VAL1) - Channels 112 to 119



ToT (VAL1) - Channels 120 to 127



# ToT (VAL1) - Channels 128 to 135




# ToT (VAL1) - Channels 136 to 143



# ToT (VAL1) - Channels 144 to 151



# ToA (VAL2) - Channels 0 to 7



# ToA (VAL2) - Channels 8 to 15




# ToA (VAL2) - Channels 16 to 23



ToA (VAL2) - Channels 24 to 31



ToA (VAL2) - Channels 32 to 39





# ToA (VAL2) - Channels 48 to 55




ToA (VAL2) - Channels 56 to 63




# ToA (VAL2) - Channels 64 to 71



ToA (VAL2) - Channels 72 to 79



ToA (VAL2) - Channels 80 to 87



# ToA (VAL2) - Channels 88 to 95




# ToA (VAL2) - Channels 96 to 103




ToA (VAL2) - Channels 104 to 111



ToA (VAL2) - Channels 112 to 119



ToA (VAL2) - Channels 120 to 127



ToA (VAL2) - Channels 128 to 135



ToA (VAL2) - Channels 136 to 143



ToA (VAL2) - Channels 144 to 151



## Injection Scan Results

---

Script: 205\_Injection v1.0

Date: 2025-12-13 01:21:22

### Configuration:

- Total ASICs: 2
- Injection DAC: 3500
- Machine Gun: 10
- Scan Pack: 2
- Scan Channels: 16
- 2.5V Injection: True
- High Range Injection: False

### Analog Settings:

- RF: 0x-1
- CF: 0x-1
- CC: 0x-1
- CF Comp: 0x-1

### Output Files:

- 205\_Injection\_asic2\_injdac3500\_mg10\_pack2\_chn16\_val0.csv
- 205\_Injection\_asic2\_injdac3500\_mg10\_pack2\_chn16\_val1.csv
- 205\_Injection\_asic2\_injdac3500\_mg10\_pack2\_chn16\_val2.csv