

Working Title Natasha Hopkins

Stage 3 Project for Master of Biology (MBiol) Degree University of York, UK

Project DirectorDr. Richard Maguire

Examination Date 18 April, 2022

Contents

Introduction	2
Atherosclerosis	2
Flow	2
Flow During Development	2
Developmental Proteins / mechanosensors	2
Endothelial	2
Pathway	2
Hypothesis	2
Methods	2
Orbital Shaker	2
mRNA Isolation and qPCR	2
Statistical Analysis	3
Results	3
Discussion	3
Atheroprotective gene expression	3
Future	5
Acknowledgements	5
References	5

 $\bigwedge T$ ith diam quis enim lobortis scelerisque fermentum dui faucibus in ornare quam viverra orci sagittis eu volutpat odio facilisis mauris sit amet massa vitae tortor condimentum lacinia quis vel eros donec ac odio tempor orci dapibus ultrices in iaculis nunc sed augue lacus viverra vitae congue eu consequat ac felis donec et odio pellentesque diam volutpat commodo sed egestas egestas fringilla phasellus faucibus scelerisque eleifend donec pretium vulputate sapien nec sagittis aliquam malesuada bibendum arcu vitae elementum curabitur vitae nunc sed velit dignissim sodales ut eu sem integer vitae justo eget magna fermentum iaculis eu non diam phasellus vestibulum lorem sed risus ultricies tristique nulla aliquet enim tortor at auctor urna nunc id cursus metus aliquam eleifend mi in nulla posuere sollicitudin aliquam ultrices sagittis orci a scelerisque purus semper eget duis at tellus at urna condimentum mattis pellentesque id nibh tortor id aliquet lectus proin nibh nisl condimentum id venenatis a condimentum vitae sapien pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas sed tempus urna et pharetra pharetra massa massa ultricies mi quis hendrerit dolor magna eget est lorem ipsum dolor sit amet consectetur adipiscing elit pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas integer eget aliquet nibh praesent tristique magna sit amet purus gravida quis blandit turpis cursus in hac habitasse platea dictumst quisque sagittis purus sit amet volutpat consequat mauris nunc congue nisi vitae suscipit tellus mauris a diam maecenas sed enim ut sem viverra aliquet eget sit.

Key Words: Atherosclerosis • Wnt Signalling Pathway • βeta-catenin • Shear Stress
• Human Umbilical Vein Endothelial Cells (HUVECs) • Angiopoietin-2 •
Thrombospondin-1

(250 Words)

29

2

10

11

12

13

14

15

16

17

18

19

21

23 24

25

26

27

Introduction

- 31 Atherosclerosis
- 32 Flow

30

- 33 Flow During Development
- 34 Developmental Proteins / mechanosensors
- 35 Endothelial
- 36 Pathway
- Does Axin, Angp2, Thrombosin-2 change if Wnt is inhibited?
- 38 Hypothesis

40

39 XAV-939 Wnt/Beta Catenin inhibitor, acts by inhibiting tankyrase

Methods

41 Orbital Shaker

HUVECs were cultured in complete growth medium containing M199, sodium bicarbonate, pen-strep, amphotericin B, Hi-FBS, endothelial cell growth supplement (ECGS), and herparin. When ~80% confluent, cells were incubated with 1ml of trypsin until cells thoroughly detached, and neutralised with 9ml of M199. Cells were spun for 5 minutes at 400g to discard the supernatent, then re-suspended in M199 media before tranfering to 10mm radius 6 well plates. Once confluent, 3ml (Warboys, Ghim and Weinberg, 2019) of 0.1% DMSO in M199 or 0.1% XAV939 in M199 were each added to half of the plates (Zhu et al., 2017). Cells were then subjected to flow using a orbital shaker at 210 rpm for 72 hours, with the exception of a static controls.

mRNA Isolation and qPCR

⁵³ Cells were isolated from the periphery and centre of the plates with cold PBS and cen-⁵⁴ trifuged for 5 minutes at 400g to remove the supernatant. Total mRNA was extracted ⁵⁵ using the RNEasy Mini Kit (Qiagen) and the concentration was determined spec-⁵⁶ trophotometrically. cDNA synthesis was performed using the Verso cDNA Synthesis ⁵⁷ Kit (Thermo Scientific) with 5.5µl of 0.01067% mRNA. *ANGPT2*, *AXIN2*, *THSB1*, and HPRT1 mRNA was quantified using StepOne qPCR (Thermo Scientific) with SYBR Green, using oligonucleotide qPCR primers from Ensembl (Howe et al., 2020) (Table 1).

60

61

64

65

66

69

70

73

74

75

77

Table 1. Oligonucleotide qPCR primers from Ensembl.

Gene	Direction	Sequence
ANGPT2	L R	CGGCTGTGATGATAGAAATAGGGA GTTCCAAGAGCTGAAGTTCAAGTC
AXIN1	L R	TGTCACTTACTTTTCTGTGGGGA TGTCACTTACTTTTCTGTGGGGA
HPRT1	L R	TTGGTCAGGCAGTATAATCC GGGCATATCCTACAACAAC
THSB1	L R	AAAGATGGAGAATGCTGAGTTGGA GGTTCCAAAGACAAACCTCACATT

Statistical Analysis

Relative expression is expressed as $2^{\Delta\Delta Ct}$ fold change \pm SEM. Normality was determined with Kolmogorov-Smirnov Tests. Multiple-comparison analysis was performed using Kruskal-Wallis Test followed by post-hoc Dunn's Test. All analyses were performed in R (R Core Team, 2018).

Results

In the orbital shaker system, low shear stress downregulated the expression of AXIN2, ANGPT2, and THBS1 in human umbilical vein endothelial cells. *AXIN*2, a known Wnt target, decreased by 0.28-fold in low shear stress. Similarly, ANGPT2 was decreased by ~0.15-fold, and THBS1 was decreased 0.12-fold.

Exposure to LSS with the addition of a Wnt inhibitor (XAV939) intensified the expression of *AXIN*2 by 18.8-fold, ANGPT by 33.4-fold, and THBS1 by 35.6-fold. Conversely, XAV929 decreased expression in high shear stress. AXIN2 decreased 7.6-fold, ANGPT2 by 5.2-fold, and THBS1 by 16.4-fold.

Discussion

Atheroprotective gene expression

Limitations of orbital shaker = imporve method




Figure 1. (**ABC**) Cells were treated with DMSO(-) or XAV939(+) and exposured to low or high shear stress. Levels of angiopoeitin-2 , axin-2, and thrombospondin-1 mRNA quantified by qPCR. Data is shown as fold change \pm SEM, normalised to the HPRT control and relative to the static control. **P < 0.01, and *P < 0.05. (**DEF**) Under the same conditions, gene expression of cells exposed to low stress are compared to cells exposed to high stress. Data is shown as fold change \pm SEM, normalised to the HPRT control and relative to the periphery control. **P < 0.01, and *P < 0.05.

Futu	re	7	
prime	er specificity test	7	
epige	netics	8	
look at proliferation, apoptosis, senescence, inflammation = PERP, p53 look at vascular repair = wound scratch assay?			
	Acknowledgements	8	
	(421 Words) remove headers !!!	8	
	References	8	
1.	Howe, K. L. et al. (2020). Ensembl 2021. <i>Nucleic Acids Research</i> , 49 (D1), pp.D884–D891. [Online]. Available at: doi:10.1093/nar/gkaa942.	8	
2.	R Core Team. (2018). <i>R: A language and environment for statistical computing</i> . Vienna, Austria: R Foundation for Statistical Computing. [Online]. Available at: https://www.R-project.org/.	8	
3.	Warboys, C. M., Ghim, M. and Weinberg, P. D. (2019). Understanding mechanobiology in cultured endothelium: A review of the orbital shaker method. <i>Atherosclerosis</i> , 285, pp.170–177. [Online]. Available at: doi:10.1016/j.atherosclerosis.2019.04.210.	9	
4.	Zhu, J. et al. (2017). Regulation of angiogenic behaviors by oxytocin receptor through Gli1-indcued transcription of HIF-1? in human umbilical vein endothelial cells. <i>Biomedicine & Pharmacotherapy</i> , 90, pp.928–934. [Online]. Available at: doi:10.1016/j.biopha.2017.04.021.	9	