

Software Engineering

Lecture 1: Introduction to Software Engineering

Instructor: Professor Nien-Lin Hsueh (with Gemini AI)

Department of Information Engineering and Computer Science
Feng Chia University

Chapter 1: Roadmap & Key Topics

- **1.1 Software Changes the World:** From Mainframes to Ubiquitous AI
- **1.2 The Genesis of SE & The "Software Crisis":** NATO 1968 & Catastrophic Failures
- **1.3 What is Software?:** Beyond Source Code (Programs, Data, Procedures, Docs)
- **1.4 What is Engineering?:** Constraints vs. Finite Resources & The Balancing Act
- **1.5 What is Software Engineering?:** Definition, 4 Activities, Body of Knowledge (BOK), Modern Toolchains
- **1.6 Software Quality Model:** Definition, ISO 9126 Characteristics & Operational Attributes
- **1.7 Professional Ethics & Dark Patterns:** ACM/IEEE Code of Ethics & Deceptive UI
- **1.8 AI in Software Engineering:** Paradigm Shift, Lifecycle Matrix & Engineering Rigor
- **1.9 FAQ & Conceptual Recap**

1.1 Software Changes the World: From Mainframes to PCs (1950s–1980s)

- **The Mainframe & Minicomputer Era (1950s–1970s):**

- *The Paradigm:* Giant machines occupying climate-controlled rooms (IBM System/360); software fed via punch cards and magnetic tapes.
- *Human Impact:* Automated government censuses, defense radar, and core banking ledgers—computations that previously took months of human calculation were completed in hours.

- **The Personal Computer (PC) Revolution (1980s):**

- *The Paradigm:* Microprocessors brought software onto every desktop (DOS, Apple Macintosh, Windows, VisiCalc, Lotus 1-2-3).
- *Daily Convenience:*
 - Transformed paper-based offices into interactive digital workspaces.
 - Real-time electronic spreadsheets and word processing freed billions of worker hours from tedious manual recalculation and retyping.

The Connected World: The Web & Internet Revolution (1990s–2000s)

- **The Birth of the World Wide Web (1990s):**

- *The Paradigm:* Tim Berners-Lee created HTTP/HTML; browsers (Netscape, Internet Explorer) transformed the Internet into a universal, clickable cyberspace.
- *Human Impact:* **Democratization of Global Information**—encyclopedias, academic research, and global news became instantly searchable via Yahoo and Google.

- **The Rise of E-Commerce & Global Platforms (2000s):**

- *The Paradigm:* Secure web transactions (SSL), distributed databases, and web services (Amazon, eBay, PayPal, Wikipedia).
- *Daily Convenience:*
 - **Elimination of Geographic Distance:** Instant global communication via email and instant messaging.
 - **24/7 Digital Commerce:** Shopping, ticket booking, and online banking replaced physical lines and postal delays.

The Pocket Revolution: Mobile & Cloud Everywhere (2010s)

- **Smartphones & The App Economy (iOS & Android):**

- *The Paradigm:* Software moved into our pockets, tightly integrated with GPS, cameras, accelerometers, and high-speed cellular networks (4G/5G).
- *Human Impact:* **Software as an extension of the human body**—over 6 billion people carry supercomputers everywhere they go.

- **Cloud Computing & The On-Demand Economy:**

- *The Paradigm:* Elastic cloud infrastructure (AWS, Azure) streaming software, media, and computation on demand.
- *Daily Convenience:*
 - **Living in the Cloud:** Ride-hailing (Uber), food delivery, on-demand streaming (Spotify, Netflix), and instant cashless mobile payments.
 - **Frictionless Navigation & Living:** Real-time traffic rerouting (Google Maps) and seamless remote collaboration tools.

The Cognitive Leap: Generative AI & Autonomous Systems (2020s–Present)

- **From Deterministic Logic to Probabilistic Intelligence:**
 - *The Paradigm:* Large Language Models (LLMs), multi-modal foundation models, and autonomous AI agents (ChatGPT, GitHub Copilot, Gemini).
 - *Human Impact:* Software no longer just executes pre-written rules—it understands natural language, generates code, synthesizes media, and reasons across complex knowledge domains.
- **Ambient Intelligence & Cyber-Physical Autonomy:**
 - *The Paradigm:* AI integrated with physical vehicles (self-driving cars), robotics, smart grids, and medical precision diagnostics.
 - *Daily Convenience:*
 - **Zero Marginal Cost of Cognitive Assistance:** Instant 24/7 personal tutors, coding copilots, and multi-lingual real-time translation.
 - **Accelerated Scientific Discovery:** AI predicts protein structures (AlphaFold) and accelerates new drug design from decades to weeks.

**"The water that bears the boat is the same
that swallows it up."**

(水能載舟，亦能覆舟 — Ancient Proverb)

SOFTWARE EMPOWERS OUR CIVILIZATION, BUT WITHOUT DISCIPLINE, IT CAPSIZES
IT.

1.2 The Software Crisis of the Late 1960s

- As hardware costs plummeted, software demand and complexity exploded.
- **The Symptoms of Crisis:**
 - Chronic budget overruns (often 3x–4x initial estimates).
 - Critical project delays and abandoned deliveries.
 - Severe defects, system crashes, and unmaintainability.
- **The Core Problem:** Informal, craft-like programming does not scale to large teams and complex systems.




The 1968 NATO Garmisch Conference

- **October 1968 in Garmisch, Germany:**
 - 50 leading computer scientists and industry managers convened.
 - Formally established the term "**Software Engineering**".
- **The Mission:**
 - Transition software development from an undisciplined, artisanal craft into a **formal engineering discipline**.
 - Establish structured methodologies, rigorous cost estimation, formal verification, and project management.

The High Cost of Software Failure

- **Nagoya Airbus A300 Crash (1994):**
 - Autopilot Go-Around mode stayed active; fought pilot's manual steering, leading to trim nose-up stall and 264 fatalities.
- **Mars Climate Orbiter (1999):**
 - \$327M probe lost because ground software calculated thrust in imperial $lbf \cdot s$, while onboard computer expected metric $N \cdot s$.
- **Ariane 5 Flight 501 (1996):**
 - 64-bit float representation of horizontal velocity overflowed 16-bit signed integer ($> 32,767$), crashing processors in 37 seconds.



Concept Check: The Software Crisis (CCQ 1)

Why couldn't the 1968 Software Crisis be resolved simply by purchasing faster computer hardware or larger memory?

- **A.** Computer hardware manufacturing and memory fabrication completely stagnated in the late 1960s, preventing computational speedups.
- **B.** The crisis was fundamentally an intellectual and organizational challenge of system complexity, which faster hardware only amplified.
- **C.** Programming languages of that era strictly lacked mathematical calculation primitives and compiler memory allocation capabilities.
- **D.** Early mainframe computers were physically incompatible with shared telecommunication networks and multi-terminal architectures.




We need Engineering method to develop Software

- What is **Software** ?
- What is **Engineering** ?
- What is **Software Engineering** ?

The Anatomy of Software Exceeds Source Code

A failure in operational procedures is a failure of the software system. Physical hardware is explicitly excluded; software encompasses the intangible logic governing the system.



1.3 The IEEE Anatomy of Software

Software (IEEE Standard): *Computer programs, procedures, and possibly associated documentation and data pertaining to the operation of a computer system.* ”

- **1. Programs:** Executable binaries and source code files (Python, Java, C++, TypeScript).
- **2. Data & Schemas:** Database tables, config files, AI weights (e.g. Knight Capital's config error).
- **3. Operational Procedures:** Deployment scripts, backups, recovery runbooks (e.g. GitLab's backup failure).
- **4. Documentation:** Architecture ADDs, API specs (OpenAPI), user guides (e.g. Therac-25 undocumented bugs).

The Software Iceberg Trap: Beyond Raw Source Code

- **The Amateur Fallacy:**

- Novices and shortsighted managers treat software as merely the visible tip—**Programs (Source Code)**—measuring progress solely by lines of code written.

- **The Hidden Reality (80%+ Below the Surface):**

- In production systems, over **80% of effort, complexity, and catastrophic failures** reside below the surface in Data, Procedures, and Documentation:
 - *Knight Capital (\$440M lost in 45 min):* Core code was fine, but a flawed deployment **procedure** and config **data** caused bankruptcy.
 - *GitLab Database Outage:* Production binaries worked, but disaster recovery **procedures** were untested.
 - *Therac-25:* Inadequate architectural **documentation** concealed lethal concurrency bugs.

- *Without all four pillars, a system is not "engineered software"—it is merely a brittle program.*

Why the Four Pillars Demand the Software Life Cycle (SDLC)

***The Core Epiphany:** Programming is writing code in an afternoon. Software Engineering is governing all four pillars across the entire **Software Life Cycle (SDLC)**.*

”

- **1. Documentation $\longleftrightarrow$ Requirements & Architectural Design:**
 - Code only records *how*, but documentation (ADRs, OpenAPI, specs) captures *why*. Without architectural contracts, multi-year team collaboration and system evolution are impossible.
- **2. Programs $\longleftrightarrow$ Implementation & Automated Verification:**
 - Writing code is only one brief phase. Software engineering mandates continuous unit testing, CI/CD verification, and refactoring to prevent code rot and technical debt.
- **3. Data & Schemas $\longleftrightarrow$ State Persistence & Long-Term Evolution:**
 - Code changes in seconds, but data lives for decades. The lifecycle requires strict schema versioning, backward compatibility, and database migration engineering.
- **4. Procedures $\longleftrightarrow$ DevOps, Deployment & Site Reliability (SRE):**
 - Code on `localhost` is a toy. Engineering requires automated deployment pipelines, canary rollouts, disaster recovery runbooks, and telemetry monitoring.

Why the 4 Pillars Matter: The YouBike Example

- **1. Programs (Execution Engines):**
 - *Embedded lock firmware, mobile apps, and cloud backend microservices.*
 - Execute real-time lock/unlock protocols, GPS tracking, and concurrent user requests reliably.
- **2. Data & Schemas (Single Source of Truth):**
 - *Bike locations, dock availability, user account balances, and ACID rental logs.*
 - Data corruption or unsynced records cause "ghost bikes", erroneous billing, and lost revenue.
- **3. Operational Procedures (System Resilience):**
 - *firmware updates, dock rebalancing logistics, payment failover, and battery triage.*
 - A flawed OTA deployment bricks thousands of street locks, requiring costly physical field servicing.
- **4. Documentation (Collaboration Contracts):**
 - *OpenAPI specs, MQTT telemetry protocols, and hardware-software interface contracts.*
 - Prevents integration breakdowns among hardware vendors, mobile teams, and municipal transit.


Concept Check: The Software Definition (CCQ 2)

According to the IEEE standard definition of software, which of the following is NOT considered a component of software?

- **A.** Executable computer programs and source code files.
- **B.** System database schemas and configuration files.
- **C.** CPU processor hardware and physical memory units.
- **D.** Software installation and deployment procedures.



WHAT IS ENGINEERING?



1.4 What is Engineering?

Engineering: *The creative application of scientific principles, empirical methods, and practical experience to invent, design, and construct useful artifacts under **real-world constraints** with **finite resources**.*

”

- **Three Core Hallmarks of Professional Engineering:**

- **1. Systematic:** Following structured, repeatable processes and methodologies rather than ad-hoc trial and error.
- **2. Disciplined:** Adhering strictly to industry standards, rigorous peer reviews, and safety margins.
- **3. Quantifiable & Measurable:** Evaluating success and stability through empirical metrics (latency, reliability, test coverage, uptime).

- **Engineering Under Constraints:**

- Engineering is never done in an ideal vacuum—it is the art of **constrained optimization**, balancing goals against finite time, budget, and resources.

The Engineering Equation: Constraints vs. Resources

- **Constraints (The Limitations):**

- **Time:** Hard deadlines, release windows.
- **Budget:** Developer salaries, cloud hosting bills, license fees.
- **Technology & Platform:** Legacy databases, mobile OS limits.
- **Regulations:** GDPR data privacy, HIPAA, PCI-DSS.

- **Resources (The Assets):**

- **Human:** Developer skill, QA engineers, UX designers.
- **Tools & Infrastructure:** Cloud compute, CI/CD pipelines, open-source libraries.
- **Domain Knowledge:** Understanding user workflows and business logic.

Case Study: Healthcare Startup MVP (Minimum Viable Product)

- **Problem:** Launch a HIPAA-compliant telemedicine app in 6 months on a tight \$80k budget.
- **The Engineering Balancing Solution:**
 1. **Scope Prioritization:** Focus MVP strictly on video consults and booking; postpone insurance billing.
 2. **Cross-Platform Tooling:** Use Flutter/React Native for a single codebase (saves 40% effort).
 3. **Managed Backend:** Use HIPAA-compliant cloud BaaS instead of bare-metal servers.
 4. **Automated CI/CD:** unit tests on PRs, keeping QA overhead low.
- **Why Not "Perfect" Technical Solutions?**
 - Custom native apps and custom microservices are technically superior, but rejected because they violate constraints (\$80k budget, 6 months).
 - **Satisficing:** Find the solution that meets all constraints through pragmatic trade-offs.
 - **The Engineering Imperative:** We need **Requirements Engineering** to negotiate scope against finite budgets, and **System Design** to negotiate trade-offs that satisfy real-world constraints.

CODING



SOFTWARE ENGINEERING




1.5 What is Software Engineering?

Software Engineering (IEEE 610.12): *The application of a systematic, disciplined, quantifiable approach to the development, operation, and maintenance of software; that is, the application of engineering to software.*

”

- **1. Engineering Discipline (Systematic, Disciplined, Quantifiable):**
 - Applies scientific rigor, engineering standards, and empirical metrics rather than ad-hoc craftsmanship.
- **2. Full Lifecycle Scope (Development, Operation, Maintenance):**
 - **Development:** Initial specification, architectural design, coding, and quality verification.
 - **Operation & Maintenance:** Ensuring 24/7 runtime stability, performance optimization, and long-term system evolution.

The Software Engineering Process: Four Universal Activities



Activity 1: Software Specification

Defining what the system must do and the constraints under which it must operate.

„

- **Core Mission:**
 - Discover, negotiate, and establish user needs and system boundaries before building.
- **Key Lifecycle Sub-Activities:**
 - **Feasibility Study:** Is the project technically and economically viable?
 - **Requirements Elicitation & Analysis:** Discovering what stakeholders actually need.
 - **Specification & Validation:** Documenting requirements into testable, unambiguous contracts.
- **Key Artifacts:** User Stories, Acceptance Criteria (Given-When-Then), SRS, Use Cases.
- **The High-Stakes Risk:**
 - Building the wrong product! A requirement defect caught in production costs **up to 100x more** to resolve than if caught during specification.

Activity 2: Software Design & Implementation

Translating requirements into executable software structures and source code.

”

- **Core Mission:**
 - Transform abstract specifications into robust, maintainable, and high-performance software.
- **Key Lifecycle Sub-Activities:**
 - **Architectural Design:** Defining overall system structure, services, and subsystems.
 - **Interface & Data Modeling:** Establishing modular API contracts and database schemas.
 - **Component Design & Coding:** Writing clean, testable logic, algorithms, and modules.
- **Key Artifacts:** Architecture Decision Records (ADRs), ERDs, OpenAPI Specs, Clean Code.
- **The High-Stakes Risk:**
 - Spaghetti architecture, tight coupling, and runaway technical debt that make future modifications prohibitively expensive.

Activity 3: Software Validation

Checking that the software conforms to its specification and satisfies customer needs. „

- **The Twin Pillars of Quality (Boehm):**
 - **Verification:** "Are we building the product right?" (Conforming strictly to specification).
 - **Validation:** "Are we building the right product?" (Meeting real customer intent).
- **Key Lifecycle Sub-Activities:**
 - **Unit & Component Testing:** Isolating modules and verifying boundary behaviors.
 - **Integration & System Testing:** Verifying inter-service contracts and end-to-end flows.
 - **Acceptance Testing & Code Review:** Peer review audits and user sign-off.
- **Key Artifacts:** Automated Test Suites (PyTest, JUnit), CI Pipeline Reports, Coverage Metrics.
- **The High-Stakes Risk:**
 - Critical production outages, catastrophic security breaches, data loss, and legal liability.

Activity 4: Software Evolution

Modifying and adapting deployed software to meet changing business and user needs. „

- **The Reality of Software Economics:**

- Real-world software is never "done." Over **60%–80% of total lifecycle cost** occurs in Evolution after initial launch!

- **The Four Modes of Maintenance:**

- **Corrective:** Fixing latent defects, crash bugs, and edge cases in production.
- **Adaptive:** Migrating to new cloud runtimes, mobile OS updates, or changing regulations.
- **Perfective:** Improving throughput, latency, UX responsiveness, and adding new features.
- **Preventive:** Continuous refactoring to eradicate technical debt before failures occur.

- **Key Artifacts:** Database Migration Scripts, Release Notes, Incident Post-Mortems.

- **The High-Stakes Risk:**

- Software rot, platform obsolescence, security vulnerabilities, and eventual abandonment.

Concept Check: Core Activities (CCQ 3)

Which of the following pairs correctly matches a specific software engineering action with its corresponding universal core activity?


- **A.** Conducting stakeholder interviews to draft user stories → Software Specification
- **B.** Writing automated unit tests to mock database responses → Software Design & Implementation
- **C.** Refactoring database schemas to improve query speed → Software Validation
- **D.** Swapping a third-party payment API for a new gateway → Software Specification



• CORE ELEMENTS OF SOFTWARE ENGINEERING •



Disciplines (Best Practices)




- Spec before design
- Design before code
- Interface-based
- Change management
- ADR (Architecture Decision Records)
- Code Reviews



Principles (Core Foundations)



- Abstraction
- Modularity
- Anticipation of Change
- Captration
- Open-Closed (OCP)
- KISS (Keep It Simple, Stupid)
- POLA (Principle of Least Astonishment)



Methods & Methodologies



- Waterfall
- Agile / Scrum
- Spiral Model
- TDD (Test-Driven Development)
- CI/CD & DevOps



Heuristics & Guidelines



- Nielsen's 10 UX Heuristics
- SOLID design
- Clean Code
- DRY (Don't Repeat Yourself)
- YAGNI (You Ain't Gonna Need It)

The Software Engineering Body of Knowledge (BOK)

- Software Engineering is defined by a structured **Body of Knowledge (BOK)**—a system of proven **engineering heuristics** and principles designed to conquer complexity:
 - **Disciplines (Rules of Practice):** Mandatory professional habits and operational protocols (*"Spec before design", "Design before code", Architecture Decision Records, Code reviews*).
 - **Principles (Foundations):** Timeless, enduring engineering truths (*Abstraction, Modularity, Separation of Concerns, Anticipation of Change*).
 - **Methods & Methodologies:** Structured, repeatable process frameworks (*Agile/Scrum, Extreme Programming, TDD, CI/CD pipelines, DevOps*).
 - **Heuristics & Guidelines:** Practical rules of thumb and design heuristics distilled from decades of field experience (*SOLID, Clean Code, KISS, DRY, YAGNI, POLA*).

Applying the Body of Knowledge to the 4 Core Activities

- The Body of Knowledge is not abstract theory—it directly anchors each of the **Four Universal Lifecycle Activities**:
- **1. Specification (Requirements):**
 - *Disciplines & Principles*: "**Spec before design**", Abstraction, Separation of Concerns.
 - *Heuristics*: **YAGNI** (prevent speculative features), unambiguous acceptance criteria.
- **2. Design & Implementation:**
 - *Disciplines & Principles*: "**Design before code**", Modularity, Information Hiding, ADRs.
 - *Heuristics*: **SOLID principles**, Clean Architecture, GoF patterns, **DRY**, **KISS**.
- **3. Validation (Testing):**
 - *Disciplines & Principles*: **TDD**, independent verification, mandatory Peer Code Reviews.
 - *Heuristics*: Boundary value testing, defense-in-depth, automated regression safety nets.
- **4. Evolution (Maintenance):**
 - *Disciplines & Principles*: **Anticipation of Change**, Semantic Versioning, Technical Debt tracking.
 - *Heuristics*: **The Boy Scout Rule** (*leave code cleaner than you found it*), zero-downtime rollouts.

Why Principles Matter: Dispelling Common Software Myths

When engineering principles are ignored, intuition leads to expensive fallacies.

”

- **Myth 1: "We're behind schedule—let's add 5 developers to catch up."**
 - *Violates: Modularity & Communication Boundaries.*
 - *Reality (Brooks's Law):* Adding manpower to a late project makes it later due to $O(n^2)$ communication overhead.
- **Myth 2: "Software is digital, so changing requirements late is cheap."**
 - *Violates: "Spec Before Design" & Architectural Coupling.*
 - *Reality:* Late changes invalidate schemas, API contracts, and tests, costing **up to 100x more**.
- **Myth 3: "Outsource the coding and we don't need technical management."**
 - *Violates: The Software Iceberg (Data, Procedures, Docs).*
 - *Reality:* Raw code without architectural governance creates unmaintainable software debt.

Myth: Changing requirements late is cheap!

Requirement change early during blueprint design (Cost: 1x)



Requirement change at the very end of construction (Cost: 100x)



Concept Check: Brooks's Law (CCQ 4)

A project is 3 weeks behind schedule with 2 weeks remaining before release. The manager hires 4 junior programmers to speed up progress. What will happen according to Brooks's Law?

- **A.** The project will finish 1 week early.
- **B.** The project will be delayed further because senior engineers must spend time onboarding and mentoring new hires.
- **C.** The existing developers will code twice as fast.
- **D.** Communication complexity remains unchanged.



Concept Check: Design Principles (CCQ 5)

An order-processing module directly handles HTTP requests, executes payment transactions, queries the SQL database, and generates HTML receipt emails. Which fundamental design principle is most severely violated?

- **A.** Separation of Concerns: Multiple distinct responsibilities are tightly tangled in a single module.
- **B.** YAGNI: Speculative future features are implemented before actual business requirements emerge.
- **C.** Brooks's Law: Adding developers to the order module increases communication complexity exponentially.
- **D.** Anticipation of Change: System configurations are hardcoded into compiled production binaries.




Enforcing Disciplines at Scale: The Modern Toolchain

Engineers cannot enforce disciplines by willpower alone—tools automate the BOK. „

- **Version Control (Git) → Enforces Collaboration & Review:** Branching models, PR audits, and history.
- **CI/CD Pipelines (GitHub Actions) → Enforces Continuous Verification:** Automated build, test, and lint gates.
- **Static Code Analysis (SonarQube) → Enforces Clean Code & Security:** Detecting code smells and CVEs.
- **Testing Suites (PyTest, Playwright) → Enforces Quality Standards:** Unit, integration, and E2E regression nets.
- **Observability (OpenTelemetry, APM) → Enforces Evolution Feedback:** Real-time production telemetry and traces.

ISO/IEC 25010 Software Product Quality Model



1.6 What is Quality and Quality Model?

Software Quality: *The degree to which a software product satisfies stated and implied needs of its stakeholders under specified conditions.* ”

- **What is Software Quality? (Beyond "No Bugs"):**

- Novices mistakenly equate quality with *"my code compiles and doesn't crash on my laptop."*
- True quality is multi-dimensional: software can run without runtime crashes while still being unmaintainable, insecure, horribly slow, or unusable.
- Encompasses both **External Quality** (user experience, speed, uptime) and **Internal Quality** (code maintainability, modularity, test coverage).

- **What is a Software Quality Model?:**

- **Structured Multi-Dimensional Taxonomy:** Decomposes abstract "quality" into clear **characteristics**, **sub-characteristics**, and **measurable metrics**.
- **Concrete Engineering Contract:** Translates ambiguous business wishes (*"make the app fast and secure"*) into testable quantitative targets (*p99 < 100ms, zero high-severity CVEs*).
- **Guide for Architecture Trade-Offs:** Clarifies which quality attributes take priority (*Safety over Time-to-Market, or Portability over Raw Performance*).

The Modern Standard: ISO/IEC 25010 (SQuaRE)

ISO/IEC 25010 (Software product Quality Requirements and Evaluation): The internationally recognized benchmark standard for specifying and evaluating software quality.

”

- **Key Characteristics & Modern Architecture:**

- **Comprehensive 8-Characteristic Taxonomy:** Systematically covers Functional Suitability, Performance, Compatibility, Usability, Reliability, Security, Maintainability, and Portability.
- **First-Class Security:** Elevates Security to an independent, top-tier pillar (Confidentiality, Integrity, Non-repudiation, Accountability, Authenticity).
- **Emphasis on Compatibility & Interoperability:** Treats multi-platform co-existence and standardized API interoperability as primary requirements in distributed/cloud systems.

- **Dual-Perspective Quality Architecture:**

- **Product Quality Model:** 8 intrinsic technical characteristics of the system (for developers, architects, and QA engineers).
- **Quality in Use Model:** Real-world human impact during operation (*Effectiveness, Efficiency, Satisfaction, Freedom from Risk, Context Coverage*).

ISO 25010: Product Quality Characteristics (1/2)

- **1. Functional Suitability:** *Functions meet stated and implied user needs.*
 - *Sub-attributes:* **Completeness, Correctness, Appropriateness.**
- **2. Performance Efficiency:** *Performance relative to the amount of resources used.*
 - *Sub-attributes:* **Time Behaviour** (latency, throughput), **Resource Utilization, Capacity.**
- **3. Compatibility:** *Ability to share environments and exchange info without conflict.*
 - *Sub-attributes:* **Co-existence** (clean co-habitation), **Interoperability** (data/API exchange).
- **4. Usability (Interaction Capability):** *Ease with which users achieve goals with satisfaction.*
 - *Sub-attributes:* **Recognizability, Learnability, Operability, Error Protection, Aesthetics, Accessibility.**

ISO 25010: Product Quality Characteristics (2/2)

- **5. Reliability:** *Ability to maintain a specified level of performance over time.*
 - *Sub-attributes:* **Maturity** (low defect rate), **Availability**, **Fault Tolerance**, **Recoverability**.
- **6. Security:** *Protecting data and systems from unauthorized access or tampering.*
 - *Sub-attributes:* **Confidentiality**, **Integrity**, **Non-repudiation**, **Accountability**, **Authenticity**.
- **7. Maintainability:** *Effectiveness and ease with which software can be evolved and fixed.*
 - *Sub-attributes:* **Modularity**, **Reusability**, **Analyzability**, **Modifiability**, **Testability**.
- **8. Portability (Flexibility):** *Ease with which software is transferred across environments.*
 - *Sub-attributes:* **Adaptability**, **Installability**, **Replaceability**.

ISO 25010 Sub-Attributes: Practical Real-World Scenarios

- **Fault Tolerance (Reliability):** Primary payment gateway times out → system retries with backup gateway without dropping the customer transaction.
- **Integrity & Authenticity (Security):** JWT authorization tokens cryptographically signed with RS256 to prevent tampering.
- **Time Behavior & Capacity (Performance Efficiency):** E-commerce search API processes 10,000 req/sec with $p99 < 80\text{ms}$.
- **Interoperability (Compatibility):** Weather service exposes OpenAPI 3.0 and gRPC contracts for zero-friction client integration.
- **Testability & Modularity (Maintainability):** Code structured with Dependency Injection so databases can be easily mocked in unit tests.
- **Installability (Portability):** Complete local microservices stack spins up in 60s via `docker compose up`.

Concept Check: Software Quality Factors (CCQ 6)

Which of the following matches a real-world software issue with its corresponding ISO 25010 quality characteristic?

- **A.** A database query taking 15 seconds to return results → Maintainability (Testability)
- **B.** A system crash occurring when a third-party API goes offline → Reliability (Fault Tolerance)
- **C.** Developers struggling to write unit tests due to tight coupling → Portability (Adaptability)
- **D.** An unencrypted session cookie allowing account takeover → Usability (Operability)



Interactive Activity: Quality Trade-Off Poll


Quality Trade-off Poll & Discussion:

- **System A:** Hospital ICU Automated Insulin Pump Controller
- **System B:** Mobile Casual Viral Game
- **Poll:** What are the top 2 non-negotiable ISO 25010 attributes for System A vs. System B?
- **Key Question:** Why is prioritizing *Time to Market* over *Fault Tolerance* fatal for System A, but acceptable for System B? In your opinion, what constraints or factors impair software quality or make high quality hard to achieve?





Moral Duties



**Professional
Standards**



**Public
Accountability**

1.7 What is a Professional Code of Ethics?

A Code of Ethics is a formal covenant establishing the moral duties, professional standards, and public accountability of a discipline.

”

- **The Moral Weight of Software Engineering:**

- Software is no longer just code—it directly governs human health, aviation safety, elections, and global finance.
- Unlike casual programmers, **professional engineers hold a fiduciary duty to society.**

- **Why Software Engineers Need an Explicit Code of Ethics:**

- **Asymmetry of Information:** Users and managers cannot audit millions of lines of code—they must trust the engineer's integrity.
- **Armor Against Compromise:** When corporate managers push to cut safety tests, fake benchmarks, or ship spyware, the Code provides an authoritative shield.
- **The Fundamental Anchor: The Public Interest, Safety, and Welfare must always take absolute precedence over employer loyalty.**

ACM/IEEE Software Engineering Code of Ethics: Eight Core Principles

1. PUBLIC



2. CLIENT & EMPLOYER



3. PRODUCT



High-quality software

4. JUDGMENT



5. MANAGEMENT



6. PROFESSION



7. COLLEAGUES



8. SELF



ACM/IEEE Code of Ethics: 8 Core Principles

1. **Public:** Prioritize public safety, health, and welfare above all.
2. **Client & Employer:** Act in their best interest, consistent with public interest.
3. **Product:** Ensure software meets high professional standards.
4. **Judgment:** Maintain integrity and independence in technical evaluation.
5. **Management:** Promote ethical management and realistic project estimates.
6. **Profession:** Advance the integrity and reputation of software engineering.
7. **Colleagues:** Be fair to, support, and mentor peers.
8. **Self:** Participate in lifelong learning and ethical practice.

High-Profile Ethical Breaches

- **Volkswagen "Dieselgate" (2015):**

- Engineers wrote engine software to detect laboratory test cycles and hide toxic NO_x emissions (up to 40x legal limit on the road).
- Resulted in billions in fines, criminal convictions, and severe environmental harm.

- **Cambridge Analytica (2018):**

- Improper harvesting of personal data for covert political manipulation.

- **Planned Obsolescence:**

- Software updates engineered to artificially degrade legacy device performance.

DECEPTIVE UI/UX DARK PATTERNS



Deceptive "Dark Patterns" in UI/UX Design

- **1. Roach Motel (Subscription Labyrinth):**
 - Signing up takes 1 click; cancelling requires navigating hidden menus or making a phone call.
- **2. Confirmshaming:**
 - Emotionally manipulative text on decline buttons ("*No thanks, I hate saving money*").
- **3. Hidden Costs & Sneak into Basket:**
 - Pre-ticking add-on insurance or fees at the final checkout step.
- **4. Fabricated Urgency & Scarcity:**
 - Fake countdown timers ("*Only 2 minutes left!*") and fabricated demand alerts.

Concept Check: Engineering Ethics (CCQ 7)

Under the ACM/IEEE Code of Ethics, if an employer directs an engineer to implement an algorithm that falsifies safety compliance reports, what is the engineer's obligation?

- **A.** Comply, because the employer pays the engineer's salary.
- **B.** Refuse and escalate, because the Public Interest takes precedence over Employer loyalty.
- **C.** Implement the code but omit documentation.
- **D.** Outsource the code to an external vendor.



Interactive Activity: Dark Pattern Detective (Pair Discussion)

Dark Pattern Detective Activity (Pair Discussion with Your Classmate):

- **Identify & Classify:** Recall a deceptive interface you encountered on a real-world app or website. **Which type of dark pattern does it belong to?** (e.g., Roach Motel, Confirmshaming, Sneak into Basket, Fake Urgency, etc.)
- **Ethical Analysis:** Which ACM/IEEE ethical principle (Public Interest, Product Quality, Professional Judgment) was violated?
- **Redesign:** How would you redesign that interaction to achieve legitimate business conversion while remaining transparent, honest, and user-respecting?



JUST COMPILE IT.
TRUST THE VIBES!

CRITICAL
SYSTEM FAILURE

PRODUCTION SERVERS

LOGS: ERROR 500

LOGS: ERROR 500

CRITICAL OVERLOAD!

KERNEL PANIC!

FIRE IN DATA CENTER!

BREAK GLASS
IN CASE OF
VIBE CHECK

CODE
&
VIBES

1.8 What is "Vibe Programming"?

"Vibe Coding" (popularized by Andrej Karpathy): A workflow where developers prompt an AI to generate code, rarely inspecting or understanding the implementation, and "just vibe with whatever runs."


- **The Seductive Appeal of the "Vibe":**
 - **Zero Friction Prototyping:** Anyone can prompt an LLM to build a working prototype or full-stack MVP in an afternoon without knowing framework internals.
 - **The Illusion of Velocity:** If the code compiles and passes two trivial tests, developers assume the system is production-ready.
- **Why Vibe Coding Fails as Software Engineering:**
 - **Hidden Fragility:** Uninspected AI code harbors subtle concurrency race conditions, security vulnerabilities (CVEs), and hallucinated API edge cases.
 - **Unmaintainable Debt:** When a 20,000-line codebase built on "vibes" breaks in production, no human on the team understands the architectural causality to fix it.

The Hidden Hazards: Three Empirical Problems of AI Coding

- **1. Maintainability Degradation & High Code Churn (GitClear 150M LOC Study):**
 - **Code Duplication Surges:** Copy-paste logic increases; proactive refactoring ("*moved lines*") drops sharply.
 - **High Code Churn:** Code is rapidly deleted or rewritten within two weeks, accumulating massive **Maintainability Debt**.
- **2. 52% Error Rate & The "Illusion of Security" (Purdue University Study):**
 - In 517 software engineering questions, **52% of ChatGPT code answers contained errors**.
 - Due to AI's articulate, confident, and polite tone, **39.3% of developers still preferred and accepted** the flawed code without verification.
- **3. 40% Known Security Vulnerabilities (NYU / Stanford Research):**
 - Automated CWE scans show that without explicit security constraints, **$\approx 40\%$ of AI-generated code** harbors CWE Top 25 vulnerabilities (SQL injection, buffer overflow, race conditions).

Real-World Incidents of Vibe Coding

- **1. Production Outages (Amazon Checkout):** AI-generated patch deployed without complete verification broke checkout logic, dropping orders by 99% and losing **6.3M orders in hours**.
- **2. Slopsquatting (Package Hallucination):** LLMs hallucinate fake package names (`huggingface-cli`); hackers register malware, poisoning builds (30k+ downloads).
- **3. Secrets Sprawl & Hardcoded API Keys:** AI generates sample code with hardcoded passwords and tokens; GitGuardian reports AI code leaks credentials at **2× the rate of humans**.



The Other Side: Benefits & Real-World Triumphs of AI Coding

- **The Genuine Benefits of AI Assistance:**

- **1. Eliminating Cognitive Drudgery:** Automates boilerplate, regex, CRUD patterns, and scaffolding—allowing engineers to focus on architectural trade-offs and domain logic.
- **2. Accelerating Developer Velocity & Flow:** Empirical studies show developers complete routine tasks up to **55% faster**, preserving mental energy and deep focus.

- **Two Landmark Real-World Success Stories:**

- **Case 1: Amazon's 30,000 Java Upgrades (Amazon Q Developer):**

- Amazon used AI agents to migrate over 30,000 production applications to Java 17 in months, saving **4,500 developer-years** of manual labor and **\$260M in annual efficiency gains**.

- **Case 2: Enterprise Productivity Surge (Accenture & GitHub Copilot):**

- Across thousands of enterprise engineers, routine feature delivery accelerated by **55%**, with 90% reporting greater flow state when paired with rigorous peer code reviews.

- **The Engineering Takeaway:**

- **Harness & govern—neither blindly embrace nor dogmatically reject!** The goal is not to surrender to the "vibe", nor to ban AI out of fear, but to **manage AI coding through engineering discipline, verification, and architectural oversight.**

AI in SWE: The Paradigm Shift (Software 1.0 → 3.0)

- **The Evolution of How We Build Software:**

- **Software 1.0 (Code-Centric):** Humans write explicit, deterministic algorithms line-by-line ($f(x) \rightarrow y$).
- **Software 2.0 (Prompt-Driven):** Humans write natural language prompts and instructions; LLMs generate code, functions, and boilerplate (e.g., Copilot, ChatGPT).
- **Software 3.0 (Agentic):** Humans specify high-level goals and architectural constraints; autonomous AI agents iteratively plan, execute tools, run tests, and refactor code.

- **The Fundamental Transformation of the Software Engineer:**

- **What AI Commoditizes:** Boilerplate syntax, standard CRUD endpoints, and syntax translation.
- **What Remains Irreplaceable:** Domain analysis, architectural trade-offs, security boundaries, and **evaluating whether generated solutions actually meet user needs.**
- **The Engineer's New Identity:** Moving from *syntax typist* → **System Architect, Specification Designer & Verification Authority.**

AI in SWE: Requirements & System Architecture

- **1. Requirements Engineering (Specification):**
 - **Superpowers ($\oplus$):** Rapidly drafts user stories, Given-When-Then acceptance criteria, and edge-case scenarios; spots ambiguities and contradictions in specs.
 - **Pitfalls & Risks ($\ominus$):** Hallucinates non-existent APIs and false business logic; lacks organizational tacit knowledge, legal liability context, and human empathy.
- **2. Architectural & System Design:**
 - **Superpowers ($\oplus$):** Compares architectural patterns and trade-offs systematically; rapidly scaffolds ERDs, database schemas, and OpenAPI contracts.
 - **Pitfalls & Risks ($\ominus$):** Promotes premature over-engineering and microservice sprawl; blind to operational latency, infrastructure cost limits, and security SLAs.

AI in SWE: Code Construction & Implementation

- **3. Coding & Implementation:**

- **Superpowers ($\oplus$):**

- **Eliminates Boilerplate:** Automates repetitive scaffolding, CRUD endpoints, and complex regex queries.
 - **Polyglot Acceleration:** Translates algorithms and logic seamlessly across programming languages.
 - **Instant Rubber-Ducking:** Explains cryptic compiler errors and suggests alternative implementations in seconds.

- **Pitfalls & Risks ($\ominus$):**

- **The "Vibe Coding" Trap:** Developers accept syntactically plausible code without understanding runtime causality.
 - **Security Vulnerabilities:** NYU/Stanford studies show $\approx 40\%$ of AI code contains CWE Top 25 vulnerabilities (SQL injection, buffer overflows, concurrency race conditions).
 - **Supply Chain Poisoning:** Introduces hallucinated packages, deprecated APIs, or restrictive copyleft licenses.

AI in SWE: Validation, Testing & Evolution

- **4. Software Validation (Testing & QA):**

- **Superpowers ($\oplus$):** Synthesizes comprehensive mock datasets, boundary unit tests, and property-based fuzzing suites.
- **Pitfalls & Risks ($\ominus$):** "**Echo-Chamber Testing**" — AI writes tests that merely validate its own flawed assumptions ("*Who tests the tester?*"); unit tests pass on `localhost` but fail under real concurrency.

- **5. Software Evolution (Maintenance):**

- **Superpowers ($\oplus$):** Deciphers and explains 10-year-old legacy spaghetti codebases in seconds; automates changelogs, docstrings, and migration scripts.
- **Pitfalls & Risks ($\ominus$):** Introduces **silent regression bugs** during refactoring; generates articulate, authoritative documentation that describes what the code *should* do, not what it *actually* does.

Engineering Rigor in the AI Era: Trust & Verification

"Never merge code you do not understand and cannot defend."

”

- **The "Automation Bias" Hazard:**

- Over-trusting fluent, confident AI outputs without verifying boundary behaviors, race conditions, or edge-case security contracts.

- **Three Imperatives for AI-Augmented Engineering:**

- **1. Specification-First (Contract-Driven):** Never generate code without formal interface definitions, type signatures, and clear acceptance criteria.
- **2. Independent Verification Net:** AI cannot write both the implementation and its own test cases unchecked (*"Who tests the tester?"*). Mandate deterministic CI regression suites.
- **3. Human Professional Accountability:** AI provides drafts, but the human engineer owns **100% of the legal, ethical, and architectural liability** for every line in production.

Concept Check: AI Coding & Code Churn (CCQ 8)

In empirical studies evaluating AI coding assistants (such as GitClear's analysis of 150M lines of code), "Code Churn" emerged as a major warning sign. What does high Code Churn indicate in an AI-assisted codebase?

- **A.** Code is rapidly rewritten, deleted, or patched shortly after commit, indicating brittle code accepted without sufficient verification.
- **B.** Compilers and bundlers are aggressively removing unreachable dead code from application binaries during automated deployment.
- **C.** Software engineering teams are switching programming languages frequently due to automated polyglot syntax translation.
- **D.** Automated test cases are executing too quickly and depleting available CI/CD pipeline virtual machine compute resources



Concept Check: AI Verification & Testing (CCQ 9)

An engineer prompts an AI to generate a complex payment calculation module, and then asks the same AI to write unit tests without providing a formal specification. All tests pass.

What is the primary risk?

- **A.** Echo-chamber validation: The generated tests merely mirror the AI's internal flawed assumptions rather than actual business requirements.
- **B.** Performance bottleneck: AI-generated test assertions take significantly longer to execute than human-written assertions.
- **C.** Compilation failure: Testing frameworks cannot parse automated mock datasets generated by large language models.
- **D.** Version lock-in: The test suite becomes tightly coupled to a single specific cloud runtime environment.



Interactive Activity: The "Vibe Coding" Challenge

Classroom Poll & Discussion: AI in Practice

- **Poll:** When using AI coding assistants, how often do you inspect and understand every line before committing?
- **Discussion:** Suppose an AI assistant writes a 200-line asynchronous database handler that passes 2 basic tests. Is it safe to deploy? What verification steps must a professional engineer execute?



1.9 Frequently Asked Questions (FAQ)

- **Q1: Programming vs. Software Engineering?**

- *Answer:* Programming is writing code. Software engineering is programming integrated over time, managing team collaboration, constraints (budget/schedule), quality attributes, and long-term evolution.

- **Q2: Why do correct programs with 100% test coverage fail?**

- *Answer:* Software requires Data, Operational Procedures, and Documentation. Deficiencies in these non-code pillars or in Specification lead to failure.

- **Q3: Satisficing vs. Optimizing?**

- *Answer:* Real-world constraints (time, budget) require a "satisficing" solution (sufficient to meet constraints) rather than a technically "optimized" one.

- **Q4: The risk of "Vibe Coding" with AI?**

- *Answer:* Blindly accepting AI code without review leads to bugs. Prevent with code reviews, specification-first testing, and treating AI output as drafts.

Recap: Fill-in-the-Blank Quiz

Test your mastery of Chapter 1 fundamentals:

1. According to the IEEE definition, software consists of programs, data, operational procedures, and [_____].
2. Adding manpower to a late software project makes it later is known as [_____] Law.
3. The [_____] Quality Model defines 8 product quality characteristics including Functional Suitability, Compatibility, Security, and Maintainability.
4. The first principle of the ACM/IEEE Code of Ethics prioritizes the [_____] interest.



References & Further Reading

- Sommerville, Ian. *Software Engineering* (10th Edition). Pearson. [Official Website](#)
- Brooks, Frederick P. *The Mythical Man-Month: Essays on Software Engineering*. Addison-Wesley.
- ISO/IEC 25010:2011. *Systems and software engineering — Systems and software Quality Requirements and Evaluation (SQuaRE) — System and software quality models*.
- ACM/IEEE Joint Task Force on Software Engineering Ethics. *Software Engineering Code of Ethics*. [IEEE CS](#)
- Brignull, Harry. *Deceptive Patterns: Exposing the Tricks Tech Companies Use to Control You*.