

前端實作練習題 / Frontend Practice Exercises

📁 請下載對應的 HTML 檔案，在標有 `/* TODO */` 的地方填入 CSS，讓畫面符合「目標畫面」的樣子。可以參考課堂講義作答，完成後請繳交修改後的 HTML 檔案。

📁 Download the corresponding HTML file and fill in the CSS where marked `/* TODO */` to match the target layout shown below. You may refer to the course notes. Submit your modified HTML file when done.

題目一：Flexbox 旅遊卡片排版

Question 1: Flexbox Travel Card Layout

📁 作答檔案 / Answer File : `q1.html`

主題 / Topic : CSS Flexbox 排版 / CSS Flexbox Layout

題目說明

下方的 HTML 檔案已包含三張旅遊目的地卡片（東京、巴黎、夏威夷），但目前卡片是垂直堆疊的狀態，樣式也不完整。

請在 CSS 中填入適當的屬性，讓畫面符合以下目標：

- 三張卡片水平並排
- 卡片之間有適當的間距 (`gap`)
- 卡片有圓角 (`border-radius`) 與陰影 (`box-shadow`) 效果
- 滑鼠移入卡片時，陰影加深 (`hover` 效果)

Description

The HTML file already contains three travel destination cards (Tokyo, Paris, Hawaii), but they are currently **stacked vertically** with incomplete styling.

Fill in the appropriate CSS properties so the layout matches the target:

- The three cards should be displayed **side by side horizontally**
- There should be appropriate **spacing** between cards (`gap`)
- Cards should have **rounded corners** (`border-radius`) and a **shadow** (`box-shadow`)
- When the mouse hovers over a card, the **shadow should deepen** (`hover` effect)

需填寫的 CSS 區塊 / CSS Blocks to Complete

選擇器 / Selector	需加入的效果 / Effect to Add
<code>.card-container</code>	啟動 Flexbox、設定間距 / Enable Flexbox, set gap
<code>.card</code>	白色背景、圓角、陰影、等寬分配 / White background, border-radius, box-shadow, flex: 1
<code>.card:hover</code>	陰影加深 / Deepen the shadow

目標畫面 / Target Layout

旅遊目的地推薦

東京

探索繁華的街道、古老的寺廟、多彩的文化與美食，日本首都的魅力無窮。

價格：¥150,000 起

巴黎

感受浪漫氣息、參觀世界級美術館、漫步在艾菲爾鐵塔下的光之城。

價格：€1,200 起

夏威夷

在美麗的海灘放鬆、享受熱帶陽光、衝浪與獨特的 Aloha 精神。

價格：\$2,800 起

參考章節 / Reference

 Ch04 CSS → 4.4 Box Model 與 Flexbox 佈局 / Box Model and Flexbox Layout

題目二：JavaScript 資料結構 (Object) 與購物車動態渲染

Question 2: JS Data Structures (Object) and Dynamic Cart Rendering

 作答檔案 / Answer File : `q2.html`

主題 / Topic：JavaScript 物件 (Object) 應用 + DOM 動態增刪 + 累算邏輯

題目說明

這是一個「水果鮮選購物車」系統。目前的程式碼雖然有基本的界面，但核心邏輯尚未完成，且內部的資料結構與變數宣告存有錯誤。

請完成以下任務，讓購物車能正常運作：

- 資料結構對應**：在 `fruitPrices` 物件中填入正確的 Key 與 Value（蘋果: 50, 香蕉: 20, 櫻桃: 80），確保能透過選單的值抓到價格。
- 修復累算邏輯**：修正 `currentTotal` 的宣告位置或方式，讓每次點擊「加入」後，總金額能持續累加而非歸零。
- 驗證機制**：加入數量檢查，購買數量必須限制在 1 到 10 之間，若超出範圍則不執行。
- DOM 動態渲染**：完成 `addToCart` 函式，使用 `document.createElement('li')` 產生一個清單項目，並將其 `appendChild` 到購物清單中。
- Tailwind 排版**：補充遺漏的 Tailwind Classes，美化購物車容器與按鈕。

Description

This is a "Fruit Shopping Cart" system. While the basic UI is provided, the core logic is incomplete, and there are errors in the data structure and variable declarations.

Complete the following tasks to make the shopping cart functional:

- 1. **Data Structure Mapping:** Populate the `fruitPrices` object with correct Key and Value pairs (Apple: 50, Banana: 20, Cherry: 80). Ensure keys match the select values.
- 2. **Fix Accumulation Logic:** Adjust the `currentTotal` declaration so that the total price accumulates over multiple additions instead of resetting to zero.
- 3. **Validation Mechanism:** Implement a check to **restrict quantity between 1 and 10**.
- 4. **Dynamic DOM Rendering:** Complete the `addToCart` function using `document.createElement('li')` to generate a list item and `appendChild` it to the cart list.
- 5. **Tailwind Layout:** Fill in missing Tailwind Classes to style the cart container and the "Add" button.

任務清單 / Task List

任務目標 / Goal	技術重點 / Key Concept
HTML 屬性限制 (max)	HTML 標籤屬性運用 (Attributes)
自行宣告水果價格	資料變數管理 (Data Handling)
總金額持續累加	變數作用域與運算 (Variable Scope)
DOM 動態新增清單	DOM 節點產生與插入 (Dynamic UI)

目標畫面 / Target Layout

水果鮮選購物車

選擇品項 (FRUIT)

 香蕉 (\$20)



購買數量 (QUANTITY, 限制 1-10)

2

加入購物車 (Add to Cart)

SHOPPING LIST

蘋果

數量: 3

\$150

香蕉

數量: 2

\$40

TOTAL PAYABLE

\$ 190

參考章節 / Reference

 Ch05 JavaScript → 5.3 變數、5.4 陣列與物件、5.5 DOM 操作基礎

[!TIP] 完成兩題後，用瀏覽器開啟 HTML 檔案，對照目標畫面檢查是否一致。不需要畫面「一模一樣」，但核心的排版概念 (Flexbox、Box Model、選擇器語法) 要正確。

After completing both questions, open the HTML files in a browser and compare with the target layout. The result doesn't need to be pixel-perfect, but the core concepts (Flexbox, Box Model, CSS selectors) must be correctly applied.