Running head: TITLE 1

The title

First Author¹ & Ernst-August Doelle^{1,2}

¹ Wilhelm-Wundt-University

² Konstanz Business School

Author Note

- Add complete departmental affiliations for each author here. Each new line herein must be indented, like this line.
- Enter author note here.

5

- The authors made the following contributions. First Author: Conceptualization,
- Writing Original Draft Preparation, Writing Review & Editing; Ernst-August Doelle:
- Writing Review & Editing.
- Correspondence concerning this article should be addressed to First Author, Postal address. E-mail: my@email.com

The title

15 Methods

 $_{\rm 16}$ ## Warning: package 'dplyr' was built under R version 4.1.2

		Man		Woman			
Variable	β	t-value	p-value	β	t-value	p-value	
Gender	-0.46	-0.24	0.81	2.52	1.14	0.26	
Time	>-0.01	-0.05	0.96	-0.01	-2.39	.02*	
Partner's Percent of Chores (PC)	1.43	0.76	0.45	-1.01	-0.45	0.65	
Actor's PC	1.86	0.97	0.33	-1.51	-0.69	0.49	
Actor's Hostile Sexism (HS)	-0.08	-0.44	0.66	0.05	0.24	0.81	
Actor's Benevolent Sexism (BS)	0.49	0.98	0.33	0.38	1.14	0.26	
Partner's HS	0.44	2.32	.02*	-0.13	-0.64	0.52	
Partner's BS	-0.23	-0.80	0.42	-0.48	-0.82	0.41	
Actor's PC x Actor's HS	-0.08	-0.44	0.66	-0.07	-0.33	0.74	
Partner's PC x Actor's HS	0.11	0.65	0.51	0.24	1.05	0.39	
Actor's PC x Partner's HS	-0.15	-0.76	0.45	0.22	1.11	0.27	
Partner's PC x Partner's HS	-0.41	-2.27	.02*	-0.02	-0.10	0.92	
Actor's PC x Actor's BS	-0.53	-1.05	0.3	-0.11	-0.34	0.74	
Partner's PC x Actor's BS	-0.57	-1.15	0.25	-0.39	-1.14	0.25	
Actor's PC x Partner's BS	0.18	0.63	0.55	0.36	0.63	0.53	
Partner's PC x Partner's BS	0.40	1.40	0.16	0.37	0.63	0.53	

 $^{^{\}ast}$ indicate a p-value lower than our alpha of .05

18 Data analysis

We used R (Version 4.1.1; R Core Team, 2021) and the R-packages corrplot2021 (Wei 19 & Simko, 2021), dplyr (Version 1.0.8; Wickham et al., 2022a), forcats (Version 0.5.1; 20 Wickham, 2021), ggformula (Version 0.10.1; Kaplan & Pruim, 2021), ggplot2 (Version 3.3.5; 21 Wickham, 2016), ggridges (Version 0.5.3; Wilke, 2021), ggstance (Version 0.3.5; Henry et al., 22 2020), kableExtra (Version 1.3.4; Zhu, 2021), knitr (Version 1.34; Xie, 2015), lattice (Version 23 0.20.44; Sarkar, 2008), lubridate (Version 1.7.10; Grolemund & Wickham, 2011), Matrix 24 (Version 1.3.4; Bates & Maechler, 2021), mosaic (Version 1.8.3; Pruim, Kaplan, & Horton, 25 2017, 2021), mosaicData (Version 0.20.2; Pruim et al., 2021), nlme (Version 3.1.153; 26 Pinheiro, Bates, DebRoy, Sarkar, & R Core Team, 2022), papaja (Version 0.1.0.9997; Aust & 27 Barth, 2020), psych (Version 2.1.9; Revelle, 2021), purr (Version 0.3.4; Henry & Wickham, 2020), readr (Version 2.0.1; Wickham et al., 2022b), stringr (Version 1.4.0; Wickham, 2019), tibble (Version 3.1.6; Müller & Wickham, 2021), tidyr (Version 1.1.3; Wickham & Girlich, 2022), and tidyverse (Version 1.3.1; Wickham, Averick, et al., 2019) for all our analyses.

Results

33 Discussion

34 References

Aust, F., & Barth, M. (2020). papaja: Create APA manuscripts with R Markdown.

- Retrieved from https://github.com/crsh/papaja
- Bates, D., & Maechler, M. (2021). Matrix: Sparse and dense matrix classes and methods.
- Retrieved from https://CRAN.R-project.org/package=Matrix
- Grolemund, G., & Wickham, H. (2011). Dates and times made easy with lubridate. Journal
- of Statistical Software, 40(3), 1–25. Retrieved from
- https://www.jstatsoft.org/v40/i03/
- Henry, L., & Wickham, H. (2020). Purr: Functional programming tools. Retrieved from
- https://CRAN.R-project.org/package=purrr
- 44 Henry, L., Wickham, H., & Chang, W. (2020). Ggstance: Horizontal 'ggplot2' components.
- Retrieved from https://CRAN.R-project.org/package=ggstance
- 46 Kaplan, D., & Pruim, R. (2021). Gaformula: Formula interface to the grammar of graphics.
- Retrieved from https://CRAN.R-project.org/package=ggformula
- Müller, K., & Wickham, H. (2021). Tibble: Simple data frames. Retrieved from
- https://CRAN.R-project.org/package=tibble
- Pinheiro, J., Bates, D., DebRoy, S., Sarkar, D., & R Core Team. (2022). nlme: Linear and
- nonlinear mixed effects models. Retrieved from
- https://CRAN.R-project.org/package=nlme
- 53 Pruim, R., Kaplan, D., & Horton, N. (2021). MosaicData: Project mosaic data sets.
- Retrieved from https://CRAN.R-project.org/package=mosaicData
- Pruim, R., Kaplan, D. T., & Horton, N. J. (2017). The mosaic package: Helping students to

```
'think with data' using r. The R Journal, 9(1), 77–102. Retrieved from
```

- https://journal.r-project.org/archive/2017/RJ-2017-024/index.html
- R Core Team. (2021). R: A language and environment for statistical computing. Vienna,
- Austria: R Foundation for Statistical Computing. Retrieved from
- https://www.R-project.org/
- 61 Revelle, W. (2021). Psych: Procedures for psychological, psychometric, and personality
- 62 research. Evanston, Illinois: Northwestern University. Retrieved from
- https://CRAN.R-project.org/package=psych
- Sarkar, D. (2008). Lattice: Multivariate data visualization with r. New York: Springer.
- Retrieved from http://lmdvr.r-forge.r-project.org
- 66 Wei, T., & Simko, V. (2021). R package 'corrplot': Visualization of a correlation matrix.
- Retrieved from https://github.com/taiyun/corrplot
- Wickham, H. (2016). Gaplot2: Elegant graphics for data analysis. Springer-Verlag New York.
- Retrieved from https://ggplot2.tidyverse.org
- Wickham, H. (2019). Stringr: Simple, consistent wrappers for common string operations.
- Retrieved from https://CRAN.R-project.org/package=stringr
- Wickham, H. (2021). Forcats: Tools for working with categorical variables (factors).
- Retrieved from https://CRAN.R-project.org/package=forcats
- Wickham, H., Averick, M., Bryan, J., Chang, W., McGowan, L. D., François, R., ... Yutani,
- H. (2019). Welcome to the tidyverse. Journal of Open Source Software, 4(43), 1686.
- https://doi.org/10.21105/joss.01686
- Wickham, H., François, R., Henry, L., & Müller, K. (2022a). Dplyr: A grammar of data
- manipulation. Retrieved from https://CRAN.R-project.org/package=dplyr

Wickham, H., & Girlich, M. (2022). Tidyr: Tidy messy data. Retrieved from

- https://CRAN.R-project.org/package=tidyr
- Wickham, H., Hester, J., & Bryan, J. (2022b). Readr: Read rectangular text data. Retrieved from https://CRAN.R-project.org/package=readr
- Wilke, C. O. (2021). Ggridges: Ridgeline plots in 'ggplot2'. Retrieved from
- https://CRAN.R-project.org/package=ggridges
- ⁸⁵ Xie, Y. (2015). Dynamic documents with R and knitr (2nd ed.). Boca Raton, Florida:
- 86 Chapman; Hall/CRC. Retrieved from https://yihui.org/knitr/
- ⁸⁷ Zhu, H. (2021). KableExtra: Construct complex table with 'kable' and pipe syntax. Retrieved
- from https://CRAN.R-project.org/package=kableExtra

Table 1

Variable	Value_M	T_M	P_M	Value_W	T_W	P_W
Gender	-0.46	-0.24	0.81	2.52	1.14	0.26
Time	>-0.01	-0.05	0.96	-0.01	-2.39	.02*
Partner's Percent of Chores (PC)	1.43	0.76	0.45	-1.01	-0.45	0.65
Actor's PC	1.86	0.97	0.33	-1.51	-0.69	0.49
Actor's Hostile Sexism (HS)	-0.08	-0.44	0.66	0.05	0.24	0.81
Actor's Benevolent Sexism (BS)	0.49	0.98	0.33	0.38	1.14	0.26
Partner's HS	0.44	2.32	.02*	-0.13	-0.64	0.52
Partner's BS	-0.23	-0.80	0.42	-0.48	-0.82	0.41
Actor's PC x Actor's HS	-0.08	-0.44	0.66	-0.07	-0.33	0.74
Partner's PC x Actor's HS	0.11	0.65	0.51	0.24	1.05	0.39
Actor's PC x Partner's HS	-0.15	-0.76	0.45	0.22	1.11	0.27
Partner's PC x Partner's HS	-0.41	-2.27	.02*	-0.02	-0.10	0.92
Actor's PC x Actor's BS	-0.53	-1.05	0.3	-0.11	-0.34	0.74
Partner's PC x Actor's BS	-0.57	-1.15	0.25	-0.39	-1.14	0.25
Actor's PC x Partner's BS	0.18	0.63	0.55	0.36	0.63	0.53
Partner's PC x Partner's BS	0.40	1.40	0.16	0.37	0.63	0.53