

Keyboard	keebio/iris/rev4
Layout	LAYOUT
Author	Anonymous
Date	13/08/2023 23:13:43
Source	https://github.com/qmk/qmk_firmware/tree/master/keyboards/keebio/iris/rev4
Notes	My awesome keymap

The diagram shows a keyboard layout with keys labeled as follows:


- Top row: OSL(2), [empty], [empty], [empty], [empty], [empty]
- Second row: Esc, Q, W, E, R, T
- Third row: Tab, A, S, D, F, G
- Fourth row: MO(3), Z, X, C, V, B
- Bottom row: OSM LGUI, MEH_T (KC_SPC), OSM LSft, Enter

The right side of the diagram shows a continuation of the keyboard layout with keys labeled as follows:

- Top row: [empty], [empty], [empty], [empty], [empty], [empty]
- Second row: Y, U, I, O, P, LSFT (KC_P)
- Third row: H, J, K, L, ; , ' "
- Fourth row: N, M, < , > . , ? / ~
- Bottom row: OSM LAlt, TO(1), OSL(2), OSM LCtrl

The diagram illustrates two keyboard layouts, one for the left hand and one for the right hand. The left-hand layout includes keys for symbols like ∇ , \sim , $?$, $|$, $\&$, $*$, $\text{TO}(3)$, $<$, $=$, $>$, $!$, $+$, $-$, $@$, $\%$, $\#$, $/$, ∇ , Space , and $\text{TO}(0)$. The right-hand layout includes keys for symbols like \sim , $"$, $"$, \wedge , $\$$, P , $-$, $\{$, $\}$, $\{$, $\}$, $|$, $-$, $($, $)$, \sim , $?$, $/$, $|$, \backslash , ∇ , ∇ , and $\text{TO}(2)$.

Layer 2



Layer 3

